


# FALL PROTECTION EQUIPMENTS

PROGUARD SAFETY PRODUCTS CATALOGUE



CE  
EN361



SIRIM  
CERTIFIED TO BS EN 361 : 2002  
Certification No : PP071003



PG 14 1060

## Full Body Harness PG 14 1060

- 1-pc dorsal attachment D-ring.
- Metal buckle type chest strap.
- Adjustable thigh strap.
- Shoulder and thigh straps differentiated by dual colour scheme.
- Available in Red/Yellow & High Visibility Orange/Black.



(Orange/Black)  
PG 14 1060

- Ideally positioned sit strap for extended comfort.
- Comes with PG0190 MPB Multi Purpose Bag.
- Conform to BS EN361 & SIRIM certification no: PP071003

Product Code: PG141060	Size: Universal	Weight: 820gms	Packing: 1set/box 10sets/carton
---------------------------	--------------------	-------------------	------------------------------------



PG 14 1061

## Full Body Harness PG 14 1061

- 1-pc dorsal attachment D-ring.
- Metal buckle type chest strap.
- Adjustable shoulder & thigh strap.
- Shoulder and thigh straps differentiated by dual colour scheme.
- Available in Red/Yellow & High Visibility Orange/Black.



(Orange/Black)  
PG 14 1061

- Ideally positioned sit strap for extended comfort.
- Comes with PG0190 MPB Multi Purpose Bag.
- Conform to BS EN361 & SIRIM certification no: PP071003

Product Code: PG141061	Size: Universal	Weight: 1100gms	Packing: 1set/box 10sets/carton
---------------------------	--------------------	--------------------	------------------------------------



PG 14 1062

## Full Body Harness PG 14 1062

- 1-pc dorsal attachment D-ring.
- 2-pcs chest attachment D-rings
- Metal buckle type chest strap.
- Adjustable shoulder & thigh strap.
- Shoulder and thigh straps differentiated by dual colour scheme.




(Orange/Black)  
PG 14 1062

- Available in Red/Yellow & High Visibility Orange/Black.
- Ideally positioned sit strap for extended comfort.
- Comes with PG0190 MPB Multi Purpose Bag.
- Conform to BS EN361 & SIRIM certification no: PP071003

Product Code: PG141062	Size: Universal	Weight: 1200gms	Packing: 1set/box 10sets/carton
---------------------------	--------------------	--------------------	------------------------------------

# FALL PROTECTION EQUIPMENTS

PROGUARD SAFETY PRODUCTS CATALOGUE



PG 141063

## Full Body Harness PG 141063

- 1-pc dorsal attachment D-ring.
- 2-pcs chest attachment webbing loops.
- Metal buckle type chest strap.
- Adjustable thigh strap.
- Shoulder and thigh straps differentiated by dual colour scheme.



(Orange/Black)  
PG 141063

- Available in Red/Yellow & High Visibility Orange/Black.
- Ideally positioned sit strap for extended comfort.
- Comes with PGO190 MPB Multi Purpose Bag.
- Conform to BS EN361 & SIRIM certification no: PP071003

Product Code: PG141063	Size: Universal	Weight: 890gms	Packing: 1set/box 10sets/carton
---------------------------	--------------------	-------------------	------------------------------------

CE  
EN361



SIRIM  
CERTIFIED TO BS EN 361 : 2002  
Certification No : PP071003



PG 141060 CBU

## Full Body Harness with Built-in Lanyard PG 141060 CBU

- 1-pc dorsal attachment D-ring.
- Metal buckle type chest strap.
- Adjustable thigh strap.
- Shoulder and thigh straps differentiated by dual colour scheme.
- Available in Red/Yellow & High Visibility Orange/Black.



(Orange/Black)  
PG 141060 CBU

- Ideally positioned sit strap for extended comfort.
- Built-in with 2.0meter polyamide lanyard with 1-pc press snap hook.
- Comes with PGO190 MPB Multi Purpose Bag.
- Conform to BS EN361, EN354 & SIRIM certification no: PP071003, PP71005

Product Code: PG141060CBU	Size: Universal	Weight: 1300gms	Packing: 1set/box 10sets/carton
------------------------------	--------------------	--------------------	------------------------------------

CE  
EN361  
EN354



SIRIM  
CERTIFIED TO BS EN 361 : 2002  
Certification No : PP071003  
CERTIFIED TO BS EN 354 : 2000  
Certification No : PP071005



S718

## Telecom Full Body Harness S718

- 1-pc dorsal attachment D-ring.
- 1-pc front attachment D-ring.
- 1-pc center waist attachment D-ring for sit support.
- 2-pcs side D-rings.
- Abrasion proof Ergopad backrest.



(Orange/Black)  
S718

- Adjustable thigh, waist & shoulder straps.
- Available in Blue/Black & High Visibility Orange/Black.
- Comes with PGO190 MPB Multi Purpose Bag.
- Conform to BS EN361, EN358, EN813 & SIRIM certification no: PP071003, PP71006

Product Code: S718	Size: Universal	Weight: 1980gms	Packing: 1set/box 10sets/carton
-----------------------	--------------------	--------------------	------------------------------------


CE  
EN361  
EN358  
EN813



SIRIM  
CERTIFIED TO BS EN 361 : 2002  
Certification No : PP071003  
CERTIFIED TO BS EN 358 : 2000  
Certification No : PP071006

# FALL PROTECTION EQUIPMENTS

PROGUARD SAFETY PRODUCTS CATALOGUE



PG 141060 EB

## Full Body Harness with Eco Belt PG 141060 EB

- 1-pc dorsal attachment D-ring.
- Metal buckle type chest strap.
- Adjustable thigh strap.
- Adjustable waist support belt.
- 2-pcs lateral positioning D-rings.



(Orange/Black)  
PG 141060 EB

- Shoulder and thigh straps differentiated by dual colour scheme.
- Available in Orange/Blue & High Visibility Orange/Black.
- Ideally positioned sit strap for extended comfort.
- Comes with PG0190 MPB Multi Purpose Bag.
- Conform to BS EN361, EN358 & SIRIM certification no: PP071003, PP71006

Product Code:	Size:	Weight:	Packing:
PG141060-EB	Universal	1600gms	1set/box 10sets/carton

CE  
EN361  
EN358



SIRIM  
CERTIFIED TO BS EN 361 : 2002  
Certification No : PP071003  
CERTIFIED TO BS EN 358 : 2000  
Certification No : PP071006



CE  
EN361



SIRIM  
CERTIFIED TO BS EN 361 : 2002  
Certification No : PP071003

BH7886

## Economic Full Body Harness BH7886

- 1-pc dorsal attachment D-ring with back-pad.
- Metal buckle type chest strap.
- Adjustable thigh strap.
- Available in Blue colour with black strips.
- Ideally positioned sit strap for extended comfort.
- Comes with PG0180 MPB Multi Purpose Bag.
- Conform to BS EN361 & SIRIM certification no: PP071003

Product Code:	Size:	Weight:	Packing:
BH7886	Universal	820gms	1set/box 10sets/carton



CE  
EN361  
EN354



SIRIM  
CERTIFIED TO BS EN 361 : 2002  
Certification No : PP071003  
CERTIFIED TO BS EN 354 : 2002  
Certification No : PP071005

BH7886 CBU

## Full Body Harness with Built-in Lanyard BH7886 CBU

- 1-pc dorsal attachment D-ring with back-pad.
- Metal buckle type chest strap.
- Adjustable thigh strap.
- Available in Blue colour with black strips.
- Ideally positioned sit strap for extended comfort.
- Built-in with 2.0meter polyamide lanyard with 1-pc press snap hook.
- Comes with PG0180 MPB Multi Purpose Bag.
- Conform to BS EN361, BS EN354 & SIRIM certification no: PP071003, PP71005

Product Code:	Size:	Weight:	Packing:
BH7886CBU	Universal	1300gms	1set/box 10sets/carton



CE  
EN361




SIRIM  
CERTIFIED TO BS EN 361 : 2002  
Certification No : PP071003

S710

## Basic Full Body Harness S710

- 1-pc dorsal attachment D-ring.
- Metal buckle type chest strap.
- Adjustable thigh strap.
- Shoulder and thigh straps differentiated by dual colour scheme.
- Available in Yellow/Black colour.
- Ideally positioned sit strap for extended comfort.
- Comes with PG0190 MPB Multi Purpose Bag.
- Conform to BS EN361 & SIRIM certification no: PP071003

Product Code:	Size:	Weight:	Packing:
S710	Universal	820gms	1set/box 10sets/carton



CE  
EN358



SIRIM  
CERTIFIED TO BS EN 358 : 2000  
Certification No. : PP071006

PG141059-S-PRO



### Work Positioning Belt PG141059-S-PRO

- Abrasion proof & narrow back comfort pad.
- 2-pcs lateral positioning D-rings.
- Tools holder loops and ring for tool bags.
- Available in Red/Yellow & High Visibility Orange/Black.
- Built-in with S234 Work Positioning Lanyard.
- Conform to BS EN358 & SIRIM certification no: PP071006

Product Code:	Size:	Weight:	Packing:
PG141059-S-PRO	Universal	1400gms	1set/box



(Orange/Black)  
PG141059-S-PRO



PG141059-S-PAX

CE  
EN358  
EN354



SIRIM  
CERTIFIED TO BS EN 358 : 2000  
Certification No. : PP071006  
CERTIFIED TO BS EN 354 : 2002  
Certification No. : PP071005

(Orange/Black)  
PG141059-S-PAX



### Work Positioning Belt PG141059-S-PAX

- Abrasion proof & narrow back comfort pad.
- 2-pcs lateral positioning D-rings.
- Tools holder loops and ring for tool bags.
- Available in Red/Yellow & High Visibility Orange/Black.
- Built-in with 1-pc carabiner with 2 meter polyamide lanyard & 1-pc press snap hook.
- Conform to BS EN358 & SIRIM certification no: PP071006 for Work Positioning Belt;  
BS EN354 & SIRIM certification no: PP071005 for Lanyard.

Product Code:	Size:	Weight:	Packing:
PG141059-S-PAX	Universal	1100gms	1set/box



PG141059-D-PAX

CE  
EN358  
EN354



SIRIM  
CERTIFIED TO BS EN 358 : 2000  
Certification No. : PP071006  
CERTIFIED TO BS EN 354 : 2002  
Certification No. : PP071005

(Orange/Black)  
PG141059-D-PAX




### Work Positioning Belt PG141059-D-PAX

- Abrasion proof & wide back comfort pad.
- 2-pcs lateral positioning D-rings.
- Tools holder loops and ring for tool bags.
- Available in Red/Yellow & High Visibility Orange/Black.
- Built-in with 1-pc carabiner with 2 meter polyamide lanyard & 1-pc press snap hook.
- Conform to BS EN358 & SIRIM certification no: PP071006 for Work Positioning Belt;  
BS EN354 & SIRIM certification no: PP071005 for Lanyard.

Product Code:	Size:	Weight:	Packing:
PG141059-D-PAX	Universal	1300gms	1set/box

# FALL PROTECTION EQUIPMENTS

PROGUARD SAFETY PRODUCTS CATALOGUE



PG141059-D-PRO

CE  
EN358



SIRIM  
CERTIFIED TO BS EN 358 : 2000  
Certification No : PP071006

(Orange/Black)  
PG141059-D-PRO



(Orange/Black)  
PG141059-S-PLUS



PG141059-S-PLUS

CE  
EN358



SIRIM  
CERTIFIED TO BS EN 358 : 2000  
Certification No : PP071006

## Work Positioning Belt PG141059-D-PRO

- Abrasion proof & wide back comfort pad.
- 2-pcs lateral positioning D-rings.
- Tools holder loops and ring for tool bags.
- Available in Red/Yellow & High Visibility Orange/Black.
- Built-in with S234 Work Positioning Lanyard.
- Conform to BS EN358 & SIRIM certification no: PP071006

Product Code:	Size:	Weight:	Packing:
PG141059-D-PRO	Universal	1500gms	1set/box

## Work Positioning Belt PG141059-S-PLUS

- Abrasion proof & narrow back comfort pad.
- 2-pcs lateral positioning D-rings.
- Tools holder loops and ring for tool bags.
- Available in Red/Yellow & High Visibility Orange/Black.
- Built-in with Jynx 3 Work Positioning Lanyard.
- Conform to BS EN358 & SIRIM certification no: PP071006

Product Code:	Size:	Weight:	Packing:
PG141059-S-PLUS	Universal	1100gms	1set/box



PG141059-D-PLUS

CE  
EN358



SIRIM  
CERTIFIED TO BS EN 358 : 2000  
Certification No : PP071006

(Orange/Black)  
PG141059-D-PLUS



CE  
EN358  
EN813



SIRIM  
CERTIFIED TO BS EN 358 : 2000  
Certification No : PP071006

S181

## Work Positioning Belt PG141059-D-PLUS

- Abrasion proof & wide back comfort pad.
- 2-pcs lateral positioning D-rings.
- Tools holder loops and ring for tool bags.
- Available in Red/Yellow & High Visibility Orange/Black.
- Built-in with Jynx 3 Work Positioning Lanyard.
- Conform to BS EN358 & SIRIM certification no: PP071006

Product Code:	Size:	Weight:	Packing:
PG141059-D-PLUS	Universal	1200gms	1set/box


## Work Positioning Seat Harness S181

- Abrasion proof & wide back comfort pad.
- 2-pcs lateral positioning D-rings with 1-pc front waist work positioning D-ring.
- Curved D-rings to facilitate connection to hooks.
- Comes with PG0190 MPB Multi Purpose Bag.
- Conform to BS EN358, EN813 & SIRIM certification no: PP071006

Product Code:	Size:	Weight:	Packing:
S181	Universal	1200gms	1set/box 10sets/carton

# FALL PROTECTION EQUIPMENTS

## PROGUARD SAFETY PRODUCTS CATALOGUE



PG141051

### Double D-ring Safety Belt PG141051

- 50mm width webbing with standard tool bag.
- 2-pcs lateral positioning D-rings.
- Built-in with 12mm x 1.6meter polyamide lanyard with 1-pc press snap hook.

Product Code:	Size:	Weight:	Packing:
PG141051	Universal	790gms	1set/box 20sets/carton




PG141054

### Single D-ring Safety Belt PG141054

- 50mm width webbing with standard tool bag.
- 1-pc lateral positioning D-rings.
- Built-in with 12mm x 1.6meter polyamide lanyard with 1-pc press snap hook.

Product Code:	Size:	Weight:	Packing:
PG141054	Universal	720gms	1set/box 20sets/carton



PG141057

### Double D-ring Safety Belt PG141057

- 50mm width webbing with standard tool bag.
- 2-pcs lateral positioning D-rings.
- Built-in with 12mm x 1.6meter polyamide lanyard with 1-pc large opening hook.

Product Code:	Size:	Weight:	Packing:
PG141057	Universal	990gms	1set/box 10sets/carton



ESB1

### Economic Safety Belt ESB1

- 50mm width webbing with standard tool bag.
- 1-pc lateral positioning D-rings.
- Built-in with 10mm x 1.6meter polyamide lanyard with 1-pc press snap hook.

Product Code:	Size:	Weight:	Packing:
ESB1	Universal	600gms	1set/box 20sets/carton



CERTIFIED TO BS EN 355 : 2002  
Certification No : PP071004



PG300/S740

### Energy Absorber PG300/S740

- Standard version which made of 44mm width webbing.
- Can be fitted to spring, webbing or polyamide lanyard for shock absorbing purposes should a fall occur.
- Impact force will be under 6kN.
- Available in High Visibility Orange or Red Colour.
- Conform to BS EN355 & SIRIM certification no: PP071004

### Mini Energy Absorber S740-M1

- Budget & mini version which made of 25mm width webbing.
- Can be fitted to spring, webbing or polyamide lanyard for shock absorbing purposes should a fall occur.
- Impact force will be under 6kN.
- Available in Natural White.
- Conform to BS EN355 & SIRIM certification no: PP071004

S740-M1




Product Code:	Size:	Packing:
PG300/S740	Standard	1pc
S740-M1	Mini	1pc



CERTIFIED TO BS EN 355 : 2002  
Certification No : PP071004

# FALL PROTECTION EQUIPMENTS

PROGUARD SAFETY PRODUCTS CATALOGUE



## Spring Lanyard FL-1SH

Very good flexibilities. When released, it stays close to the user's body, reducing the possibility of trips and snags. Retracted length is 1.0m and extended total length to 1.6m.

- These single flexible lanyard built-in with 1-pc snap hook.
- Conform to BS EN354 & SIRIM certification no: PP071005



FL-1SH



FL-1LH



SIRIM  
CERTIFIED TO BS EN 354 : 2002  
Certification No : PP071005

## Spring Lanyard FL-1LH

- These single flexible lanyard built-in with 1-pc large opening hook.
- Conform to BS EN354 & SIRIM certification no: PP071005

Product Code:	Packing:
FL-1SH	1set/box 20sets/carton
FL-1LH	1set/box 20sets/carton



FL-TW2SH&C



FL-TW2LH&C



SIRIM  
CERTIFIED TO BS EN 354 : 2002  
Certification No : PP071005

## Twin Spring Lanyard FL-TW2SH&C

Performance as per single flexible lanyard but these twin lanyards allow user to move constantly attached to an anchorage providing added safety features.

- Built in with 2pc FL-1SH spring lanyard with 1-pc carabiner.
- Conform to BS EN354 & SIRIM certification no: PP071005

## Twin Spring Lanyard FL-TW2LH&C

- Built in with 2pc FL-1LH spring lanyard with 1-pc carabiner.
- Conform to BS EN354 & SIRIM certification no: PP071005

Product Code:	Packing:
FL-TW2SH&C	1set/box 10sets/carton
FL-TW2LH&C	1set/box 10sets/carton

FL-141065-SH



SIRIM  
CERTIFIED TO BS EN 354 : 2002  
Certification No : PP071005  
CERTIFIED TO BS EN 355 : 2002  
Certification No : PP071004

## Spring Lanyard with Energy Absorber FL-141065-SH

Combination spring lanyard with energy absorber has good absorbing properties should a fall occur. When released, it stays close to the user's body, reducing the possibility of trips and snags. Retracted length is 1.4m and extended total length to 2.0m. Static strength more than 22kN and impact force will be under 6kN.

- Built in with 1 pc FL-1SH spring lanyard with 2-pcs carabiner & energy absorber.
- Conform to BS EN354 & SIRIM certification no: PP071005 for Lanyard; BS EN355 & SIRIM certification no: PP071004 for Energy Absorber.

## Spring Lanyard with Energy Absorber FL-141069-LH

- Built in with 1pc FL-1LH spring lanyard with 2-pcs carabiner & energy absorber.
- Conform to BS EN354 & SIRIM certification no: PP071005 for Lanyard; BS EN355 & SIRIM certification no: PP071004 for Energy Absorber.


Product Code:	Packing:
FL-141065-SH	1set/box 10sets/carton
FL-141069-LH	1set/box 10sets/carton



FL-141069-LH

# FALL PROTECTION EQUIPMENTS

## PROGUARD SAFETY PRODUCTS CATALOGUE



### Twin Spring Lanyard with Energy Absorber FL-141067-PH

Performance as per single flexible lanyard but these twin lanyards allow user to move constantly attached to an anchorage providing added safety features.

- Built in with 2pcs FL-1SH spring lanyard with 2-pcs carabiner & energy absorber.
- Conform to BS EN354 & SIRIM certification no: PP071005 for Lanyard;  
BS EN355 & SIRIM certification no: PP071004 for Energy Absorber.



FL-141067-PH

CE  
EN354  
EN355



SIRIM  
CERTIFIED TO BS EN 354 : 2002  
Certification No : PP071005  
CERTIFIED TO BS EN 355 : 2002  
Certification No : PP071004

### Twin Spring Lanyard with Energy Absorber FL-141068-LOH

- Built in with 2pc FL-1LH spring lanyard with 2-pcs carabiner & energy absorber.
- Conform to BS EN354 & SIRIM certification no: PP071005 for Lanyard;  
BS EN355 & SIRIM certification no: PP071004 for Energy Absorber.



FL-141068-LOH

Product Code:	Packing:
FL-141067-PH	1set/box 10sets/carton
FL-141068-LOH	1set/box 10sets/carton



JYNX3

### Webbing Work Positioning Lanyard JYNX3

Budget version positioning lanyard for work positioning belt.

- Folded webbing lanyard with 2-pcs carabiner & adjustable figure-8.
- Conform to BS EN358 & SIRIM certification no: PP071006



S234

CE  
EN358



SIRIM  
CERTIFIED TO BS EN 358 : 2000  
Certification No : PP071006

### Work Positioning Lanyard S234

A premium type positioning lanyard with a user-friendly one hand operated length adjuster.


- Polyamide lanyard with 1-pc carabiner, 1-pc snap hook & 1-pc rope adjustable.
- Conform to BS EN358 & SIRIM certification no: PP071006

Product Code:	Packing:
JYNX3	1set/box 20sets/carton
S234	1set/box 10sets/carton

### Webbing Lanyard WL-1SH

Manufacturer from highly resistant polyester webbing, this is a general purpose fall arrest lanyard that suits almost any environments.

- Folded 1.6meter webbing lanyard with 1-pc press snap hook.
- Conform to BS EN354 & SIRIM certification no: PP071005



WL-1SH

CE  
EN354



SIRIM  
CERTIFIED TO BS EN 354 : 2002  
Certification No : PP071005

### Webbing Lanyard WL-1LH

- Folded 1.6meter webbing lanyard with 1-pc large opening hook.
- Conform to BS EN354 & SIRIM certification no: PP071005

Product Code:	Packing:
WL-1SH	1set/box 20sets/carton
WL-1-LH	1set/box 10sets/carton




WL-1LH



# FALL PROTECTION EQUIPMENTS

## PROGUARD SAFETY PRODUCTS CATALOGUE



### Webbing Lanyard with Energy Absorber WL-141065-SH

Single webbing lanyard integrated with an energy absorber provides good absorbing properties should a fall occur. Static strength more than 22kN and impact force will be under 6kN.

- Folded 1.6meter webbing lanyard with 1-pc press snap hook with 2-pcs carabiner & energy absorber.
- Conform to BS EN354 & SIRIM certification no: PP071005 for Lanyard; BS EN355 & SIRIM certification no: PP071004 for Energy Absorber.

WL-141065-SH



SIRIM  
CERTIFIED TO BS EN 354 : 2002  
Certification No : PP071005  
CERTIFIED TO BS EN 355 : 2002  
Certification No : PP071004



WL-141069-LH

### Webbing Lanyard with Energy Absorber WL-141069-LH

- Folded 1.6meter webbing lanyard with 1-pc large opening hook with 2-pcs carabiner & energy absorber.
- Conform to BS EN354 & SIRIM certification no: PP071005 for Lanyard; BS EN355 & SIRIM certification no: PP071004 for Energy Absorber.

Product Code:	Packing:
WL-141065-SH	1set/box 10sets/carton
WL-141069-LH	1set/box 10sets/carton

### Twin Webbing Lanyard with Energy Absorber

WL-141067-PH

Twin webbing lanyard integrated with an energy absorber provides good absorbing properties should a fall occur. Static strength more than 22kN and impact force will be under 6kN.

- Built-in with 2pcs WL-1SH webbing lanyard with 2-pcs carabiner & energy absorber.
- Conform to BS EN354 & SIRIM certification no: PP071005 for Lanyard; BS EN355 & SIRIM certification no: PP071004 for Energy Absorber.

### Twin Webbing Lanyard with Energy Absorber

WL-141068-LOH

- Built-in with 2pcs WL-1LH webbing lanyard with 2-pcs carabiner & energy absorber.
- Conform to BS EN354 & SIRIM certification no: PP071005 for Lanyard; BS EN355 & SIRIM certification no: PP071004 for Energy Absorber.

Product Code:	Packing:
WL-141067-PH	1set/box 10sets/carton
WL-141068-LOH	1set/box 10sets/carton

### Polyamide Lanyard with Press Snap Hook & Large Opening Hook

2.0M-CSLH

Made of polyamide 3 strand ropes with indicator orange & black running lines. Replace it when the running lines fade which indicates that the lanyard life has worn out.

- Rope size is 12mm dia. x 2 meter polyamide lanyard built-in with 1-pc press snap hook & 1-pc large opening hook.
- Conform to BS EN354 & SIRIM certification no: PP071005

Product Code:	Length:	Packing:
2.0M-CSLH	2.0m	1set/box 24sets/carton

### Polyamide Lanyard with Press Snap Hook

1.6M-SH/ 2.0M-SH

Made of polyamide 3 strand ropes with indicator orange & black running lines. Replace it when the running lines fade which indicates that the lanyard life has worn out.

- Rope size is 12mm dia. x 1.6meter or 2 meter polyamide lanyard built-in with 1-pc press snap hook.
- Conform to BS EN354 & SIRIM certification no: PP071005
- 1 set/ box 20sets/carton

Product Code:	Length:	Packing:
1.6M-SH	1.6m	1set/box 24sets/carton
2.0M-SH	2.0m	1set/box 24sets/carton



SIRIM  
CERTIFIED TO BS EN 354 : 2002  
Certification No : PP071005  
CERTIFIED TO BS EN 355 : 2002  
Certification No : PP071004



WL-141067-PH



SIRIM  
CERTIFIED TO BS EN 354 : 2002  
Certification No : PP071005  
CERTIFIED TO BS EN 355 : 2002  
Certification No : PP071004



WL-141068-LOH



SIRIM  
CERTIFIED TO BS EN 354 : 2002  
Certification No : PP071005




2.0M-CSLH



SIRIM  
CERTIFIED TO BS EN 354 : 2002  
Certification No : PP071005



1.6M-SH/ 2.0M-SH



### Polyamide Lanyard with Large opening Hook 1.6M-LH/ 2.0M-LH

- Rope size is 12mm dia. x 1.6meter or 2 meter polyamide lanyard built-in with 1-pc large opening hook.
- Conform to BS EN354 & SIRIM certification no: PP071005

Product Code:	Length:	Packing:
1.6M-LH	1.6m	1set/box 24sets/carton
2.0M-LH	2.0m	1set/box 24sets/carton



SIRIM  
CERTIFIED TO BS EN 354 : 2002  
Certification No : PP071005  
CERTIFIED TO BS EN 355 : 2002  
Certification No : PP071004



PG141065-SH



1.6M-LH/ 2.0M-LH



SIRIM  
CERTIFIED TO BS EN 354 : 2002  
Certification No : PP071005

### Polyamide Lanyard with Energy Absorber PG141065-SH

Most basic polyamide lanyard integrated with an energy absorber provides good absorbing properties should a fall occur. Static strength more than 22kN and impact force will be under 6kN.

- Built-in with 1.6M-SH lanyard with 2-pcs carabiner & energy absorber.
- Conform to BS EN354 & SIRIM certification no: PP071005 for Lanyard; BS EN355 & SIRIM certification no: PP071004 for Energy Absorber.

### Polyamide Lanyard with Energy Absorber PG141069-LH

- Built-in with 1.6M-LH lanyard with 2-pcs carabiner & energy absorber.
- Conform to BS EN354 & SIRIM certification no: PP071005 for Lanyard; BS EN355 & SIRIM certification no: PP071004 for Energy Absorber.

Product Code:	Packing:
PG141065-SH	1set/box 10sets/carton
PG141069-LH	1set/box 10sets/carton



SIRIM  
CERTIFIED TO BS EN 354 : 2002  
Certification No : PP071005  
CERTIFIED TO BS EN 355 : 2002  
Certification No : PP071004



PG141067-PH



PG141069-LH



SIRIM  
CERTIFIED TO BS EN 354 : 2002  
Certification No : PP071005  
CERTIFIED TO BS EN 355 : 2002  
Certification No : PP071004

### Twin Polyamide Lanyard with Energy Absorber PG141067-PH

Twin polyamide lanyard integrated with an energy absorber provides good absorbing properties should a fall occur. Static strength more than 22kN and impact force will be under 6kN.

- Built-in with 2pc-1.6M-SH lanyard with 2-pcs carabiner & energy absorber.
- Conform to BS EN354 & SIRIM certification no: PP071005 for Lanyard; BS EN355 & SIRIM certification no: PP071004 for Energy Absorber.

### Twin Polyamide Lanyard with Energy Absorber PG141068-LOH

- Built-in with 2-pcs 1.6M-LH lanyard with 2-pcs carabiner & energy absorber.
- Conform to BS EN354 & SIRIM certification no: PP071005 for Lanyard; BS EN355 & SIRIM certification no: PP071004 for Energy Absorber.

Product Code:	Packing:
PG141067-PH	1set/box 10sets/carton
PG141068-LOH	1set/box 10sets/carton




PG141068-LOH



SIRIM  
CERTIFIED TO BS EN 354 : 2002  
Certification No : PP071005  
CERTIFIED TO BS EN 355 : 2002  
Certification No : PP071004

# FALL PROTECTION EQUIPMENTS

PROGUARD SAFETY PRODUCTS CATALOGUE



## Economic Polyamide Lanyard with Press Snap Hook & Large Opening Hook EV280-CSLH

Made with economical polyamide 3 strand ropes with indicator red & blue running lines. Replace it when the running lines fade which indicates that the lanyard life has worn out.

- Rope size is 12mm dia. x 2.0 meter polyamide lanyard built-in with 1-pc press snap hook & 1-pc large opening hook.
- Conform to BS EN354 & SIRIM certification no: PP071005

Product Code:	Packing:
EV280-CSLH	1set/box 24sets/carton



EV280-CSLH

CE  
EN354



SIRIM  
CERTIFIED TO BS EN 354 : 2002  
Certification No : PP071005

## Economic Polyamide Lanyard with 2pcs Large Opening Hook EV290-2LH

- Rope size is 12mm dia. x 2.0 meter polyamide lanyard built-in with 2-pcs large opening hook.
- Conform to BS EN354 & SIRIM certification no: PP071005

Product Code:	Packing:
EV290-2LH	1set/box 24sets/carton



EV290-2LH

CE  
EN354



SIRIM  
CERTIFIED TO BS EN 354 : 2002  
Certification No : PP071005



EV200-SH (2.0M)



EV220-SH (1.6M)

## Economic Polyamide Lanyard with Press Snap Hook EV200-SH/ EV220-SH

Made with economical polyamide 3 strand ropes with indicator red & blue running lines. Replace it when the running lines fade which indicates that the lanyard life has worn out.

- Rope size is 12mm dia. x 1.6meter or 2meter polyamide lanyard built-in with 1-pc press snap hook.
- Conform to BS EN354 & SIRIM certification no: PP071005

Product Code:	Length:	Packing:
EV200-SH	2.0m	1set/box 24sets/carton
EV220-SH	1.6m	1set/box 24sets/carton

EV210-LOH (2.0M)



EV230-LOH (1.6M)

CE  
EN354




SIRIM  
CERTIFIED TO BS EN 354 : 2002  
Certification No : PP071005

## Economic Polyamide Lanyard with Large Opening Hook EV210-LOH/ EV230-LOH

- Rope size is 12mm dia. x 1.6meter or 2meter polyamide lanyard built-in with 1-pc large opening hook.
- Conform to BS EN354 & SIRIM certification no: PP071005

Product Code:	Length:	Packing:
EV210-LOH	2.0m	1set/box 24sets/carton
EV230-LOH	1.6m	1set/box 24sets/carton



### Polyamide Lanyard with Energy Absorber EV240-LOH

Economic polyamide lanyard integrated with a mini energy absorber provides good absorbing properties should a fall occur. Static strength more than 22kN and impact force will be under 6kN.

- Built-in with EV230-LOH lanyard with 2-pcs carabiner & mini energy absorber.
- Conform to BS EN354 & SIRIM certification no: PP071005 for Lanyard; BS EN355 & SIRIM certification no: PP071004 for Energy Absorber.



EV260-SH



EV240-LOH



CERTIFIED TO BS EN 354 : 2002  
Certification No: PP071005  
CERTIFIED TO BS EN 355 : 2002  
Certification No: PP071004

### Polyamide Lanyard with Energy Absorber EV260-SH

- Built-in with EV220-SH lanyard with 2-pcs carabiner & mini energy absorber.
- Conform to BS EN354 & SIRIM certification no: PP071005 for Lanyard; BS EN355 & SIRIM certification no: PP071004 for Energy Absorber.

Product Code:	Packing:
EV240-LOH	1set/box 10sets/carton
EV260-SH	1set/box 10sets/carton



EV250-LOH



CERTIFIED TO BS EN 354 : 2002  
Certification No: PP071005  
CERTIFIED TO BS EN 355 : 2002  
Certification No: PP071004

### Twin Polyamide Lanyard with Energy Absorber EV250-LOH

Made with economical twin polyamide lanyard integrated with an energy absorber provides good absorbing properties should a fall occur. Static strength more than 22kN and impact force will be under 6kN.

- Built-in with 2pc-EV230-LOH lanyard with 2-pcs carabiner & mini energy absorber.
- Conform to BS EN354 & SIRIM certification no: PP071005 for Lanyard; BS EN355 & SIRIM certification no: PP071004 for Energy Absorber.



EV270-SH

### Twin Polyamide Lanyard with Energy Absorber EV270-SH

Made with economical twin polyamide lanyard integrated with an energy absorber provides good absorbing properties should a fall occur. Static strength more than 22kN and impact force will be under 6kN.

- Built-in with 2pc- EV220-SH lanyard with 2-pcs carabiner & mini energy absorber.
- Conform to BS EN354 & SIRIM certification no: PP071005 for Lanyard; BS EN355 & SIRIM certification no: PP071004 for Energy Absorber.


Product Code:	Packing:
EV250-LOH	1set/box 10sets/carton
EV270-SH	1set/box 10sets/carton

### Rope Grab AHRS-1C

Automatically accompany the user without requiring manual adjustment during upward or downward movement.

- Made of aluminium alloy.
- Mobile design with hands free operation.
- Built-in with 1-pc carabiner.
- Works perfectly on 14mm or 16mm diameter vertical lifeline.
- Conform to BS EN353

Product Code:	Weight:	Packing:
AHRS-1C	370gms	1pc/box




AHRS-1C



# FALL PROTECTION EQUIPMENTS

PROGUARD SAFETY PRODUCTS CATALOGUE



CE  
EN353-2



AL736-1410/1420/1430

## Vertical Anchor Line AL736-1410/1420/1430

Use with a full body harness for a complete fall protection system when a user moving in a vertical direction. The fall arrestor will locks or arrest a fall automatically when a fall occurs.

- 14mm diameter anchor line is built-in with 1 pc large opening hook, extension lanyard on PG141064 Fall Arrestor with 1-pc snap hook.
- Comes with PG0190 MPB Multi Purpose Bag.
- Conform to BS EN353-2

Product Code:	Size x Length	Packing:
AL736-1410	14mm x 10m	1unit/bag
AL736-1420	14mm x 20m	1unit/bag
AL736-1430	14mm x 30m	1unit/bag

CE  
EN795



S790-10 & S790-20

## Horizontal Anchorage Lifeline S790-10/ S790-20

Portable horizontal lifeline allows movement sideways with absolute safety. The lifeline should connect horizontally in-between two anchor points and is adjustable with the retractable handle bar.

- Built-in with 1 pc webbing retractable, 1-pc D-ring & 2-pcs carabiner.
- Comes with PG0190 MPB Multi Purpose Bag.
- Conform to BS EN795

Product Code:	Size x Length	Packing:
S790-10	45mm x 10m	1unit/bag
S790-20	45mm x 20m	1unit/bag

CE  
EN353-2



LL738-1610/1620/1630

## Life Line LL738-1410/1420/1430

These life lines are generally used in conjunction with a fall arrestor or a rope grab, giving the freedom of movement up or down, while providing a passive fall arrest system. It can be also use horizontally.

- 14mm diameter anchor line is built-in with 1 pc large opening hook.
- Comes with PG0190 MPB Multi Purpose Bag.
- Conform to BS EN353-2

Product Code:	Size x Length	Packing:
LL738-1410	14mm x 10m	1unit/bag
LL738-1420	14mm x 20m	1unit/bag
LL738-1430	14mm x 30m	1unit/bag

CE  
EN353-2




LL738-1410/1420/1430

## Life Line LL738-1610/1620/1630

- 16mm diameter anchor line is built-in with 1 pc large opening hook.
- Available in 10 meter, 20 meter & 30 meter.
- Comes with PG0190 MPB Multi Purpose Bag.
- Conform to BS EN353-2

Product Code:	Size x Length	Packing:
LL738-1610	16mm x 10m	1unit/bag
LL738-1620	16mm x 20m	1unit/bag
LL738-1630	16mm x 30m	1unit/bag



### Polyamide Ropes PR12/ PR14/ PR16

Polyamide ropes are the most popular type among synthetic ropes for their abrasion resistance, flex resistance, heat resistance, atmosphere resistance & absorption of energy.

- Made of polyamide 3 strand ropes with indicator orange & black running lines.
- Replace it when the running lines fade which indicates that the lanyard life has worn out.
- Available in 12mm, 14mm & 16mm diameter.

Product Code:	Size x Length	Packing:
PR12	12mm x 100m	1 unit/bag
PR14	14mm x 100m	1 unit/bag
PR16	16mm x 100m	1 unit/bag



PR12/ PR14/ PR16

### Safety Block PCGS10/ PCGS15/ PCGS20

These fall arrester blocks are designed to give the user maximum protection and mobility in working environments where there is risk involved. In the event of an accident fall, the block locks immediately and prevents the user from falling further. The block comes in different models depending on the length.

- Epoxy coated aluminium alloy outer casing.
- Retractable steel cable fall arrester.
- 4mm diameter Steel Cable.
- Built-in with 1-pc eye-bolt & 1-pc press snap hook.
- Available in 10, 15 & 20 meter.
- Conform to BS EN360
- Sold individually.

Product Code:	Maximum Length:	Weight:	Packing:
PCGS10	10m	7kg	1set
PCGS15	15m	7.8kg	1set
PCGS20	20m	8.6kg	1set



PCGS10/ PCGS15/ PCGS20



S110

### Mini Block S110

Usage is similar to safety block but more compact, light & easy to carry.

- Retractable webbing fall arrester incorporating with an energy absorber package.
- Built-in with 1-pc carabiner.
- Conform to BS EN360 & SIRIM certification no: PP071007

Product Code:	Maximum Length:	Weight:	Packing:
S110	2.7m	1.2kg	1set



PG141064

### Fall Arrester PG141064


In the event of a fall, it will lock on to the vertical lifeline automatically. Having a unique safe mode is to prevent this fall arrester to be mounted the wrong way.

- Made of high quality steel.
- Conveniently clasped on to any vertical lifeline.
- Equipped with a 20cm webbing strap & with 1-pc press snap hook.
- Inbuilt function to park the device in locked position.
- Works perfectly on 14mm or 16mm diameter vertical lifeline.
- Conform to BS EN353

Product Code:	Weight:	Packing:
PG141064	1100gms	1set/box

# FALL PROTECTION EQUIPMENTS

PROGUARD SAFETY PRODUCTS CATALOGUE



CE  
EN362



SIRIM  
CERTIFIED TO BS EN 362 : 2004  
Certification No : PP071009



8400PH

## Press Snap Hook 8400PH

Self closing auto locking steel press hook. Can only be opened by least two deliberate manual actions for safety purposes.

- Opening: 20mm
- Static Strength > 22kN
- Conform to BS EN362 & SIRIM certification no: PP071009

Product Code:	Weight:	Packing:
8400PH	250gms	1pc/polybag 6pcs/box

CE  
EN362



2303

## Triangle Shape Quick Link 2303

Manually locking steel quick link. Suitable to install with energy absorber or to lanyards & directly incorporating with any full body harness.

- Material: Zinc-plated steel
- Opening: 10mm
- Static Strength > 22kN
- Conform to BS EN362

Product Code:	Weight:	Packing:
2303	90gms	1pc/polybag

CE  
EN362



SIRIM  
CERTIFIED TO BS EN 362 : 2004  
Certification No : PP071009



800

## Safety Carabiner 800

Self closing steel carabiner comes with aluminium quarter turn manual screw locking system. Suitable to install with energy absorber, lanyards or any fall protection accessories & also directly incorporating with any full body harness.

- Material: Zinc-plated alloy steel
- Opening: 20mm
- Static Strength > 22kN
- Conform to BS EN362 & SIRIM certification no: PP071009

Product Code:	Weight:	Packing:
800	166gms	1pc/polybag 10pcs/box

## Large Opening Hook 8231

Self closing auto locking steel forged hook. Can only be opened by least two deliberate manual actions for safety purposes.

- Opening: 53mm
- Static Strength > 22kN
- Conform to BS EN362 & SIRIM certification no: PP071009

Product Code:	Weight:	Packing:
8231PH	380gms	1pc/polybag 6pcs/box



8231

## Safety Carabiner 800

Self closing steel carabiner comes with aluminium quarter turn manual screw locking system. Suitable to install with energy absorber, lanyards or any fall protection accessories & also directly incorporating with any full body harness.

- Material: Zinc-plated alloy steel
- Opening: 20mm
- Static Strength > 22kN
- Conform to BS EN362 & SIRIM certification no: PP071009

Product Code:	Weight:	Packing:
800	166gms	1pc/polybag 10pcs/box

S41-53/PN800



CE  
EN362



W7370-08

## Pear Quick Link W7370-08

Manually locking steel quick link. Suitable to install with energy absorber or lanyard & directly incorporating with any full body harness.

- Material: Zinc-plated steel
- Opening: 15mm
- Static Strength > 22kN
- Conform to BS EN362

Product Code:	Weight:	Packing:
W7370-08	106gms	1pc/polybag

CE  
EN795




SIRIM  
CERTIFIED TO BS EN 795 : 1997  
Certification No : PP071008

## Tripod S41-53/PN800

For access into confined spaces. To be used to raise or lowering of personal or material into confined spaces.

- Fully adjustable aluminium telescopic legs with steel chain.
- Aluminium alloy cast head.
- 6 height adjustment from 1.75m to 2.5m
- 2 anchorage point with rubber stopper under each foot.
- Equipped with bolting fixture for robust fitting the winch onto the tripod.
- Lifting load capacity: 250kg
- Winch length: 20 meter
- Conform to BS EN795 & SIRIM certification no: PP071008

Product Code:	Weight:	Packing:
S41-53/PN800	31kgs	1unit/bag



CE  
EN795



SIRIM  
CERTIFIED TO BS EN 795 : 1997  
Certification No : PP071008



S797

### Anchor Wire S797

Stainless steel wire rope with both end loop with 1-pc carabiner to create an anchorage point in areas where a direct connection is not available.

- Material: Stainless steel wire.
- Strength 30kN
- Conform to BS EN795 & SIRIM certification no: PP071008
- Sold individually.

Product Code:	Length:	Packing:
S797	1meter	1pc

### Anchor Webb S798

Webbing strap with D-ring at one end & a loop at the other end to create a mobile anchorage point in areas where a direct connection is not available.

- Material: 45mm webbing.
- Strength 22kN
- Conform to BS EN795 & SIRIM certification no: PP071008

Product Code:	Length:	Packing:
S798	1meter	1pc



S798

CE  
EN795



SIRIM  
CERTIFIED TO BS EN 795 : 1997  
Certification No : PP071008

CE  
EN795



SIRIM  
CERTIFIED TO BS EN 795 : 1997  
Certification No : PP071008



S799

### Anchor Sling S799

Endless webbing sling to create an anchorage point in areas where a direct connection is not available.

- Material: 45mm folded webbing.
- Strength 22kN
- Conform to BS EN795 & SIRIM certification no: PP071008


Product Code:	Length:	Packing:
S799	1meter	1pc

### Anchorage Connector S427

High strength anchorage point with wide girder grip. Can be used on beams and pipe. Self locking auto lock hook.

- Material: Stainless steel.
- Opening: 75mm
- Strength 28kN
- Conform to BS EN362 & SIRIM certification no: PP071009

Product Code:	Weight:	Packing:
S427	380gms	1pc



S427

CE  
EN362



SIRIM  
CERTIFIED TO BS EN 362 : 2004  
Certification No : PP071009

### Multi Purpose Bag PG 0180-MPB/ PG 0190-MPB

Made of polyester fabric materials and is waterproof resistant. These bags are to store, to well keep & also to protect their full body harness, hooks, lanyards & other accessories in good condition after each uses.

Product Code:	Closure:	Packing:
PG 0180-MPB	Zipper	1pc/polybag
PG 0190-MPB	String with stopper	1pc/polybag



PG 0190-MPB



PG 0180-MPB