


## CNC3532 – 4MP 20m IR Weatherproof Camera



### Features

- 4 Megapixel 2688x1520 @25fps
- H.264/**H.265** Compression
- ONVIF compatible
- 4/6mm Fixed Lens
- 3D-DNR, DWDR
- 8 ROI Coding
- 3-Stream
- Day&Night by Filter Change
- 42 IR LED, 0 Lux up to 20m
- Audio Mic.In
- CVBs out
- POE / 12VDC Dual Power
- IP66 Weatherproof

### SPECIFICATION



Model	CNC3532
Image Sensor	1/2.7" progressive scan CMOS Sensor
Resolution	1920x1080 @25fps (PAL)
Shuttle	1/25s ~ 1/100,000s
Lens	M12 3.6/6mm Fixed Lens
LEDs	42nos $\phi$ 4mm 850nm IR LED
Day & Night	Filter Change or TDN (True Day & Night)
Min. Illumination	0 Lux up to 20m (Subject to reflection)
Network	10/100-BaseT, RJ45
Bit Rate	128Kbps ~ 6Mbps
Compression	3-Stream : H.264 High Profile / MJPEG
Working Environment	-20° ~ +50°C, <90° Humidity (Non-Condensing)
Power	POE IEEE 802.3af compliant/12VDC, Max. 3.5W
Dimension	87mm( $\phi$ ) x 220mm(L), 370g

\* Specification maybe changed without prior notice