



All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines

## The 2-colour concept

The new look (body finished in anthracite grey RAL 7016 and doors available in 7 different colours) offers maximum individuality and a modern appearance is achieved. The textured painted finish is scratch resistant and suitable for a tough environment.

Body colour; anthracite grey, RAL 7016

-  Door colour: gentian blue, RAL 5010
-  Door colour: signal yellow, RAL 1004
-  Door colour: light grey, RAL 7035
-  Door colour: Pure white, RAL 9010

-  Door colour: Reseda green, RAL 6011
-  Door colour: Silver, similar to RAL 9006
-  Door colour: Signal red, RAL 3020

### System chemical cabinets with pull-out shelves, height 1950 mm



6 slide-out shelves help you keep numerous small containers in order, here the combination of folding doors offers especially space-saving storage, Model CS-106



The size and number of the containers you need to store define the choice of hazardous materials cabinet you will need With 4 slide-out shelves (model 104) for storing containers of different sizes Additional slide-out shelves may be fitted as an option

Features	4 pull-out shelves	4 pull-out shelves	4 pull-out shelves	6 pull-out shelves	6 pull-out shelves	6 pull-out shelves
External dimensions W x D x H [mm]	545 x 520 x 1950	810 x 520 x 1950	1055 x 520 x 1950	545 x 520 x 1950	810 x 520 x 1950	1055 x 520 x 1950
Internal dimensions W x D x H [mm]	486 x 493 x 1835	751 x 493 x 1835	996 x 493 x 1835	486 x 493 x 1835	751 x 493 x 1835	996 x 493 x 1835
Door hinge	left	both sides	both sides	left	both sides	both sides
Slide-out spill pallet load capacity [kg]	30	30	30	30	30	30
Slide-out spill pallet capacity [l]	15	25	34	15	25	34
Order number hinged door	208-879-J9	208-896-J9	202-613-J9	209-057-J9	209-075-J9	209-084-J9
<b>Price / Item(s)</b>	<b>£ 862.00</b>	<b>£ 1,033.00</b>	<b>£ 1,079.00</b>	<b>£ 1,079.00</b>	<b>£ 1,248.00</b>	<b>£ 1,305.00</b>
Order number hinged door with glass insert	208-905-J9	208-926-J9	202-685-J9	209-025-J9	209-041-J9	209-049-J9
<b>Price / Item(s)</b>	<b>£ 972.00</b>	<b>£ 1,118.00</b>	<b>£ 1,249.00</b>	<b>£ 1,157.00</b>	<b>£ 1,413.00</b>	<b>£ 1,468.00</b>
Order number folding door	-	-	202-709-J9	-	-	209-100-J9
<b>Price / Item(s)</b>	-	-	<b>£ 1,185.00</b>	-	-	<b>£ 1,413.00</b>
<b>ACCESSORIES</b>						
Order number Additional slide-out shelf	210-388-J9	210-389-J9	202-804-J9	210-388-J9	210-389-J9	202-804-J9
<b>Price / Item(s)</b>	<b>£ 116.00</b>	<b>£ 108.00</b>	<b>£ 112.00</b>	<b>£ 116.00</b>	<b>£ 108.00</b>	<b>£ 112.00</b>

Please specify required door colour when ordering.



## Polyethylene oil storage cabinets

- **Manufactured from environmentally-friendly polyethylene (PE) with high chemical resistance**

- With integral bund including grid cover and shelf
- Either with transparent doors or a space-saving lockable plastic roller shutter that protects the cabinet contents against unauthorized access,
- Suitable as a free standing depot or for wall mounting (please order mounting kit 172-558)
- Available in blue and grey
- Side panels ready for fitting a maximum of three additional shelves



PolySafe Model PSR 8.8 with lockable plastic roller shutter, Order no. 172-544-J9, £ 774.00

**£ 774.00**

Order no. 172-544-J9

**i** Standard equipment: compact depot, either with transparent doors or lockable roller shutter, floor spill pallet with grid cover as well as rack base

Model	PSR 8.8	PSR 8.8
Features	with roller slide	with door
External dimensions W x D x H [mm]	950 x 800 x 1350	950 x 805 x 1350
Internal dimensions W x D x H [mm]	810 x 600 x 1130	810 x 600 x 1130
Spill pallet capacity [l]	25	25
Shelf load capacity [kg]	40	40
Order number Blue	172-544-J9	186-967-J9
Order number Grey	172-545-J9	186-968-J9
<b>Price / Item(s)</b>	<b>£ 774.00</b>	<b>£ 842.00</b>
Order number additional shelf	172-557-J9	172-557-J9
<b>Price / Item(s)</b>	<b>£ 75.50</b>	<b>£ 75.50</b>
Order number mounting kit for wall mounting	172-558-J9	172-558-J9
<b>Price / Item(s)</b>	<b>£ 9.00</b>	<b>£ 9.00</b>



The PolySafe polyethylene oil storage cabinet can be fixed to the wall at an ergonomic height to save space



PolySafe depot on a workbench



Acids and alkalis cabinet model PSR 88

### ACCESSORIES

mounting kit for wall mounting, Order no. 172-558-J9, £ 9.00



PolySafe storage cabinet with transparent doors

**£ 842.00**

Order no. 186-967-J9



Drum storage depots

See page  
**174**



## Polystore environmental cabinets.

Polystore environmental cabinets are suited to practical use in laboratories or workshops. Use them to ensure the safe, legally compliant storage of water-polluting and aggressive liquids.

- For the safe storage of water-polluting and aggressive liquids
- Made from highly resistant plastic (polyethylene)
- Sealed sump in the bottom of the cabinet
- Ready for use - set up, store, done
- Company colours: grey body with signal yellow doors
- Available either with grid shelves or spill trays, in galvanised or stainless steel V2A, (1.4301)
- Connection point for extraction fan

The transparent pocket in the door can be used for storing safety data sheets or protective gloves or glasses for example



**from £ 998.00**

Depending on the hazardous substances to be stored, the PolyStore environmental cabinet can be fitted with spill pallets or grids, either in stainless steel (1.4301) or galvanized steel. All cabinet types can be fitted with an optional fan.

Model	PS 1220-4	PS 1220-3.1	PS 1220-4	PS 1220-3.1
Design	4 grids in stainless steel	3 slide-out spill pallets, 1 grid, stainless steel	4 grids, galvanised	3 slide-out spill pallets, 1 grid, galvanised
External dimensions W x D x H [mm]	1225 x 640 x 1990	1225 x 640 x 1990	1225 x 640 x 1990	1225 x 640 x 1990
Load capacity of shelf [kg]	50	50	50	50
Spillage decking capacity [l]	75	75	75	75
Weight [kg]	95	97	95	97
Order number	248-937-J9	248-938-J9	248-939-J9	248-940-J9
Price / Item(s)	£ 1,129.00	£ 1,256.00	£ 998.00	£ 1,093.00

### ACCESSORIES

- Grid, stainless steel W 120 cm, Order no. 246-239-J9, £ 80.50
- Slide-out spill pallet, stainless steel W 120 cm, Order no. 246-245-J9, £ 125.00
- Grid, galvanised W 120 cm, Order no. 246-241-J9, £ 21.50
- Slide-out spill pallet, galvanised W 120 cm, Order no. 246-246-J9, £ 67.00

### ORDER AT THE SAME TIME

#### fan for SL cabinet Polystore

- Safely extracts any gases or vapours from the inside of the cabinet

**£ 405.00**    Order no. 212-190-J9



All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines



### Polystore environmental cabinets.

- For the safe storage of water-polluting and aggressive liquids
- Made from highly resistant plastic (polyethylene)
- Sealed sump in the bottom of the cabinet



**TOP PRODUCT**

**from £ 716.00**



Slide-out spill pallets with spill protection



Grids and slide-out spill pallets are available in stainless steel or in galvanised steel

*Practical: the cabinet floor is also a water-tight spill pallet*

The cabinet does not need much space - 610 mm wide. Can be supplied with either galvanised or stainless steel (1.4301) internal fittings. The cabinet can be fitted with a ventilation kit as an option.

Model	PS 620-4	PS 620-3.1	PS 620-4	PS 620-3.1
Design	4 grids, galvanised	3 slide-out spill pallets, 1 grid, galvanised	4 grids, stainless steel	3 slide-out spill pallets, 1 grid, stainless steel
External dimensions W x D x H [mm]	610 x 640 x 1990	610 x 640 x 1990	610 x 640 x 1990	610 x 640 x 1990
Internal dimensions W x D x H [mm]	520 x 410 x 1750	520 x 410 x 1750	520 x 410 x 1750	520 x 410 x 1750
Load capacity of shelf [kg]	50	50	50	50
Spillage decking capacity [l]	35	35	35	35
Weight [kg]	55	56	55	56
Order number	248-943-J9	248-944-J9	248-941-J9	248-942-J9
Price / Item(s)	£ 716.00	£ 813.00	£ 919.00	£ 1,036.00

### ACCESSORIES

Grid, stainless steel W 60 cm, Order no. 246-240-J9, £ 56.50

Slide-out spill pallet, stainless steel W 60 cm, Order no. 246-243-J9, £ 94.00

Grid, galvanised W 60 cm, Order no. 246-242-J9, £ 18.40

Slide-out spill pallet, galvanised W 60 cm, Order no. 246-244-J9, £ 47.00



Polystore environmental cabinets are suited to practical use in laboratories or workshops. Use them to ensure the safe, legally compliant storage of water-polluting and aggressive liquids.



Even more great offers in the shop!

denios.shop/deals

## Sliding door cabinet PolyStore

Arrange your hazardous substances with a safe, clear overview and in a space-saving sliding door cabinet. The practical plastic spill trays prevent contamination of the whole cabinet in the event of a leak. The trays are easy to remove from the cabinet e.g. for cleaning.

- For the safe storage of water-polluting and aggressive liquids
- Made from highly resistant plastic (polyethylene)
- Sealed sump in the bottom of the cabinet
- Connection point for extraction fan
- Company colours: grey body with signal yellow doors
- Ready for use - set up, store, done
- Lockable and space-saving - no bulky open doors
- Optimum access via large (lockable) doors to the stored contents
- Clear height:  
Lower compartment: 390 mm  
Both middle compartments: 316 mm  
Upper compartment: 295 mm
- Clear width: 699 to 666 mm  
Clear depth: 373 mm
- Two separate cabinet sections



NEW

£ 1,431.00

Order no. 257-030-J9

Model	1820
Design	1 spill pallet, 3 spill trays per cabinet section
External dimensions W x D x H [mm]	1805 x 610 x 1990
Internal dimensions W x D x H [mm]	665 x 370 x 1320
Spill pallet load capacity [kg]	20
Spill pallet capacity [l]	6
Spillage decking capacity [l]	12
Weight [kg]	130
Order number	257-030-J9
Price / Item(s)	£ 1,431.00

### fan for SL cabinet Polystore

- Safely extracts any gases or vapours from the inside of the cabinet
- Housing in acid and alkali-resistant plastic

- Protection type: CE II 3 G T4
- Flow rate 0-140 m<sup>3</sup>/h
- Total pressure 200-20 Pa
- Voltage 230 V
- Current draw 0.35A



£ 405.00

Order no.  
212-190-J9



## Polystore environmental cabinets.

- For the safe storage of water-polluting and aggressive liquids
- Made from highly resistant plastic (polyethylene)
- Sealed sump in the bottom of the cabinet



Grids as the lowest storage level give a quick view into the spill pallet, for example for a visual inspection. Any leaks can therefore be easily recognised.

- Company colours: grey body with signal yellow doors
- Ready for use - set up, store, done
- Compact dimensions

- 2 grids, stainless steel
- Can be stacked up to 3 high, incl. materials for wall mounting

All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines



Fitted with 2 grids

**from £ 506.00**



Model	PS 611-2	PS 611-1.1	PS 611-2	PS 611-1.1
Design	2 grids, galvanised	1 slide-out spill pallet, 1 grid, galvanised	2 grids, stainless steel	1 slide-out spill pallet, 1 grid, stainless steel
External dimensions W x D x H [mm]	610 x 640 x 1130	610 x 640 x 1130	610 x 640 x 1130	610 x 640 x 1130
Internal dimensions W x D x H [mm]	520 x 410 x 895	520 x 410 x 895	520 x 410 x 895	520 x 410 x 895
Load capacity of shelf [kg]	50	50	50	50
Spillage decking capacity [l]	35	35	35	35
Weight [kg]	33	34	33	34
Order number	248-947-J9	248-948-J9	248-945-J9	248-946-J9
Price / Item(s)	£ 506.00	£ 528.00	£ 592.00	£ 609.00

Model	PS 611.2-Mini	PS 611-1.1 Mini	PS 611-1.1 Mini	PS 611.2 Mini
Design	2 grids, galvanised	1 slide-out spill pallet, 1 grid, galvanised	1 slide-out spill pallet, 1 grid, stainless steel	2 grids, stainless steel
External dimensions W x D x H [mm]	610 x 640 x 600	610 x 640 x 600	610 x 640 x 600	610 x 640 x 600
Internal dimensions W x D x H [mm]	525 x 415 x 425	525 x 415 x 425	525 x 415 x 425	525 x 415 x 425
Load capacity of shelf [kg]	50	50	50	50
Spillage decking capacity [l]	15	15	15	15
Weight [kg]	23	23	23	23
Order number	250-062-J9	250-063-J9	250-061-J9	250-060-J9
Price / Item(s)	£ 458.10	£ 485.10	£ 537.30	£ 547.20

### ORDER ACCESSORIES AT THE SAME TIME

Grid, stainless steel W 60 cm, Order no. 246-240-J9, £ 56.50  
Grid, galvanised W 60 cm, Order no. 246-242-J9, £ 18.40

Slide-out spill pallet, stainless steel W 60 cm, Order no. 246-243-J9, £ 94.00  
Slide-out spill pallet, galvanised W 60 cm, Order no. 246-244-J9, £ 47.00



- Ready for use - set up, store, done
- Company colours: grey body with signal yellow doors
- Available either with grid shelves or spill trays, in galvanised or stainless steel V2A, (1.4301)

Even more great offers in the shop!  
[denios.shop/deals](https://denios.shop/deals)



- The wall cabinet can also be used as an additional cabinet for environmental cabinet Polystore model PS 1211.

Environmental cabinet Polystore type PS 1211 in two door version. Fitted with one grid and one slide-out spill pallet each

Model	PS 1211-2	PS 1211.1	PS 1211-2	PS 1211.1	PS-1211-A1	PS-1211-A1
Design	2 grids, galvanised	1 slide-out spill pallet, 1 grid, galvanised	2 grids, stainless steel	1 slide-out spill pallet, 1 grid, stainless steel	1 grid, galvanised	1 grid in stainless steel
External dimensions W x D x H [mm]	1225 x 640 x 1130	1225 x 640 x 1130	1225 x 640 x 1130	1225 x 640 x 1130	1225 x 640 x 515	1225 x 640 x 515
Internal dimensions W x D x H [mm]	1130 x 410 x 895	1130 x 410 x 895	1130 x 410 x 895	1130 x 410 x 895	1120 x 410 x 350	1120 x 410 x 350
Load capacity of shelf [kg]	50	50	50	50	50	50
Spillage decking capacity [l]	75	75	75	75	75	75
Weight [kg]	53	54	53	54	31	31
Order number	248-951-J9	248-952-J9	248-949-J9	248-950-J9	248-954-J9	248-953-J9
Price / Item(s)	£ 648.00	£ 716.00	£ 809.00	£ 883.00	£ 474.00	£ 532.00

**ORDER ACCESSORIES AT THE SAME TIME**

Grid, stainless steel W 120 cm, Order no. 246-239-J9, £ 80.50  
 Grid, galvanised W 120 cm, Order no. 246-241-J9, £ 21.50

Slide-out spill pallet, stainless steel W 120 cm, Order no. 246-245-J9, £ 125.00  
 Slide-out spill pallet, galvanised W 120 cm, Order no. 246-246-J9, £ 67.00



**Type SL**

- Removable plastic spill trays
- For the storage of aggressive, non-flammable hazardous substances in workrooms
- Acids and alkali can be safely stored, separated from each other

■ **Model SL - cabinet height 600 or 800 mm**

- Underbench cabinets made from highly resistant melamine-resin-coated special material plates
- Doors locked by cylinder lock, lock indicator (red/green)
- Space saving, secure
- Uniform ventilation of the chamber with air vent units (NW 50) on the cabinet rear wall

■ **Height 600 mm**

Acids and alkalis cabinet model SL 62 with 2 slide-out shelves (base frame optionally available), Order no. 158-061-J9, £ 732.00

Acids and alkalis cabinet model SL 112 with 1 slide-out shelf per chamber (base frame optionally available), Order no. 136-862-J9, £ 886.00

Acids and alkalis cabinet model SL 114 with 2 slide-out shelves per chamber (base frame optionally available), Order no. 136-864-J9, £ 1,062.00

4 slide-out trays, with additional square compartment for material placement, Model SL 1404

■ **Height 800 mm**

- For storing large containers (2.5 l)

**NEW**

**£ 754.00**

The new height of 800 mm is really practical, model SL 602

Compact dimensions - a height of 800 mm gives better access to small containers, model SL 1104

Model	SL 62	SL 602	SL 112	SL 114	SL 1404	SL 1104
Features	2 pull-out shelves	2 pull-out shelves	2 pull-out shelves	4 pull-out shelves	4 pull-out shelves	4 pull-out shelves
External dimensions W x D x H [mm]	590 x 570 x 600	590 x 570 x 800	1100 x 570 x 600	1100 x 570 x 600	1400 x 570 x 600	1100 x 570 x 800
Door design	1-wing	1-wing	2 wing doors	2 wing doors	2 wing doors	2 wing doors
Slide-out spill pallet capacity [l]	11	11	11	11	11	11
Slide-out spill pallet load capacity [kg]	25	25	25	25	25	25
Weight [kg]	60	73	88	98	112	108
Order number Door hinge: left	158-061-J9	-	-	-	-	-
<b>Price / Item(s)</b>	<b>£ 732.00</b>	-	-	-	-	-
Order number Door hinge: right	158-064-J9	235-880-J9	-	-	-	-
<b>Price / Item(s)</b>	<b>£ 732.00</b>	<b>£ 754.00</b>	-	-	-	-
Order number Door hinge: both sides	-	-	136-862-J9	136-864-J9	235-878-J9	235-879-J9
<b>Price / Item(s)</b>	-	-	<b>£ 886.00</b>	<b>£ 1,062.00</b>	<b>£ 1,229.00</b>	<b>£ 1,099.00</b>
<b>ACCESSORIES</b>						
Order number Base frame, height 30 mm	158-071-J9	158-071-J9	133-467-J9	133-467-J9	133-471-J9	133-467-J9
<b>Price / Item(s)</b>	<b>£ 73.50</b>	<b>£ 73.50</b>	<b>£ 76.00</b>	<b>£ 76.00</b>	<b>£ 95.50</b>	<b>£ 76.00</b>





DENIOS  
warranty

5  
years

All sumps are fully compliant  
with HSE legislation and environmental  
pollution prevention guidelines



Slide-out shelves including spill trays

■ **Model SL - cabinet height 1970 mm**

- Body in powder coated fine sheet steel, RAL 7035 (light grey)
- Complete closing mechanism is mounted outside the storage room
- Corrosion resistant metal-free ventilation ducts
- Lockable with profile cylinder lock (lock system compatible)
- Uniform ventilation of the chambers via an air vent unit (NW 75)
- Integral adjusting feet for adjustment for uneven floor surfaces
- 2 separate chambers, can be separately locked



Acid and alkalis cabinet model SL 1208 / 1212,  
either with 8 or 12 slide-out shelves



Acids and alkalis cabinet model  
SL 606 - incl. 6 Slide-out shelves

**£ 1,985.00**

Order no. 117-054-J9

Model	SL 604	SL 606	SL 1208	SL 1212
Features	4 pull-out shelves	6 pull-out shelves	8 pull-out shelves	12 pull-out shelves
Door design	1-wing	1-wing	2 wing doors	2 wing doors
External dimensions W x D x H [mm]	600 x 605 x 1970	600 x 605 x 1970	1200 x 605 x 1970	1200 x 605 x 1970
Slide-out spill pallet load capacity [kg]	25	25	25	25
Slide-out spill pallet capacity [l]	11	11	11	11
Weight [kg]	169	178	277	297
Order number Door hinge: left	117-052-J9	117-054-J9	-	-
<b>Price / Item(s)</b>	<b>£ 1,799.00</b>	<b>£ 1,985.00</b>	-	-
Order number Door hinge: right	117-053-J9	117-055-J9	-	-
<b>Price / Item(s)</b>	<b>£ 1,799.00</b>	<b>£ 1,985.00</b>	-	-
Order number Door hinge: both sides	-	-	158-058-J9	158-059-J9
<b>Price / Item(s)</b>	-	-	<b>£ 2,707.00</b>	<b>£ 3,086.00</b>

**DENIOS hazardous materials cabinets - always on the safe side**

- To store flammable liquids in work areas, with 90 minutes fire resistance
- Also available with 30 minute fire resistance

- Tested in accordance with the requirements of the German Equipment and Product Safety Act (GS mark) and has CE conformity
- Approved for the storage of flammable liquids (classified as H 224 to H 226) with a flashpoint < 60° C

Opting for a DENIOS hazardous materials cabinet gives you a safe, legally compliant solution for storing hazardous materials in work areas.

In addition to reliable fire protection, denios hazardous material cabinets offer a large storage capacity and its optimum use.

**See the benefit when you use denios hazmat cabinets in day to day use:**

- Protection from unauthorised access, doors can be locked with Profi cylinder (closing system compatible)
- Easy to clean and maintain.
- Recirculating air filter system and extraction fans are available as an option
- Can be integrated into existing ventilation systems



Height adjustable hook-in shelves, convenient slide-out spill trays are also available for each model



Practical slide-out spill trays

**DENIOS hazardous materials cabinets - great for day to day use**

- **Sturdy and long-lasting**  
All safety components are corrosion protected and are fitted outside the storage area
- **Easy to operate**  
Doors open with a light touch
- **Comfortable and safe**  
Doors can be locked in the optional door hold-open device
- **Quick to commission**  
Supplied ready to use



Hazardous material cabinets with space-saving folding doors, giving you greater freedom of movement in front of the cabinets



Hazardous material cabinets with wing doors – quick access to the entire interior of the cabinet

**One touch storage cabinets for hazardous material**

Now even more convenient, you save 50% of the work effort!

- Automatic door closing - cabinet closes automatically after 60 seconds
- Door closing is pneumatically damped
- Visual and acoustic automatic door closing warning signal

**On cabinets with 2-wing door:**

Open two doors in one manoeuvre - barely perceptible force. When the right door is opened, the left is also opened automatically.



When the door is opened, you then lock the door in the door hold-open device which is supplied as standard. After approx. 60 seconds, an electrical pulse triggers the automatic closing of the doors. The closing process can be interrupted at any time – simply lock the doors once more in the door hold-open device.

