



DENIOS warranty

5 years

Model 90

90 minute fire protection

Tested in accordance with EN 14470-1

All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines



Fire-rated hazardous material cabinets

1

## ... or alternatively with slide-out spill trays.

DENIOS has the highest quality standards for the manufacture of its fire rated hazmat cabinets. The new colour concepts for Select cabinets, with the renowned DENIOS quality, give a whole new look to hazmat storage. Benefit from the huge range of types, high manufacturing standards and absolute legal compliance.

### TOP PRODUCT

from £ 3,488.00

Hazardous materials cabinet model w-124-o with 4 spill pallets, doors in traffic red (RAL 3020)



Hazardous materials cabinet model W-126 with 6 spill pallets, doors in light grey (RAL 7035)

Photos show cabinets with optional base panel







### The 2-colour concept

The new look (body finished in anthracite grey RAL 7016 and doors available in 7 different colours) offers maximum individuality and a modern appearance is achieved. The textured painted finish is scratch resistant and suitable for a tough environment.

Body colour: anthracite grey, RAL 7016

-  Door colour: gentian blue, RAL 5010
-  Door colour: signal yellow, RAL 1004
-  Door colour: light grey, RAL 7035

-  Door colour: Pure white, RAL 9010
-  Door colour: Reseda green, RAL 6011
-  Door colour: Silver, similar to RAL 9006
-  Door colour: Signal red, RAL 3020

Model	W-124	W-126	W-124-0	W-126-0
Features	4 slide-out spill trays	6 slide-out spill trays	4 slide-out spill trays	6 slide-out spill trays
Door version	hinged door	hinged door	hinged door	hinged door
Automatic door control	-	-	yes	yes
External dimensions W x D x H [mm]	1193 x 615 x 1953	1193 x 615 x 1953	1193 x 615 x 1953	1193 x 615 x 1953
Internal dimensions W x D x H [mm]	1050 x 522 x 1647	1050 x 522 x 1647	1050 x 522 x 1647	1050 x 522 x 1647
Slide-out spill pallet load capacity [kg]	60	60	60	60
Slide-out spill pallet capacity [l]	30	30	30	30
Weight [kg]	501	533	503	535
Order number	201-019-J9	201-051-J9	201-510-J9	201-542-J9
Price / Item(s)	£ 3,488.00	£ 3,844.00	£ 3,717.00	£ 4,072.00
<b>ACCESSORIES</b>				
Order number plastic inlay spill pallets	148-583-J9	148-583-J9	148-583-J9	148-583-J9
Price / Item(s)	£ 104.00	£ 104.00	£ 104.00	£ 104.00
Order number plinth panel	201-062-J9	201-062-J9	201-062-J9	201-062-J9
Price / Item(s)	£ 28.00	£ 28.00	£ 28.00	£ 28.00

Please specify required door colour when ordering.

The hazardous materials cabinet is supplied complete with accessible base. This can be covered with the optionally available base panel.



All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines

Model 90

90 minute fire protection

Tested in accordance with EN 14470-1

DENIOS warranty

5 years



## Select fire-rated hazardous material cabinets, width 900 mm

- For the unlimited storage of flammable liquids
- 90 minute fire resistance according to DIN EN 14470-1

- Manufactured with high quality materials including insulation using environmentally-friendly class a insulation (DIN 4102)
- Extraction connection point (NW 75) on the top of the cabinet, also approved for operation without technical ventilation
- With adjustable feet to be used on uneven floor surfaces
- Doors of the hazardous materials cabinet remain open at any angle (automatic closure in the event of a fire)



Hazardous materials cabinet model W-93, W 900 mm Body colour anthracite grey (RAL 7016), doors in safety yellow (RAL 1004)

The integral accessible base ensures easy transport of the cabinet The optional base panel covers the opening

Hazardous materials cabinet Model W-96, W 900 mm, body colour anthracite grey (RAL 7016), doors in light grey (RAL 7035).

Photos show cabinets with optional base panel

- i** You choose - select the system that meets your needs from the following designs:
- with 3 shelves and base spill pallet
  - with 4 slide-out spill trays
  - with 6 slide-out spill trays

still not found the ideal solution? Just give us a call. The right solution for every application can be found in the wide select range.

### ACCESSORIES

The mover - for the easy transport of cabinets.

£ 149.00

Order no. 201-059-J9



Model	W-93	W-94	W-96	W-93-0	W-94-0	W-96-0
Features	3 inlay shelves, sump and grid cover	4 slide-out spill trays	6 slide-out spill trays	3 inlay shelves, sump and grid cover	4 slide-out spill trays	6 slide-out spill trays
Door version	hinged door	hinged door	hinged door	hinged door	hinged door	hinged door
Automatic door control	–	–	–	yes	yes	yes
External dimensions W x D x H [mm]	893 x 615 x 1953	893 x 615 x 1953	893 x 615 x 1953	893 x 615 x 1953	893 x 615 x 1953	893 x 615 x 1953
Internal dimensions W x D x H [mm]	750 x 522 x 1647	750 x 522 x 1647	750 x 522 x 1647	750 x 522 x 1647	750 x 522 x 1647	750 x 522 x 1647
Slide-out spill pallet load capacity [kg]	–	60	60	–	60	60
Shelf load capacity [kg]	75	–	–	75	–	–
Spillage decking capacity [l]	23	–	–	23	–	–
Slide-out spill pallet capacity [l]	–	19	19	–	19	19
Weight [kg]	389	418	445	389	418	445
Order number	200-979-J9	201-011-J9	201-043-J9	201-470-J9	201-502-J9	201-534-J9
Price / Item(s)	£ 2,826.00	£ 3,335.00	£ 3,687.00	£ 3,058.00	£ 3,567.00	£ 3,919.00
<b>ACCESSORIES</b>						
Order number additional shelf	133-979-J9	–	–	133-979-J9	–	–
Price / Item(s)	£ 39.90	–	–	£ 39.90	–	–
Order number plastic inlay spill pallets	133-978-J9	–	–	133-978-J9	–	–
Price / Item(s)	£ 57.50	–	–	£ 57.50	–	–
Order number plinth panel	201-061-J9	201-061-J9	201-061-J9	201-061-J9	201-061-J9	201-061-J9
Price / Item(s)	£ 23.00	£ 23.00	£ 23.00	£ 23.00	£ 23.00	£ 23.00

Please specify required door colour when ordering.

The hazardous materials cabinet is supplied complete with accessible base. This can be covered with the optionally available base panel.





DENIOS warranty

5 years

Model 90

90 minute fire protection  
Tested in accordance with EN 14470-1

All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines



Fire-rated hazardous material cabinets

1

## Select fire-rated hazardous material cabinets, width 600 mm

### The 2-colour concept

The new look (body finished in anthracite grey RAL 7016 and doors available in 7 different colours) offers maximum individuality and a modern appearance is achieved. The textured painted finish is scratch resistant and suitable for a tough environment.

#### Body colour; anthracite grey, RAL 7016

-  Door colour: gentian blue, RAL 5010
-  Door colour: signal yellow, RAL 1004
-  Door colour: light grey, RAL 7035
-  Door colour: Pure white, RAL 9010
-  Door colour: Reseda green, RAL 6011
-  Door colour: Silver, similar to RAL 9006
-  Door colour: Signal red, RAL 3020



Tested spill pallet (in accordance with Stawa-R)

Ventilation fittings, extraction fans and additional accessories can be found

From page 168



Hazardous material cabinet model w-63i, W 60 cm body colour: anthracite grey (RAL 7016), door in safety yellow (RAL 1004).



Hazardous material cabinet model w-64, W 60 cm. Body colour: anthracite grey (RAL 7016), door in safety yellow (RAL 1004)

Photos show cabinets with optional base panel

Model	W-63	W-64	W-66	W-63-0	W-64-0	W-66-0
Features	3 inlay shelves, sump and grid cover	4 slide-out spill trays	6 slide-out spill trays	3 inlay shelves, sump and grid cover	4 slide-out spill trays	6 slide-out spill trays
Door version	hinged door	hinged door	hinged door	hinged door	hinged door	hinged door
Automatic door control	–	–	–	yes	yes	yes
External dimensions W x D x H [mm]	599 x 615 x 1953	599 x 615 x 1953	599 x 615 x 1953	599 x 615 x 1953	599 x 615 x 1953	599 x 615 x 1953
Internal dimensions W x D x H [mm]	450 x 522 x 1647	450 x 522 x 1647	450 x 522 x 1647	450 x 522 x 1647	450 x 522 x 1647	450 x 522 x 1647
Slide-out spill pallet load capacity [kg]	–	25	25	–	25	25
Shelf load capacity [kg]	75	–	–	75	–	–
Spillage decking capacity [l]	22	–	–	22	–	–
Slide-out spill pallet capacity [l]	–	5	5	–	5	5
Weight [kg]	314	324	338	315	325	339
Order number Door hinge: left	200-960-J9	200-995-J9	201-027-J9	201-454-J9	201-486-J9	201-518-J9
Order number Door hinge: right	200-971-J9	201-003-J9	201-035-J9	201-462-J9	201-494-J9	201-526-J9
<b>Price / Item(s)</b>	<b>£ 2,305.00</b>	<b>£ 2,588.00</b>	<b>£ 2,813.00</b>	<b>£ 2,479.00</b>	<b>£ 2,758.00</b>	<b>£ 2,986.00</b>
<b>ACCESSORIES</b>						
Order number additional shelf	116-987-J9	–	–	116-987-J9	–	–
<b>Price / Item(s)</b>	<b>£ 31.50</b>	–	–	<b>£ 31.50</b>	–	–
Order number plastic inlay spill pallets	133-976-J9	148-590-J9	148-590-J9	133-976-J9	148-590-J9	148-590-J9
<b>Price / Item(s)</b>	<b>£ 49.50</b>	<b>£ 62.50</b>	<b>£ 62.50</b>	<b>£ 49.50</b>	<b>£ 62.50</b>	<b>£ 62.50</b>
Order number plinth panel	201-060-J9	201-060-J9	201-060-J9	201-060-J9	201-060-J9	201-060-J9
<b>Price / Item(s)</b>	<b>£ 22.50</b>	<b>£ 22.50</b>	<b>£ 22.50</b>	<b>£ 22.50</b>	<b>£ 22.50</b>	<b>£ 22.50</b>

Please specify required door colour when ordering.

The hazardous materials cabinet is supplied complete with accessible base. This can be covered with the optionally available base panel.



Take advantage of the highest levels of quality when you store your flammable hazardous

- 90 minute fire resistance according to DIN EN 14470-1
- For the unlimited storage of flammable liquids
- Doors close automatically in the event of a fire
- Air extraction connection (NW 75) fitted in the roof of the cabinet
- Also approved for operation without technical ventilation
- Integrated adjustment aids to easily level out the cabinets on uneven floors
- Protection from unauthorised access
- Ideal for the storage of small containers
- Inner surfaces have a highly chemical-resistant, impact and scratch-proof plastic coating, easy to clean

Edition G fire-rated hazardous material cabinets with slide out spill pallets

- Slide-out spill trays are easy to use and can be stopped in any position

Ventilation fittings, extraction fans and additional accessories can be found

From page  
**168**



**£ 3,278.00**

Order no. 218-431-J9



The number and size of the containers to be stored is important to know for hazardous materials storage With 4 slide-out sumps you'll have more choice of small container sizes

while 6 slide-out spill trays are ideally suited to small containers

Model	GA-900-4	GA-900-6	GA-1200-4	GA-1200-6
Features	4 slide-out spill trays	6 slide-out spill trays	4 slide-out spill trays	6 slide-out spill trays
External dimensions W x D x H [mm]	896 x 616 x 1968	896 x 616 x 1968	1196 x 616 x 1968	1196 x 616 x 1968
Internal dimensions W x D x H [mm]	750 x 524 x 1742	750 x 524 x 1742	1050 x 524 x 1742	1050 x 524 x 1742
Slide-out spill pallet load capacity [kg]	60	60	60	60
Slide-out spill pallet capacity [l]	19	19	30	30
Weight [kg]	414	441	484	516
Order number safety yellow (RAL 1004)	218-431-J9	218-433-J9	218-435-J9	218-437-J9
Order number light grey (RAL 7035)	218-432-J9	218-434-J9	218-436-J9	218-438-J9
<b>Price / Item(s)</b>	<b>£ 3,278.00</b>	<b>£ 3,628.00</b>	<b>£ 3,424.00</b>	<b>£ 3,776.00</b>

ACCESSORIES				
Order number plastic inlay spill pallets	—	—	148-583-J9	148-583-J9
<b>Price / Item(s)</b>	—	—	<b>£ 104.00</b>	<b>£ 104.00</b>
Order number Transport base for hazardous materials cabinet W 1200 mm	—	—	165-319-J9	165-319-J9
<b>Price / Item(s)</b>	—	—	<b>£ 304.00</b>	<b>£ 304.00</b>
Order number Transport base for hazardous materials cabinet W 900 mm	195-611-J9	195-611-J9	—	—
<b>Price / Item(s)</b>	<b>£ 283.00</b>	<b>£ 283.00</b>	—	—





Model 90  
**90 minute fire protection**  
 Tested in accordance with EN 14470-1

**DENIOS**  
 warranty  
**5**  
 years

**materials in DENIOS fire rated HazMat cabinets.**

- **Whether in safety yellow (RAL 1004), meeting DIN 4844 or plain light grey (RAL 7035) - the hazardous materials cabinet type edition-g offers 90 minutes of fire resistance and safety for your stored hazardous materials**

**Fire-rated hazardous material cabinets Edition-G, with shelves, width 900 and 1200 mm**

**from £ 2,613.00**



Model	G-901	G-1201
Features	3 inlay shelves, sump and grid cover	3 inlay shelves, sump and grid cover
External dimensions W x D x H [mm]	896 x 616 x 1968	1196 x 616 x 1968
Internal dimensions W x D x H [mm]	750 x 524 x 1742	1050 x 524 x 1742
Shelf load capacity [kg]	75	75
Spillage decking capacity [l]	23	33
Weight [kg]	385	453
Order number safety yellow (RAL 1004)	148-564-J9	116-979-J9
Order number light grey (RAL 7035)	133-980-J9	116-981-J9
<b>Price / Item(s)</b>	<b>£ 2,613.00</b>	<b>£ 2,759.00</b>
<b>ACCESSORIES</b>		
Order number additional shelf	133-979-J9	116-975-J9
<b>Price / Item(s)</b>	<b>£ 39.90</b>	<b>£ 39.90</b>
Order number plastic inlay spill pallets	133-978-J9	116-939-J9
<b>Price / Item(s)</b>	<b>£ 57.50</b>	<b>£ 59.50</b>
Order number door hold-open device	116-977-J9	116-977-J9
<b>Price / Item(s)</b>	<b>£ 156.00</b>	<b>£ 156.00</b>
Order number Transport base for hazardous materials cabinet W 1200 mm	-	165-319-J9
<b>Price / Item(s)</b>	-	<b>£ 304.00</b>
Order number Transport base for hazardous materials cabinet W 900 mm	195-611-J9	-
<b>Price / Item(s)</b>	<b>£ 283.00</b>	-





## Hazardous material cabinets Kombi, Edition-G, multi-talented, safe hazardous material storage

- For the space saving storage of flammable and aggressive hazardous substances
- Includes self-closing doors and extractor terminal (NW 75)
- 90 minute fire resistance according to DIN EN 14470-1

Based on the proven hazardous materials cabinets from the denios range, this practical variant offers the possibility of storing various classes of hazardous substances (LGK) in one cabinet.

- High flexibility internal equipment: height adjustable shelves or slide-out spill trays
- Metal-free spill tray (for aggressive / flammable hazardous substances)



Left cabinet section with 3 shelves, 1 base spill pallet with perforated plate insert, right cabinet section with 3 metal-free spill trays and a metal-free base spill pallet

Combi hazardous materials cabinet  
Edition-G, model 1200-33.

**£ 3,579.00**

Order no. 224-696-J9

**Sturdy and long lasting** = safety equipment is corrosion protected outside the storage room

**separated storage** = secured by solid partitions

**easy handling** = doors are opened with minimal effort



Combi hazardous materials cabinet Edition-G, model 1200-63A,  
Order no. 224-699-J9, £ 4,087.00

Left cabinet section with slide-out spill trays, right cabinet section with 3 metal-free spill trays and a metal-free base spill pallet

Model	600-22	600-32A	1200-33	1200-63A
Cabinet partition	Above/below	Above/below	Left/right	Left/right
Features	2 shelves / 2 spill trays, 1 floor spill pallet each	3 slide-out spill trays / 2 spill trays, 1 floor spill pallet	3 shelves / 3 spill trays, 1 floor spill pallet each	6 slide-out spill trays / 3 spill trays, 1 floor spill pallet right
External dimensions W x D x H [mm]	596 x 616 x 1968	596 x 616 x 1968	1196 x 616 x 1968	1196 x 616 x 1968
Internal dimensions W x D x H [mm]	450 x 524 x 1742	450 x 524 x 1742	1050 x 524 x 1742	1050 x 524 x 1742
Shelf load capacity [kg]	75	75	75	75
Slide-out spill pallet load capacity [kg]	–	25	–	25
Slide-out spill pallet capacity [l]	–	5	–	5
Spillage decking capacity [l]*	22	–	22	–
Weight [kg]	260	260	515	515
Order number safety yellow (RAL 1004)	224-700-J9	224-702-J9	224-696-J9	224-698-J9
Order number light grey (RAL 7035)	224-701-J9	224-703-J9	224-697-J9	224-699-J9
<b>Price / Item(s)</b>	<b>£ 2,578.00</b>	<b>£ 2,778.00</b>	<b>£ 3,579.00</b>	<b>£ 4,087.00</b>
<b>ACCESSORIES</b>				
Order number Transport base for hazardous materials cabinet W 1200 mm	–	–	165-319-J9	165-319-J9
<b>Price / Item(s)</b>	–	–	<b>£ 304.00</b>	<b>£ 304.00</b>

\*The plastic spill pallets have a containment volume of 12 litres

**i** Combined storage of hazardous substances: combined storage prohibition comes into force from a certain quantity, which in general is not reached for hazardous materials cabinets. Further details can be found in the TRGS 510 regulations.

### Left section



### Right section



The hazmat symbols show which liquids may be stored in which cabinet section





Model 90  
90 minute fire protection  
Tested in accordance with EN 14470-1

DENIOS  
warranty  
5 years

## Fire-rated hazardous material cabinets Edition-G, one-touch, with folding doors

- For the unlimited storage of flammable liquids
- 90 minute fire resistance according to DIN EN 14470-1
- Ideal for the storage of small containers

from £ 3,069.00



One touch models offer:

- Door hold-open device
- Automatic door closing
- Visual and audible automatic door closing warning signal



Folding door cabinet type GF-1201.6 With folding doors and 6 slide-out sumps., Order no. 119-289-J9, £ 3,928.00



Hazardous material cabinet Edition-G model GF-1201, safety yellow, with folding doors, 3 shelves, base spill pallet and perforated plate cover, door hold-open device, Order no. 119-283-J9, £ 3,069.00 (extraction units available as accessories)

**i** Tested spill pallet (in accordance with Stawa-R)

Model	GF-1201	GF-1201-4	GF-1201-6
Features	3 inlay shelves, sump and grid cover	4 slide-out spill trays	6 slide-out spill trays
External dimensions W x D x H [mm]	1196 x 616 x 1968	1196 x 616 x 1968	1196 x 616 x 1968
Internal dimensions W x D x H [mm]	1050 x 524 x 1742	1050 x 524 x 1742	1050 x 524 x 1742
Shelf load capacity [kg]	75	—	—
Slide-out spill pallet load capacity [kg]	—	60	60
Spillage decking capacity [l]	33	—	—
Slide-out spill pallet capacity [l]	—	30	30
Weight [kg]	458	488	520
Order number safety yellow (RAL 1004)	119-283-J9	119-279-J9	119-282-J9
Order number light grey (RAL 7035)	119-284-J9	119-278-J9	119-289-J9
Price / Item(s)	£ 3,069.00	£ 3,578.00	£ 3,928.00

ACCESSORIES			
Order number additional shelf	116-975-J9	—	—
Price / Item(s)	£ 39.90	—	—
Order number plastic inlay spill pallets	116-939-J9	148-583-J9	148-583-J9
Price / Item(s)	£ 59.50	£ 104.00	£ 104.00
Order number Transport base for hazardous materials cabinet W 1200 mm	165-319-J9	165-319-J9	165-319-J9
Price / Item(s)	£ 304.00	£ 304.00	£ 304.00

### Pull-out spill trays

- Large storage volume compared to shelves
- Easy to use - can be fully extended
- Stops in any position; simple to insert containers with 2 hands in accordance with BGI 850
- All containers are easy to reach and can be removed safely in an upwards direction
- Water-tight slide-out spill trays in

- coated sheet steel
- Maximum safety in the event of a fire with self-retracting trays
- Door cannot be jammed in position by open trays.



The drawers are easily accessible with plenty of space for small containers



Quick and easy access to all containers in the drawer





## Edition G fire rated hazardous material cabinet - 1300 mm high

Safety-tested

BS EN CE

- 90 minute fire resistance according to DIN EN 14470-1
- For the unlimited storage of flammable liquids
- Doors close automatically in the event of a fire

Ventilation fittings, extraction fans and additional accessories can be found

From page  
**168**



**£ 2,558.00**

Order no. 117-033-J9

Hazardous materials cabinet  
Edition-G type G-1200-F with  
shelves, base sump and grid A  
second shelf is optional

- Air extraction connection (NW 75) fitted in the roof of the cabinet
- Also approved for operation without technical ventilation
- Manufactured with high quality materials including insulation using environmentally-friendly class a insulation (DIN 4102)
- Integrated adjustment aids to easily level out the cabinets on uneven floors
- Slide-out spill trays are easy to use and can be stopped in any position
- Protection from unauthorised access
- Ideal for the storage of small containers

Compact and space saving  
hazardous materials cabinets  
such as this model G-600-2-F,  
with two slide out spill trays



**£ 2,024.00**

Order no. 218-459-J9

**i** Tested spill pallet  
(in accordance with  
Stawa-R)

Model	G-600-F	G-600-2-F	G-1200-F	G-1200-2-F
Features	1 inlay shelf, sump and grid cover	2 slide-out spill pallets	1 inlay shelf, sump and grid cover	2 slide-out spill pallets
External dimensions W x D x H [mm]	596 x 616 x 1298	596 x 616 x 1298	1196 x 616 x 1298	1196 x 616 x 1298
Internal dimensions W x D x H [mm]	450 x 524 x 1072	450 x 524 x 1072	1050 x 524 x 1072	1050 x 524 x 1072
Shelf load capacity [kg]	75	—	75	—
Slide-out spill pallet load capacity [kg]	—	25	—	60
Weight [kg]	203	217	320	352
Order number safety yellow (RAL 1004), door opens left	122-884-J9	218-455-J9	—	—
Order number safety yellow (RAL 1004), door opens right	208-518-J9	218-457-J9	—	—
Order number light grey (RAL 7035), door opens left	208-515-J9	218-459-J9	—	—
Order number light grey (RAL 7035), door opens right	208-519-J9	218-461-J9	—	—
Order number safety yellow (RAL 1004)	—	—	117-033-J9	218-467-J9
Order number light grey (RAL 7035)	—	—	208-513-J9	218-469-J9
<b>Price / Item(s)</b>	<b>£ 1,826.00</b>	<b>£ 2,024.00</b>	<b>£ 2,558.00</b>	<b>£ 2,945.00</b>
<b>ACCESSORIES</b>				
Order number additional shelf	116-987-J9	—	116-975-J9	—
<b>Price / Item(s)</b>	<b>£ 31.50</b>	—	<b>£ 39.90</b>	—
Order number plastic inlay spill pallets	133-976-J9	148-590-J9	116-939-J9	148-583-J9
<b>Price / Item(s)</b>	<b>£ 49.50</b>	<b>£ 62.50</b>	<b>£ 59.50</b>	<b>£ 104.00</b>
Order number door hold-open device	116-988-J9	—	116-977-J9	—
<b>Price / Item(s)</b>	<b>£ 113.00</b>	—	<b>£ 156.00</b>	—
Order number Transport base for hazardous materials cabinet W 1200 mm	—	—	165-319-J9	165-319-J9
<b>Price / Item(s)</b>	—	—	<b>£ 304.00</b>	<b>£ 304.00</b>





**Model 90**  
**90 minute fire protection**  
 Tested in accordance with EN 14470-1

All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines

**DENIOS warranty**  
**5 years**

**Fire-rated hazardous material cabinets**

## Edition G one touch fire rated hazardous material cabinet with wing doors



**DENIOS sets the standard for safety, effectiveness and comfort.**

**One touch models offer:**

- Door hold-open device
- Automatic door closing
- Visual and audible automatic door closing warning signal

Safety-tested

**BS EN CE**

**from £ 1,948.00**

**Hazardous material cabinet type G-600-FP with one touch**



### Chemical box for separate storage of acids and alkali



- The box has a lid with a flap and handles on the side
- Suitable for all hazardous materials cabinets with shelves
- Dimensions W x D x H (mm): 410 x 300 x 290

**£ 51.50**

Order no. 117-020-J9



**Slide-out sumps are recommended especially for the storage of large numbers of small containers, as here with the type G-1200-2-FP.**

**£ 2,998.00**

Order no. 218-463-J9



**Hazardous material cabinet type G-1200-FP with one touch**

**£ 2,769.00**

Order no. 158-501-J9

Model	G-600-FP	G-600-2-FP	G-1200-FP	G-1200-2-FP
Features	1 inlay shelf, sump and grid cover	2 slide-out spill pallets	1 inlay shelf, sump and grid cover	2 slide-out spill pallets
Automatic door control	yes	yes	yes	yes
External dimensions W x D x H [mm]	596 x 616 x 1298	596 x 616 x 1298	1196 x 616 x 1298	1196 x 616 x 1298
Internal dimensions W x D x H [mm]	450 x 524 x 1072	450 x 524 x 1072	1050 x 524 x 1072	1050 x 524 x 1072
Shelf load capacity [kg]	75	–	75	–
Slide-out spill pallet load capacity [kg]	–	25	–	60
Weight [kg]	203	217	324	356
Order number safety yellow (RAL 1004), door opens left	158-139-J9	218-447-J9	–	–
Order number safety yellow (RAL 1004), door opens right	208-520-J9	218-449-J9	–	–
Order number light grey (RAL 7035), door opens left	208-516-J9	218-451-J9	–	–
Order number light grey (RAL 7035), door opens right	208-522-J9	218-453-J9	–	–
Order number safety yellow (RAL 1004)	–	–	158-501-J9	218-463-J9
Order number light grey (RAL 7035)	–	–	208-514-J9	218-465-J9
<b>Price / Item(s)</b>	<b>£ 1,948.00</b>	<b>£ 2,066.00</b>	<b>£ 2,769.00</b>	<b>£ 2,998.00</b>
<b>ACCESSORIES</b>				
Order number additional shelf	116-987-J9	–	116-975-J9	–
<b>Price / Item(s)</b>	<b>£ 31.50</b>	–	<b>£ 39.90</b>	–
Order number plastic inlay spill pallets	133-976-J9	148-590-J9	116-939-J9	148-583-J9
<b>Price / Item(s)</b>	<b>£ 49.50</b>	<b>£ 62.50</b>	<b>£ 59.50</b>	<b>£ 104.00</b>
Order number Transport base for hazardous materials cabinet W 1200 mm	–	–	165-319-J9	165-319-J9
<b>Price / Item(s)</b>	–	–	<b>£ 304.00</b>	<b>£ 304.00</b>





## Edition-G fire rated hazardous material cabinet - 600 mm wide

- 90 minute fire resistance according to DIN EN 14470-1
- For the unlimited storage of flammable liquids
- Doors close automatically in the event of a fire

- Air extraction connection (NW 75) fitted in the roof of the cabinet
- Also approved for operation without technical ventilation
- Floor spill pallet. Cabinets with slide-out spill trays are supplied with an additional floor spill pallet
- Integrated adjustment aids to easily level out the cabinets on uneven floors



**i** Hazardous material cabinets Edition-G with slide out spill trays and folding doors are supplied with a door hold-open device

Safety-tested

**BS EN CE**

Hazardous material cabinet edition-g type G 601, with shelves, sump and grid (door latch system optional).

**from £ 2,125.00**



6 slide-out sumps give sufficient storage space for a wide range of flammable hazardous substances - organisation even in the smallest space., Order no. 218-443-J9, £ 2,708.00



Cabinet with folding doors edition-g type GF-601, with 3 shelves and base sump with grid cover., Order no. 218-456-J9, £ 2,249.00

Model	G-601	GA-600-4	GA-600-6	GF-601	GF-601.4	GF-601.6
Features	3 inlay shelves, sump and grid cover	4 slide-out spill trays	6 slide-out spill trays	3 inlay shelves, sump and grid cover	4 slide-out spill trays	6 slide-out spill trays
Door version	hinged door	hinged door	hinged door	folding door	folding door	folding door
External dimensions W x D x H [mm]	596 x 616 x 1968	596 x 616 x 1968	596 x 616 x 1968	596 x 616 x 1968	596 x 616 x 1968	596 x 616 x 1968
Internal dimensions W x D x H [mm]	450 x 524 x 1742	450 x 524 x 1742	450 x 524 x 1742	450 x 524 x 1742	450 x 524 x 1742	450 x 524 x 1742
Shelf load capacity [kg]	75	–	–	75	–	–
Slide-out spill pallet load capacity [kg]	–	25	25	–	25	25
Weight [kg]	300	310	324	300	310	324
Order number safety yellow (RAL 1004), door opens left	158-084-J9	218-439-J9	218-443-J9	218-456-J9	218-485-J9	218-489-J9
Order number safety yellow (RAL 1004), door opens right	158-088-J9	218-441-J9	218-445-J9	218-495-J9	218-487-J9	218-491-J9
Order number light grey (RAL 7035), door opens left	158-083-J9	218-440-J9	218-444-J9	218-460-J9	218-486-J9	218-490-J9
Order number light grey (RAL 7035), door opens right	158-086-J9	218-442-J9	218-446-J9	218-496-J9	218-488-J9	218-492-J9
<b>Price / Item(s)</b>	<b>£ 2,125.00</b>	<b>£ 2,486.00</b>	<b>£ 2,708.00</b>	<b>£ 2,249.00</b>	<b>£ 2,532.00</b>	<b>£ 2,757.00</b>
<b>ACCESSORIES</b>						
Order number additional shelf	116-987-J9	–	–	116-987-J9	–	–
<b>Price / Item(s)</b>	<b>£ 31.50</b>	–	–	<b>£ 31.50</b>	–	–
Order number plastic inlay spill pallets	133-976-J9	148-590-J9	148-590-J9	133-976-J9	148-590-J9	148-590-J9
<b>Price / Item(s)</b>	<b>£ 49.50</b>	<b>£ 62.50</b>	<b>£ 62.50</b>	<b>£ 49.50</b>	<b>£ 62.50</b>	<b>£ 62.50</b>
Order number door hold-open device	116-988-J9	–	–	–	–	–
<b>Price / Item(s)</b>	<b>£ 113.00</b>	–	–	–	–	–