





**Twist drill HSS**



- application: industry
- for precise drilling in steels, cast steels, non-ferrous metals, plastics



**Twist drill HSS-G**



- application: industry
- for precise drilling in steels, cast steels, non-ferrous metals, plastics

YATO	Ø (mm)	H1 (mm)	H2 (mm)	R.P.M.max.	PCS packing	
YT-3900	1.0	34	12	4500	10	1/80/320
YT-3903	1.5	40	18	4500	10	1/80/320
YT-3905	2.0	49	24	4500	10	1/80/320
YT-3910	2.5	57	30	3000	10	1/80/320
YT-3913	2.8	61	33	3000	10	1/80/320
YT-3914	3.0	61	33	3000	10	1/80/320
YT-3916	3.2	65	36	3000	10	1/80/320
YT-3919	3.5	70	39	3000	10	1/80/320
YT-3922	4.0	75	43	2000	10	1/80/320
YT-3924	4.2	75	43	2000	10	1/20/80
YT-3926	4.5	80	47	2000	10	1/20/80
YT-3928	4.8	86	52	2000	10	1/20/80
YT-3930	5.0	86	52	2000	10	1/20/80
YT-3932	5.2	86	52	2000	10	1/20/80
YT-3935	5.5	93	57	2000	10	1/20/80
YT-3938	6.0	93	57	1500	10	1/20/80
YT-3942	6.5	101	63	1500	10	1/10/40
YT-3944	7.0	109	69	1500	10	1/10/40
YT-3945	7.5	109	69	1500	10	1/10/40
YT-3946	8.0	117	75	1500	10	1/5/20
YT-3949	8.5	117	75	1500	5	1/10/40
YT-3950	9.0	125	81	1000	5	1/10/40
YT-3951	9.5	125	81	1000	5	1/10/40
YT-3952	10.0	133	87	1000	5	1/10/40
YT-3954	10.5	133	87	1000	1	1/40/160
YT-3955	11.0	142	94	800	1	1/40/160
YT-3957	12.0	151	101	800	1	1/40/160
YT-3958	12.5	151	101	800	1	1/40/160
YT-3959	13.0	151	101	800	1	1/40/160

YATO	Ø (mm)	H1 (mm)	H2 (mm)	R.P.M.max.	PCS packing
YT-4430	1.0	34	12	3800	10
YT-4431	1.5	43	20	3800	10
YT-4432	2.0	49	24	4000	10
YT-4433	2.5	57	30	3200	10
YT-4434	2.8	61	33	2800	10
YT-4435	3.0	61	33	2600	10
YT-4436	3.2	65	36	2500	10
YT-4437	3.5	70	39	2300	10
YT-4438	4.0	75	43	2000	10
YT-4439	4.2	75	43	1900	10
YT-4440	4.5	80	47	1800	10
YT-4441	4.8	86	52	1600	10
YT-4442	5.0	86	52	1600	10
YT-4443	5.2	86	52	1500	10
YT-4444	5.5	93	57	1500	10
YT-4445	6.0	93	57	1300	10
YT-4446	6.5	101	63	1200	10
YT-4447	7.0	109	69	1100	10
YT-4448	7.5	109	69	1100	10
YT-4449	8.0	117	75	1000	10
YT-4450	8.5	117	75	900	5
YT-4451	9.0	125	81	900	5
YT-4452	9.5	125	81	800	5
YT-4453	10.0	133	87	800	5
YT-4454	10.5	133	87	800	3
YT-4455	11.0	142	94	700	3
YT-4456	12.0	151	101	700	3
YT-4457	12.5	151	101	600	3
YT-4458	13.0	151	101	600	3

Twist drill set

6 PCS  $\varnothing$  mm 2-8 HSS DIN 338



YATO	$\varnothing$ (mm)	
YT-4460	2; 3; 4; 5; 6; 8	15/60

Twist drill set

19 PCS  $\varnothing$  mm 1-10



YATO	$\varnothing$ (mm)	
YT-4462	1.0; 1.5; 2.0; 2.5; 3.0; 3.5; 4.0; 4.5; 5.0; 5.5; 6.0; 6.5; 7.0; 7.5; 8.0; 8.5; 9.0; 9.5; 10.0	15/30

Twist drill set

10 PCS  $\varnothing$  mm 1-10



YATO	$\varnothing$ (mm)	
YT-4008	1; 2; 3; 4; 5; 6; 7; 8; 9; 10	20/40

Twist drill set

10 PCS  $\varnothing$  mm 1-10



YATO	$\varnothing$ (mm)	
YT-4461	1; 2; 3; 4; 5; 6; 7; 8; 9; 10	20/40

Twist drill set

DIN 338 M2 HSS-G HIGH HELIX  $\varnothing$  mm 2-8  
6 PCS  $\varnothing$  mm 1-10 SPLIT POINT



YATO	$\varnothing$ (mm)	
YT-4007	2; 3; 4; 5; 6; 8	15/60

Twist drill set

19 PCS  $\varnothing$  mm 1-10



YATO	$\varnothing$ (mm)	
YT-4009	1.0; 1.5; 2.0; 2.5; 3.0; 3.5; 4.0; 4.5; 5.0; 5.5; 6.0; 6.5; 7.0; 7.5; 8.0; 8.5; 9.0; 9.5; 10.0	15/30

**Twist drill HSS-COBALT**

DIN 338 HSS-E Co HS6-5-2-5 (PN-EN ISO 4957:2002(U)) Rm >900 N/mm<sup>2</sup>

- application: industry
- for precise drilling in hard steels, non-ferrous metals, plastics, stainless steel and acid resistant steel
- resistant to high temperatures

YATO	∅ (mm)	H1 (mm)	H2 (mm)	PCS 200/50g
YT-4010	1.0	34	12	2
YT-4015	1.5	40	18	2
YT-4020	2.0	49	24	2
YT-4025	2.5	57	30	2
YT-4030	3.0	61	33	2
YT-4032	3.2	65	36	1
YT-4035	3.5	70	39	1
YT-4040	4.0	75	43	1
YT-4042	4.2	75	43	1
YT-4045	4.5	80	47	1
YT-4048	4.8	86	52	1
YT-4050	5.0	86	52	1
YT-4052	5.2	86	52	1
YT-4055	5.5	93	57	1
YT-4060	6.0	93	57	1
YT-4065	6.5	101	63	1
YT-4070	7.0	109	69	1
YT-4075	7.5	109	69	1
YT-4080	8.0	117	75	1
YT-4085	8.5	117	75	1
YT-4090	9.0	125	81	1
YT-4100	10.0	133	87	1
YT-4110	11.0	142	94	1
YT-4120	12.0	151	101	1
YT-4140	14.0	160	108	1
YT-4160	16.0	178	120	1

**Twist drill set**

6 PCS DIN 338 Co-HSS ∅ mm 2-8



YATO	∅ (mm)	PCS
YT-41602	2; 3; 4; 5; 6; 8	15/60

**Twist drill set**

Co-HSS ∅ mm 1-10  
10 PCS DIN 338



YATO	∅ (mm)	PCS
YT-41603	1;2;3;4;5;6;7;8;9;10	20/40

**Twist drill set**

Co-HSS ∅ mm 1-10  
19 PCS DIN 338



YATO	∅ (mm)	PCS
YT-41604	1.0; 1.5; 2.0; 2.5; 3.0; 3.5; 4.0; 4.5; 5.0; 5.5; 6.0; 6.5; 7.0; 7.5; 8.0; 8.5; 9.0; 9.5; 10.0	15/30

**Twist drill set**


25 PCS DIN 338 Co-HSS ∅ mm 1-13



YATO	∅ (mm)	PCS
YT-41605	1.0; 1.5; 2.0; 2.5; 3.0; 3.5; 4.0; 4.5; 5.0; 5.5; 6.0; 6.5; 7.0; 7.5; 8.0; 8.5; 9.0; 9.5; 10.0; 10.5; 11.0; 11.5; 12.0; 12.5; 13.0	10

**Masonry drill bit X-TIP**

SDS PLUS S4 X-TIP YG-41C



YATO	∅ (mm)	H1 (mm)	H2 (mm)	PCS 200/50g
YT-4200	5	110	45	10
YT-4201	6	110	45	10
YT-4202	6	160	95	10
YT-4203	6	210	135	10
YT-4204	8	110	45	10
YT-4205	8	160	95	10
YT-4206	8	210	140	10
YT-4207	8	460	370	10
YT-4208	8	600	500	10
YT-4209	10	160	95	10
YT-4210	10	210	140	10
YT-4211	10	300	220	10
YT-4212	10	460	370	10
YT-4213	10	600	500	10
YT-4214	12	160	95	10
YT-4215	12	260	185	10
YT-4216	12	460	360	10
YT-4217	12	600	490	10
YT-4218	14	260	180	10
YT-4219	14	460	360	10
YT-4220	16	200	125	10
YT-4221	16	460	360	10
YT-4222	16	600	490	10
YT-4223	18	460	360	10
YT-4224	18	600	490	10
YT-4225	20	460	360	5
YT-4226	20	600	490	5
YT-4227	22	460	360	5
YT-4228	22	600	490	5
YT-4229	25	460	360	5
YT-4230	25	600	490	5

Masonry drill bit



PLASTIC HARROWER

YATO	Ø (mm)	H1 (mm)	H2 (mm)	PCS (PACKING)
YT-4161	5	110	45	10
YT-4162	6	110	45	10
YT-4163	6	160	95	10
YT-4164	6	210	140	10
YT-4165	8	110	45	10
YT-4166	8	160	90	10
YT-4167	8	210	140	10
YT-4168	8	460	370	10
YT-4169	8	600	500	10
YT-4170	10	160	95	10
YT-4171	10	210	140	10
YT-4172	10	300	220	10
YT-4173	10	460	370	10
YT-4174	10	600	500	10
YT-4175	12	160	85	10
YT-4176	12	260	180	10
YT-4177	12	460	360	10
YT-4178	12	600	490	10
YT-4179	14	260	180	10
YT-4180	14	460	360	10
YT-4181	16	200	125	10
YT-4182	16	300	220	10
YT-4183	16	460	360	10
YT-4184	16	600	490	10
YT-4185	18	460	360	10
YT-4186	18	600	490	10
YT-4187	20	460	360	5
YT-4188	20	600	490	5
YT-4189	22	460	360	5
YT-4190	22	600	490	5
YT-4191	25	460	360	5
YT-4192	25	600	490	5
YT-41641	6.5	200	125	10
YT-41642	6.5	260	180	10

Masonry drill bit



BLISTER CARD

YATO	Ø (mm)	H1 (mm)	H2 (mm)	PCS
YT-4361	4	70	35	100/400
YT-4362	5	90	50	100/400
YT-4363	6	100	60	100/400
YT-4364	6	150	100	100/400
YT-4367	7	100	60	75/300
YT-4369	8	120	80	75/300
YT-4370	8	200	140	50/150
YT-4373	9	120	80	75/300
YT-4375	10	120	80	75/300
YT-4376	10	200	140	50/150
YT-4379	12	150	100	50/150
YT-4380	12	200	140	50/150
YT-4383	14	180	120	25/100
YT-4385	16	180	120	25/100

Masonry drill bit set



YATO	Ø (mm)	PCS
YT-4390	4; 5; 6; 8; 9; 10; 12	10/80

Drill for glass



SLICING CARD

• Drill for glass

YATO	Ø (mm)	L (mm)	PCS
YT-3725	4	5	100/400
YT-3726	6	10	100/400
YT-3727	8	15	100/400
YT-3728	10	35	50/200

Point chisel SDS+



PLASTIC HARROWER

YATO	L (mm)	PCS
YT-4720	250	6/48

Hollow chisel SDS+



PLASTIC HARROWER

YATO	L (mm)	PCS
YT-4722	250	6/48

Flat chisel SDS+



PLASTIC HARROWER

YATO	L (mm)	PCS
YT-4721	250	6/48



PLASTIC HARROWER

YATO	L (mm)	PCS
YT-4723	250	6/48

Hollow drill set



COLOR BOX

• widely used in hard material like concrete or brick in construction and installation industries

YATO	Ø (mm)	TCT	PCS
YT-4400	65	6	24
YT-4401	80	8	20

**Hollow drill set**



COLOR BOX



- widely used in hard material like concrete or brick in construction and installation industries

YATO	Ø (mm)	TCT	PCS
YT-4402	65	6	24
YT-4403	80	8	20

**Pilot drill for hole saw**



- use for YT-3303—YT-3353
- hardened high speed steel body provide stability and safeguard

YATO	Ø (mm)	H (mm)	PCS packing
YT-3376	6.0	75	1 25/100
YT-3377	6.0	100	1 25/100

**Electrician's hole saw kit**



- cutting depth to 40mm
- cut through stainless steel and other materials pipe, nail-embedded wood, hard wood floor, ply wood and plastics

YATO	Ø (mm)	PCS
YT-3380	22; 29; 35; 44; 67; 73	8

**Bi-metal hole saw**



- cutting depth to 40mm
- cut through stainless steel and other materials pipe, nail-embedded wood, hard wood floor, ply wood and plastics

YATO	Ø (mm)	thread	PCS
YT-3303	19	1/2" (12.5 mm)	25/100
YT-3304	20	1/2" (12.5 mm)	25/100
YT-3306	22	1/2" (12.5 mm)	25/100
YT-3308	25	1/2" (12.5 mm)	25/100
YT-3311	29	1/2" (12.5 mm)	25/100
YT-3313	32	5/8" (16 mm)	25/100
YT-3315	35	5/8" (16 mm)	25/100
YT-3317	38	5/8" (16 mm)	25/100
YT-3318	40	5/8" (16 mm)	25/100
YT-3321	44	5/8" (16 mm)	25/100
YT-3322	46	5/8" (16 mm)	25/100
YT-3323	48	5/8" (16 mm)	25/100
YT-3324	51	5/8" (16 mm)	25/100
YT-3327	57	5/8" (16 mm)	25/50
YT-3329	60	5/8" (16 mm)	25/50
YT-3330	64	5/8" (16 mm)	25/50
YT-3332	67	5/8" (16 mm)	25/50
YT-3333	68	5/8" (16 mm)	25/50
YT-3334	70	5/8" (16 mm)	25/50
YT-3336	76	5/8" (16 mm)	25/50
YT-3338	83	5/8" (16 mm)	25/50
YT-3343	95	5/8" (16 mm)	25/50
YT-3345	102	5/8" (16 mm)	10/20
YT-3346	105	5/8" (16 mm)	10/20
YT-3349	114	5/8" (16 mm)	10/20
YT-3350	121	5/8" (16 mm)	10/20
YT-3351	127	5/8" (16 mm)	10/20
YT-3353	140	5/8" (16 mm)	10/20

**Arbor for hole saw**



- suitable for size 14-30mm

YATO	SDS+/HEX	PCS packing
YT-3370	HEX 7/16"	1 25/100
YT-3373	SDS+	1 25/100



- suitable for size 32-200mm

YATO	SDS+/HEX	PCS packing
YT-3371	HEX 7/16"	1 25/100



- suitable for size 32-200mm, with fixed screw

YATO	SDS+/HEX	PCS packing
YT-3372	HEX 7/16"	1 25/50
YT-3374	SDS+	1 25/50

**Combination hole saw kit**



- cutting depth to 40mm
- cut through stainless steel and other materials pipe, nail-embedded wood, hard wood floor, ply wood and plastics

YATO	Ø (mm)	PCS
YT-3381	19; 22; 25; 32; 35; 38; 44; 51; 57; 64; 76	15

**Automotive hole saw kit**



- cutting depth to 40mm
- cut through stainless steel and other materials pipe, nail-embedded wood, hard wood floor, ply wood and plastics

YATO	Ø (mm)	PCS
YT-3382	19; 22; 25; 29; 32	7

**Diamond core bit drilling holes for sockets**



COLOR BOX



- widely used in hard material like concrete or brick in construction and installation industries
- diamond concentration up to 30%

YATO	Ø (mm)	R.P.M.max.	Box
YT-6045	68	1030	24
YT-6046	82	850	20

**Hand tap**



YATO	size X pitch	thread length	L (mm)	Box
YT-2930	M3x0.5	11	40	3/100/400
YT-2931	M4x0.7	13	45	3/50/200
YT-2932	M5x0.8	16	50	3/60/240
YT-2933	M6x1.0	19	50	3/60/240
YT-2934	M7x1.0	19	50	3/75/300
YT-2935	M8x1.25	22	56	3/50/200
YT-2937	M10x1.5	24	70	3/50/200
YT-2939	M12x1.75	29	75	3/50/200
YT-2940	M14x2.0	30	80	3/20/80
YT-2941	M16x2.0	32	80	3/20/80
YT-2942	M18x2.5	40	95	3/20/80
YT-2943	M20 x2.5	40	95	3/10/40
YT-2926	M22x2.5	40	100	3/10/40
YT-2927	M24x3.0	52	110	3/15/30
YT-2928	M27x3.0	50	110	3/15/30
YT-2929	M30 x3.5	56	125	3/10/20

**Taps and drills set**



- tip: M3-M12, each 3pcs, DIN 352
- drill: 2.5, 3.3, 4.2, 5.6, 8.8, 5, 10.2mm, DIN338
- 1pc tap wrench, DIN1814

YATO	size	Box
YT-2977	M3; M4; M5; M6; M8; M10; M12	12

**Taps set**



- tap: M3-M12, each 3pcs, DIN352

YATO	size	Box
YT-2976	M3; M4; M5; M6; M8; M10; M12	20

**Taps and dies set**



- tap: M3-M20, each 3pcs, DIN352
- die: M3-M20mm, DIN223
- 6pcs die stock, 2pcs tap wrench, 2pcs ratchet wrench, 1pc screwdriver, 1pc screw pitch gauge

YATO	size	Box
YT-2979	M3; M4; M5; M6; M8; M10; M12; M14; M16; M18; M20	2

**Taps and dies set**



METAL BOX & COLOR BOX

- tip: M3-M12, each 3pcs, DIN 352
- die: M3-M12mm, DIN223
- 1pc die stock, 1pc tap wrench, 1pc screwdriver, 1pc screw pitch gauge

YATO	size	Box
YT-2975	M3; M4; M5; M6; M8; M10; M12	10

**Taps and dies set**



- tap: M3-M12, each 3pcs, DIN352
- die: M3-M12mm, DIN223
- drill: 2.5, 3.3, 4.2, 5.6, 8.8, 5, 10.2mm, DIN338
- 5pcs die stock, 2pc tap wrench, 1pc screwdriver, 1pc screw pitch gauge

YATO	size	Box
YT-2978	M3; M4; M5; M6; M8; M10; M12	4

**Step drill**



YATO	size	Box
YT-44740	6; 8; 11; 14; 17; 20; 23; 26; 29; 32; 35; 38 mm	2

### Machine tap

DIN 371M HSS M2 1-STAGE TAPPING METRIC COARSE

SLIDING CARD



YATO	size X pitch	thread length	L (mm)	
YT-2950	M3x0.5	11	56	100/400
YT-2951	M4x0.7	13	63	100/400
YT-2952	M5x0.8	16	70	60/240
YT-2953	M6x1.0	19	80	50/200
YT-2954	M7x1.0	19	80	30/120
YT-2955	M8x1.25	22	90	50/200
YT-2956	M10x1.5	24	100	50/200
YT-2944	M12x1.75	29	110	25/100
YT-2945	M14x2.0	30	110	25/100
YT-2946	M16x2.0	32	110	25/100
YT-2947	M18x2.5	34	125	25/100
YT-2948	M20x2.5	34	140	25/100
YT-2949	M22x2.5	34	140	20/80
YT-2957	M24x3.0	38	160	15/60
YT-2958	M27x3.0	38	160	15/60
YT-2959	M30x3.5	45	180	15/60

### Ratchet tap wrench

SLIDING CARD



YATO	size	L (mm)	
YT-2989	M3-M10	85	20/80
YT-2997	M3-M10	250	20/80
YT-2990	M5-M12	100	20/80
YT-2991	M5-M12	300	20/40

### T-handle tap wrench

SLIDING CARD




YATO	size	L (mm)	
YT-2986	M3-M8	70	20/80
YT-2987	M5-M10	80	20/80
YT-2988	M6-M12	90	20/80

13

### Circular die

DIN 223 HSS M2 METRIC COARSE



SLIDING CARD

YATO	size	AxB (mm)	
YT-2961	M4x0.7	20x5	125/500
YT-2962	M5x0.8	20x7	100/400
YT-2963	M6x1	20x7	100/400
YT-2964	M7x1	25x9	100/200
YT-2965	M8x1.25	25x9	100/400
YT-2967	M10x1.5	30x11	70/280
YT-2969	M12x1.75	38x14	60/240
YT-2970	M14x2	38x14	63/252
YT-2971	M16x2	45x18	50/200
YT-2972	M18x2.5	45x18	50/200
YT-2973	M20x2.5	45x18	50/200
YT-2960	M22x2.5	55x22	20/80
YT-2966	M24x3	55x22	20/80
YT-2968	M27x3	65x25	15/60
YT-2974	M30x3.5	65x25	15/60

### Die handle

DIN 225

SLIDING CARD



YATO	size	Ø (mm)	L (mm)	
YT-2980	M3-M4	20x5	200	25/100
YT-2981	M4.5-M6	20x7	200	25/100
YT-2982	M7-M9	25x9	224	25/100
YT-2983	M10-M11	30x11	260	25/50
YT-2984	M12-M14	38x14	315	15/30
YT-2985	M16-M20	45x18	450	10/20

### Tap wrench

DIN 1814



YATO	size	L (mm)	
YT-2995	M1-M8	125	50/200
YT-2996	M3-M10	180	25/100
YT-2992	M3-M12	180	25/100
YT-2993	M4-M12	280	25/100
YT-2994	M5-M20	375	20/40

### Punch set

9 PCS



\* hardened, polished

YATO	size	
YT-3590	2.5,3.0,4.0,5.0,6.0,7.0,8.0,9.0,10.0	50

### Punch set

15 PCS



\* hardened, polished

YATO	size	
YT-3591	2.0,2.5,3.2,4.0,4.8,5.5,6.4,8.0,9.5,11.1,12.7,14.0,15.8,19.0,22.0	10