



Measuring tape

GRADE II



- double side printing
- self-lock

YATO	size (m)	L (mm)	
YT-71185	2	16	12/120
YT-71186	3	16	12/72
YT-71187	5	19	12/72
YT-71188	8	25	12/36
YT-71189	10	25	12/36

GRADE II 3m 16mm 5m 19mm 8m 25mm



DOUBLE BLISTER



- nylon coated, two side printed, yellow steel tape
- magnetic hook

YATO	size (m)	L (mm)	
YT-71116	3	16	12/120
YT-71117	5	19	12/120
YT-71118	8	25	6/60

Measuring tape

GRADE II 2m 16mm 3m 16mm 5m 19mm 5m 25mm 8m 25mm 10m 25mm



- steel tape with nylon cover
- metric graduation, one side printed, white colour

YATO	size (m)	L (mm)	
YT-7149	2	16	12/144
YT-7150	3	16	12/144
YT-7151	5	19	12/96
YT-7152	5	25	12/96
YT-7153	8	25	6/48
YT-7154	10	25	6/48

Measuring tape-metric & Inch

GRADE II



YATO	size (m)	L (mm)	
YT-71140	2/6ft	16/5/8"	12/144
YT-71141	3/10ft	16/5/8"	12/144
YT-71142	3.5/12ft	16/5/8"	12/144
YT-71143	5/16ft	19/3/4"	12/96
YT-71144	5.5/18ft	25/1"	12/96
YT-71145	7.5/25ft	25/1"	12/48
YT-71146	10/33ft	25/1"	12/36

Measuring tape

AUTOMATIC STOP GRADE II MAGNETIC HOOK NYLON COATED

NEW



YATO	size	
YT-71055	3Mx16mm	12/120
YT-71056	5Mx19mm	12/120
YT-71057	5Mx25mm	12/120
YT-71058	8Mx25mm	6/60
YT-71060	3Mx16mm	12/120
YT-71061	5Mx19mm	12/120
YT-71063	8Mx25mm	6/60



**Fibreglass curve tape**

30m 50m  
15mm 13mm  
FIBREGLASS TAPE  
TASMA KURWA  
SZKLANEGO  
SPEEDY  
RETRACTING  
SZYBIE  
ZWLANIE  
ABS

**NEW**



YATO	size	
YT-71540	30Mx15mm	10
YT-71541	50Mx15mm	10

**Long Steel Tape**

STEEL TAPE  
TASMA STALOWA  
20m 30m 50m  
13mm 13mm 13mm  
ABS  
SPEEDY  
RETRACTING  
SZYBIE  
ZWLANIE



- high impact-resistant ABS frame
- high-reinforced blade
- 3-times speedy retracting

YATO	size	
YT-71560	20Mx13mm	1/20
YT-71561	30Mx13mm	1/20
YT-71562	50Mx13mm	1/20

**Steel measuring tape**

STEEL TAPE  
TASMA STALOWA  
SPEEDY  
RETRACTING  
SZYBIE  
ZWLANIE  
ABS  
GRADE  
II

**NEW**



YATO	size	
YT-71580	20Mx13mm	40
YT-71581	30Mx13mm	40
YT-71582	50Mx13mm	20

**Long Steel Tape**

STEEL TAPE  
TASMA STALOWA  
ABS  
30m 50m  
13mm 13mm



- high impact-resistant ABS frame
- high-reinforced blade

YATO	size	
YT-71551	30Mx13mm	10
YT-71552	50Mx13mm	10

**Fiberglass Tape**

FIBREGLASS TAPE  
TASMA Z WŁÓKNA  
SZKLANEGO  
20m 30m 50m  
15mm 15mm 15mm  
ABS  
SPEEDY  
RETRACTING  
SZYBIE  
ZWLANIE




- high impact-resistant ABS frame
- high-reinforced blade
- 3-times speedy retracting

YATO	size	
YT-71565	20Mx15mm	1/40
YT-71566	30Mx15mm	1/20
YT-71567	50Mx15mm	1/20

**Vernier caliper**

0.02  
mm  
SCALE  
mm  
INCH  
STAINLESS  
STEEL



YATO	range (mm)	L (mm)	
YT-72002	0-150	150	50
YT-72003	0-200	200	30
YT-72004	0-300	300	20

**Fiberglass Tape**

STEEL TAPE  
TASMA STALOWA  
ABS  
30m 50m  
13mm 13mm



- high impact-resistant ABS frame
- high-reinforced blade
- fibreglass blade

YATO	size	
YT-71555	30Mx13mm	20
YT-71556	50Mx13mm	20

**Fiberglass measuring tape**

FIBREGLASS TAPE  
TASMA Z WŁÓKNA  
SZKLANEGO  
SPEEDY  
RETRACTING  
SZYBIE  
ZWLANIE  
ABS  
GRADE  
II

**NEW**



YATO	size	
YT-71570	20Mx15mm	40
YT-71571	30Mx15mm	40
YT-71572	50Mx15mm	20

**Digital caliper**

RANGE  
0-150  
mm  
0.01  
mm  
SCALE  
mm  
INCH  
BATTERY  
SR44  
1.55V  
STAINLESS  
STEEL



YATO		
YT-7205	170	10/50

Mechanical Micrometers

RANGE  
75-100  
mm

±0.01  
mm



YATO	range	resolution(mm)	
YAT-72303	75-100	0-0.1	5/10

Digital Micrometers

RANGE  
0-25  
mm

±0.002  
mm

CE

SCALE  
INCH  
MM

LCD  
DISPLAY



YATO	range	resolution(mm)	
YAT-72305	0-25mm/0-1"	0-0.001	10/20

Aluminium ruler

Al

NEW



YATO	L (mm)	
YAT-7071	600	10/50

Mechanical Micrometers

RANGE  
0-25  
mm

±0.01  
mm



YATO	range (mm)	resolution(mm)	
YAT-72300	0-25	0-0.1	10/30
YAT-72301	25-50	0-0.1	10/30

Aluminium try square

Al

45°  
90°



YATO	L (mm)	
YAT-7080	250	6/36
YAT-7081	300	6/36
YAT-7082	350	6/36

SS straightedge

NEW



YATO	L (mm)	
YAT-70720	150	10/50
YAT-70721	300	10/50
YAT-70722	500	10/50
YAT-70723	600	10/50
YAT-70724	1000	10/50

Mechanical Micrometers

RANGE  
50-75  
mm

±0.01  
mm



YATO	range	resolution(mm)	
YAT-72302	50-75	0-0.1	10/20

Try square

STAINLESS  
STEEL  
STAIN

NEW



YATO	L (mm)	
YAT-7084	500	10/50

Feeler

100  
mm

10  
mm

17  
PCS

TAPER  
SHARP

TYPE  
B



material: hardened spring steel

YATO	L (mm)	width	size	
YAT-7220	100	10	0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.10, 0.15, 0.20, 0.25, 0.30, 0.40, 0.50, 0.75, 1.00	10/200



**Laser distance meter**

**60 m** 0.2-60 m +/- 2 mm **NEW**

20 MEMORY PAMEC

10 MODES TRYSHOW

IP65

TYPE C



**YATO**  
YT-73127 20

**Laser distance meter**

0.05-40 m +/- 2 mm

20 MEMORY

8 MODES

**YATO**  
YT-73125 20

**Feeler**

200 mm 12.8 mm 17 PCS

PARALLEL

TYPE A

• material: hardened spring steel

YATO	L (mm)	width	size	
YT-7221	200	12.8	0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.10, 0.15, 0.20, 0.25, 0.30, 0.40, 0.50, 0.75, 1.00	10/100

100 mm 10 mm 10 PCS

TAPER SIZES

TYPE A



• material: hardened spring steel

YATO	L (mm)	width	size	
YT-7222	100	10	0.05, 0.06, 0.07, 0.08, 0.09, 0.10, 0.20, 0.30, 0.40, 0.50	10/100

200 mm 12.8 mm 14 PCS

PARALLEL

TYPE A



• material: hardened spring steel

YATO	L (mm)	width	size	
YT-7223	200	12.8	0.05, 0.06, 0.07, 0.08, 0.09, 0.10, 0.15, 0.20, 0.25, 0.30, 0.35, 0.40, 0.45, 0.50	10/100

**Laser distance meter**

**40 m** 0.2-40 m +/- 2 mm **NEW**

20 MEMORY PAMEC

10 MODES TRYSHOW

IP65

TYPE C



**YATO**  
YT-73126 20

**Stud finder**



**YATO**  
YT-73131 20