



Camera with cable

LED \varnothing 9.0mm 1m



for: YT-7290, YT-7291, YT-7292, YT-7293, YT-7294

YATO	L(mm)	Φ (mm)	
YT-7296	1000	9.0	1/10

Industrial videoscope

900 mm 60° 12.2 mm 3.7V WIFI CE USB



WIRELESS MODULE



- no screen
- wireless (10m)
- connect receiver to computer
- with CD-ROM and usb cable; viewable angle 60°, focal length 50mm
- resolution 320x240 pixels
- with rechargeable lithium battery and adaptor

YATO	L(mm)	
YT-7294	900	1/4

Oil filter wrench



YATO	\varnothing (mm)	
YT-0820	60-73	12/48
YT-0821	73-85	12/48
YT-0822	85-95	12/48
YT-0823	95-111	12/48

Belt oil wrench



YATO	Ø (mm)	
YT-0824	80-160	6/60
YT-0825	100-200	5/20

Belt oil wrench

1/2"



YATO	Ø (mm)	
YT-08270	6-36mm	6/24
YT-08271	14-74mm	6/24
YT-08272	16-87mm	6/24
YT-08273	14-84mm	6/24
YT-08274	15-76mm	6/24
YT-08275	15-92mm	6/24

Lever action grease gun with rigid spout



YATO	size		
YT-07042	600cc	1538	6/12

Oil filter wrench



YATO	Ø	
YT-0826	63-120MM	12/36

Oil filter wrench



- 7, 8, 10, 11, 12, 13, 14 mm
- 8, 9, 10, 12, 14, 17 mm
- 5/16", 3/8"; △ 10 mm
- 10 mm, ← 150 mm

YATO	Ø		
YT-0599	3/8"	1100	10

Lever action grease gun with rigid spout



YATO	size		
YT-07043	800cc	1768	4/8

Oil filter wrench




YATO	Ø		
YT-0598	3/8"	740	10

Oil filter wrench



YATO			
YT-0600	850	10/20	

Lever action grease gun with rigid spout



YATO	size		
YT-0700	500cc	1200	20

Special automotive tools

Lever action grease gun with rigid spout

AI 120 cm³ P max. 70 MPa P 31 MPa



YATO	size	🔒	📦
YT-0701	120cc	750	30

Lever action grease gun with rigid spout

AI 400 cm³ P max. 70 MPa P 31 MPa



- vibrated head, zinc plated handle, oven painted gun tube
- black grip & black tube holder, air vent valve & filler plug

YATO	size	🔒	📦
YT-0705	400cc	1200	20

Two-way operation grease gun

AI 500 cm³ P max. 70 MPa P 42 MPa



- vibrated head, zinc plated handle, oven painted gun tube
- black grip & black tube holder, air vent valve & filler plug

YATO	size	🔒
YT-0704	500cc	12

Oil transfer pump

500 cm³ P max. 70 MPa P 31 MPa



YATO	size	🔒	📦
YT-0707	500cc	830	20

Oil transfer pump

500 cm³ P max. 70 MPa P 31 MPa



YATO	size	🔒	📦
YT-0708	500cc	890	20

Oil pump

16-18 l/min 45-90 cm 55 min 0.31 cycle FOR OIL DO OLE/JU AI




- suction height 45-90cm
- pump rate: 16-18 l/min
- max speed: 55 times/min

YATO	size	📦
YT-0712	45-90cm	1/10

High value rotary barrel pump

2.4 m 100 cm 1.0 l cycle 100 l/min 180 µm AI

FOR FUEL, DIESEL, OIL DO PALMI OLEJU



YATO	📦
YT-0715	4

Flexible tube for grease gun

3.2 mm



YATO	size	L(mm)	📦
YT-0709	12"	300MM	12/144
YT-0710	18"	500MM	12/144

Oil can with flexible



YATO	size	📦
YT-0691	270cc	10/120

Oiler with a flexible applicator



- body material: STEEL
- flexible nylon tube with brass tip

YATO	size	
YT-06912	200cc	10/120

Two arms jaws puller


10 mm 4" 100mm 45mm CrV 40 mm



YATO	size	max.force	∅ (mm)	
YT-2514	4"	1.0T	45	6/60

Two arms jaws puller

10 mm 3" 75mm CrV 60 mm



YATO	size	max.force	∅ (mm)	
YT-2515	3"	1.0T	75	6/60

Oiler with a flexible applicator



YATO	size	
YT-06913	300cc	10/120

Two arms jaws puller

12 mm 4" 100mm CrV 80 mm



YATO	size	max.force	∅ (mm)	
YT-2516	4"	1.5T	100	12/48

Two arms jaws puller

17 mm 6" 150mm CrV 85 mm



YATO	size	max.force	∅ (mm)	
YT-2517	6"	3T	120	10/20


Oiler with a flexible applicator



YATO	size	
YT-06914	500cc	10/80

Two arms jaws puller

22 mm 8" 200mm CrV 135 mm



YATO	size	max.force	∅ (mm)	
YT-2518	8"	5T	180	6

Three arms jaws puller

10 mm 3" 75mm CrV 60 mm



YATO	size	max.force	∅ (mm)	
YT-2519	3"	1.5T	80	6/60

Three arms jaws puller

12 mm 4" 190 mm CrV 75 mm



YATO	size	max.force	∅ (mm)	
YT-2520	4"	2.0T	90	6/36

Three arms jaws puller

17 mm 6" 150 mm CrV 85 mm



YATO	size	max.force	∅ (mm)	
YT-2521	6"	5T	130	12

Three arms jaws puller

22 mm 8" 200 mm CrV 135 mm



YATO	size	max.force	∅ (mm)	
YT-2522	8"	9T	180	4

Three arms jaws puller

22 mm 12" 300 mm CrV 190-240 mm



YATO	size	max.force	∅ (mm)	
YT-2523	12"	11T	180	2

Three arms jaws puller

14 mm 3" 75 mm 50-150 mm CrV



YATO	size	∅ (mm)	max(N)	
YT-2511	3"	50-150	15680	20

Three arms jaws puller

CrV



YATO	size	∅ (mm)	max(N)	
YT-2512	4"	60-200	25720	20

19 mm 6" 150 mm 80-300 mm CrV

YATO	size	∅ (mm)	max(N)	
YT-2513	6"	80-300	44450	10

Universal wheel hub puller

CrV 50-140 mm 130-160 mm



YATO	L(mm)	
YT-0602	200	6


Separator and hydraulic cylinder turnbuckle

50 kN HRC 38-45 CrV DROP FORGED



YATO	F(kN)		
YT-0609	50	7400	2

Twin leg puller with jaw hook




YATO		
YT-0640	2340	10

Pilot bearing puller




YATO	\varnothing (mm)	
YT-2510	12-38	20

Box clamp




YATO	L (mm)	
YT-2543	142	10

Gear puller set



YATO		
YT-0641	4300	4

Small mouth pull clamp



YATO	L (mm)	
YT-2542	125	12

Twist socket set



YATO		
YT-0603	800	8/32

Screw extractor set & Hss drill bits

12 PCS HSS M3-M24



YATO	Ø (mm)	M	Ø (mm)	Box
YT-0591	1.4 - 3.6	3 - 6	1.8	40
	2.1 - 4.9	6 - 8	2.6	
	3.1 - 6.5	8 - 11	3.7	
	4.8 - 8.8	11 - 14	5.5	
	6.2 - 11.0	14 - 18	7.0	
	9.4 - 15.0	18 - 24	10.3	

Bolt extractor set

5 PCS 1/2" STEEL 8660 HRC 49-52



YATO	size (1/2")	Box
YT-0624	8,10,12,14,16	20

Tie rod end lifter



YATO	W (mm)	L (mm)	Ø (mm)	Box
YT-0613	16	265	17	20
YT-0614	16	275	20	20

Screw extractor set



6 PCS



YATO	Ø (mm)	L (mm)	Box
YT-0590	3-6	52	12/48
	6-8	58	
	8-11	66	
	11-14	75	
	14-18	80	
	18-25	88	

Roller stud extractor set

4 PCS CrV SIBUX



YATO	Ø (mm)	D (mm)	L (mm)	A (mm)	Box
YT-0620	6	24	60	21	6/24
	8				
	10	28	70		
	12				

Rod end remover

200 mm



YATO	L (mm)	Box
YT-0615	200	18/36

Screw extractor set

6 PCS 3/8" STEEL 8660 HRC 49-52



YATO	size (3/8")	L (mm)	Box
YT-0623	2,3,4,6,8,10	60	50

Tie rod end lifter

135 mm




YATO	W (mm)	L (mm)	Ø (mm)	Box
YT-0612	19	135	17.5	9/18

Tie rod / ball joint tool kit

5 PCS



for YT-0990



YATO	A (mm)	B (mm)	C (mm)	D (mm)	Box
YT-0616	I	18.2	65.0	24.0	123.9
	II	25.2	67.8		
	III	30.2	56.3		

Door upholstery remover

SVCM



- slim head design is easily to be inserted into small crack

YATO	size (mm)	PCS packing	
YT-1370	6x100	12	120



- slim head design is easily to be inserted into small crack

YATO	size (mm)	PCS packing	
YT-1371	6.2x115	12	120



- slim head design is easily to be inserted into small crack

YATO	size (mm)	PCS packing	
YT-1372	10x115	12	120



- slim head design is easily to be inserted into small crack

YATO	size (mm)	PCS packing	
YT-1373	9.5x134	6	96

Glass scraper

SVCM



- size: 39x200mm
- material: SVCM alloy steel, use for glass surface-cleaning

YATO	size (mm)	PCS packing	
YT-1379	39x200	6	6/6/72

Scratch awl

SVCM



- blade length: 120mm; material: SVCM alloy steel
- mostly used for stab into articles

YATO	L (mm)	PCS packing	
YT-1374	120	12	12/12/120

Door upholstery remover

SVCM 45°



- blade length: 90mm; material: SVCM alloy steel; 45°
- mostly used for stab into articles, flexibly pull out oil seal

YATO	L (mm)	PCS packing	
YT-1376	90	12	12/12/120

SVCM 90°



- blade length: 125mm; material: SVCM alloy steel; 90°
- mostly used for stab into articles, flexibly pull out oil seal

YATO	L (mm)	PCS packing	
YT-1375	125	12	12/12/120

Battery cap tool

SVCM



- size: 18.5x100mm
- material: SVCM alloy steel, special design for removing the caps on battery

YATO	size (mm)	PCS packing	
YT-1378	18.5x100	12	12/12/120

Seal puller

max. ∅ 85mm



YATO	L (mm)	
YT-0642	390	12/48

Door upholstery remover

230 mm



YATO	L (mm)		
YT-0841	230	135	16/64

200 mm



YATO	L (mm)		
YT-0842	200	60	25/100

Universal hook & pick set

7 PCS 130 mm 210 mm



YATO		
YT-0839	1000	10

Mini pick & hook set

4 PCS HRC 40



YATO	
YT-0843	12/72

Windscreen wiper arm removal tool



YATO	
YT-0846	12/120

Car radio removal tool set

52
PCS



- 2 radio removal U-hook (Ford, VW, Audi, Grundig, Blaupunkt)
- 1 special pentagon wrench (BMW)
- 4 radio removal keys (VW, Audi, Becker, Mercedes)
- 2 radio removal keys (Mercedes, Porsche, Becker)
- 2 radio removal keys (VW)
- 1 allen hex wrench
- (BMW, Opel)
- 2 radio removal keys (new Becker)
- 2 radio removal keys (new Skoda)
- 2 radio removal keys (Kenwood III since 2002)
- 2 radio removal keys (new Blaupunkt)
- 2 radio removal keys (Flat Brava)
- 2 radio removal U-hook (Opel Doppel-Kugel-Inbus)
- 6 radio removal keys (Mercedes-Benz, BMW)
- 2 radio removal keys (Kenwood II 1998-2001)
- 2 radio removal keys (Sony II since 2002)
- 2 radio removal keys (Kenwood III since 2002)
- 2 radio removal keys (Pioneer, JVC)
- 2 radio removal keys (Sony I until 2001)
- 2 radio removal keys (Opel)
- (Kenwood I until 1998)
- 2 radio removal keys (Kenwood mask)
- 2 radio removal keys (new Clarion)
- 2 radio removal keys (old Clarion)
- 2 radio removal keys (Panasonic 2006)
- 2 radio removal keys (Sony IDIC 2005)

YATO		
YT-0838	1500	10

Panel removal set


6
PCS



YATO		
YT-0837	330	6/24

Panel removal set

5
PCS



YATO		
YT-0836	440	6/24

Windshield removal set

7
PCS

HRC
38-42



YATO		
YT-0845		10

Set of plastic scrapers

4
PCS

265
mm

NO BRASS
NO COPPER
NO ALUMINUM



YATO	L(mm)	
YT-0847	265	6/36

Windshield removal set

7
PCS

HRC
38-42



YATO		
YT-08451		6/12

Panel removal set

11
PCS



YATO		
YT-0844		5/10

GB Straight pliers

280 mm 180°



YATO	L (mm)	Weight (g)	Quantity
YT-5415	280	700	10/20

CV boot clamp pliers

235 mm CrV



YATO	L (mm)	Quantity
YT-0606	235	6/36

Hose clamp pliers

215 mm +SLOT 2mm LOCK SYSTEM (EQUADRY) ALLOY STEEL (AISI 4130)



YATO	L (mm)	Quantity
YT-0646	215	12/72

Straight pliers

280 mm 45°



YATO	L (mm)	Weight (g)	Quantity
YT-5416	280	750	10/20

Lock-ring pliers

225 mm CrV



YATO	L (mm)	Quantity
YT-0607	225	12/72

Hose clamp pliers

230 mm 4mm 12mm LOCK SYSTEM (EQUADRY) HRC 40



YATO	L (mm)	Quantity
YT-0650	230	6/36

Straight pliers

250 mm 90°



YATO	L (mm)	Weight (g)	Quantity
YT-5417	260	700	10/20

Fuel pipe pliers

Al



YATO	L (mm)	Quantity
YT-0608	300	10/40

Hose clamp pliers

230 mm 4mm 12mm LOCK SYSTEM (EQUADRY) HRC 40



YATO	L (mm)	Quantity
YT-0651	215	6/36

Overhead valve spring compressor



YATO	L (mm)	
YT-0618	750	5/25

Twin cam locking tool for petrol & diesel engines

FOR PETROL & DIESEL ENGINES DO SIEMNOWNIEŚLA I BENZYNOWYCH




NEW

YATO	
YT-06011	10/20

Flexible line clamp

3 PCS



1/4" - 3/4"
for brake and fuel lines
 1/2" - 5/4"
for flexible hose
 3/4" - 9/4"
for radiator hose clamp



YATO		
YT-0840	300	50

Timing locking set

4 PCS



YATO	
YT-06012	10

Diesel engine locking setting kit

3 PCS



Piston ring compressor

AISI #301 SK5



YATO	Ø (mm)	H (mm)	
YT-0635	50-125	75	30/60
YT-0636	90-175	100	30/60
YT-0637	90-175	150	20/40


Camshaft locking tool

48 mm



• for locking the camshaft pulleys when changing the timing belts

YATO		
YT-0601	370	6/36



VW: Lupo, Polo, Golf / Bora, Beetle, Caddy, Sharan, Touran, Transporter (1998-2006);
 AUDI: A2, A3, A4, A6;
 FORD: Galaxy (2000-2006);
 SEAT: Arosa, Ibiza, Cordoba, Leon, Toledo, Alhambra (1999-2005);
 SKODA: Fabia, Octavia (2000-2006)
 3 i 4 cyl 1.2, 1.4, 1.9 TDI PD
 2.0 SDI, 2.0 TDI PD

YATO		
YT-0632	10/50	

Timing locking set

6 PCS FOR VECTRA/OPHELIA/SAAB/ROVER

NEW



YATO YT-06013 10

Timing locking set

3 PCS FOR VECTRA/OPHELIA/SAAB/ROVER


NEW



YATO YT-06014 10

Timing locking set

8 PCS AI



YATO	No.	No.
YT-0633	Vauxhall/Opel ASTRA G 1.7 TD, ASTRA G 2.0 16V, VECTRA 1.8/2.0 16V > 1995	Volkswagen: BORA 1.9TDI, GOLF 1.9TDI, LUPO 1.2/1.4/3.0 TDI, POLO 1.4TDI, PASSAT 1.9TDI
	Vauxhall/Opel ASTRA G 1.4/1.6/1.8 16V > 1994, VECTRA 1.6/1.8 16V, ZAFIRA 1.6/1.8 16V	Citroen: BERLINGO 1.9D, DISPATCH 1.9D/TD-FSO 1.9D, RELAY 1.9D/TD, SYNERGIE 1.9D,DT, SANTA 1.9/2.0 D/TD/HCI, XGARA 1.8/2.0 D/HCI, ZX 1.9D/TD, most diesels Fiat: DUCATO 2.0D, ULYSSE 1.8/2.0 TURBO Ford: most diesels Peugeot: 205 1.6/1.8/1.9D, 305 1.6/1.8/1.9D, 306 1.8/1.9D/TD, 309 1.6/1.9D-4.5 1.6/1.9D, 406 1.9D, 605 2.0D/TD, 606 1.9TD BOKER 1.9/2.0 D/TD, EXPERT 1.9D, PARTNER 1.9D Talbot EXPRESS D, HORIZON D-JS D, SOLARA D
	right hand camshaft Saab: 900-9000 Vauxhall/Opel: CALIBRA 2.5/2.5/2.6 V6, CAVALIER 2.5i V6, OMEGA B 2.5/2.6/3.0/3.2 V6, SINTRA 3.0 V6, VECTRA A 2.5/2.6 V6	
	left hand camshaft Saab: 900-9000 Vauxhall/Opel: CALIBRA 2.5/2.5/2.6 V6, CAVALIER 2.5i V6, OMEGA B 2.5/2.6/3.0/3.2 V6, SINTRA 3.0 V6, VECTRA A 2.5/2.6 V6	Isuzu: 1.5/1.7 diesel engines Vauxhall/Opel: 1.6/1.7 diesel engines, 1.2/1.4/1.6/1.8/2.0 OHC petrol engines
Rover: 25 1.4/1.6/1.8/VVC, 45 1.4/1.6/1.8, 75 1.8, 200 VI, 214 16V, 216 16V/CABRIO/COUPE, 218 COUPE, 414 16V, 416 16V, BRM 1.8VVC		

Oxygen sensor and fuel injectors wrench set

7 PCS 1/2" 3/8" 12.5 mm 10 mm CrMo SCM440 CrV 316/316L

FOR FUEL INJECTORS DO WTRYSKÓW PALMA



- 1/2" (12.7 mm) x 29 mm; L=90 mm; 6PT;
- 3/8" (9.5 mm) x 22 mm; L=90 mm; 6PT;
- 1/2" (12.7 mm) x 27 mm; L=78 mm; 12PT;
- 3/8" (9.5 mm) x 27 mm; L=74 mm; 6PT;
- 3/8" (9.5 mm) x 22 mm; L=80 mm; 6PT;
- 1/2" (12.7 mm) x 22 mm; L=50 mm; 6PT;
- 3/8" (9.5 mm) x 22 mm; L=30 mm; 6PT

YATO size / rozmiar YT-1751 1/2" (12.7 mm) 3/8" (9.5 mm) 5

Oxygen sensor and fuel injectors wrench set

3 PCS 22 mm FOR VAG/SAAB/ROVER/LANDEA



- 22 mm; L=50 mm; 6PT; CrMo SCM440;
- 22 mm; L=30 mm; 6PT; CrMo SCM440;
- 22 mm; L=80 mm; 6PT; CrV 50BV30

YATO YT-1752 10

Timing locking set for V.A.G.

34 PCS FOR VAG

NEW




YATO YT-06015 4

Timing locking set for V.A.G.

4 PCS FOR VAG/SAAB/ROVER/LANDEA

NEW



YATO YT-06017 10

Lambda sensor thread chaser

SENSOR TYPE (LAMBDA) HRC 50 M12 x 1.25 M18 x 1.5



YATO	
YT-1756	12/96

Oxygen sensor crowfoot wrench

22 mm CrMo SCM-440



YATO	size	
YT-1753	7/8" (22mm)	10

22 mm CrV S50V3



YATO	size	
YT-1754	7/8" (22mm)	6/36

Diesel injector puller

BOSCH TYPE LUCAS TYPE M8 M12 M14



YATO		
YT-0617	990	20

Diesel injection socket set

6 PCS 1/2" AS-DRIVE CrV

FOR FUEL INJECTORS DO WTRYSKÓW PALIWA




YATO	size (mm)	
YT-0622	21x90; 22x78; 22x110; 27x78; 28x78; 28x83	10

Compression tester

21 bar 170kPa

FOR ALL TYPES (UNIVERSAL) TYPOW



RUBBER ADAPTOR ZŁĄCZE GUMOWE

COLOR BOX

universal rubber adaptor fits all spark plug holes

YATO		
YT-7300	170	24/48



THREADED ADAPTOR ZŁĄCZE GWINTOWANE

flexible hose for easy access

YATO		
YT-7301	270	12/24


10 PCS P max 0.7 MPa



YATO		
YT-0670	2000	10

Combined sockets for alternator

1/2"	13 PCS	HEX	TORX	SPLINE	CrV
12.5 mm	HRC 40-44	S45C	HRC 38-42	STEEL 8660	HRC 53-57



FOR ALTERNATORS



- 1/2" (12.7 mm) M10, HBS, 33T, L = 110 mm; CrV, HRC 40-44;
- 1/2" (12.7 mm) T50, HBS, 33T, L = 110 mm; CrV, HRC 40-44;
- M8, M10, L = 75 mm; 8660, HRC 53-57;
- T40, T50, L = 75 mm; 8660, HRC 53-57;
- H8, H10, L = 75 mm; 8660, HRC 53-57;
- H15, 33T, L = 30 mm; CrV, HRC 40-44;
- H22, 33T, L = 30 mm; CrV, HRC 40-44;
- H22, L = 30 mm; S45C, HRC 38-42;
- Ø 35 x 30 mm; CrV, HRC 40-44;
- 1/2" (12.7 mm) x 10 mm; CrV, HRC 40-44

YATO		
YT-0421		15

Compression tester

THREADED ADAPTOR
ZŁĄCZE GWINTOWANE

RUBBER ADAPTOR
ZŁĄCZE GUMOWE



BMC & COLOR SLEEVE

- flexible hose for easy access, quick connect coupler

YATO		
YT-7302	400	6/24

Combined sockets for alternator

22 PCS	1/2"	3/8"	HEX	TORX	SPLINE	12.5 mm
CrV	HRC 46-44	S45C	HRC 38-42	STEEL 8660	HRC 53-57	10 mm




- 1/2" (12.7 mm) M10, HBS, 33T, L=113 mm; CrV, HRC 40-44 / 8660; HRC 53-57;
- 1/2" (12.7 mm) T50, HBS, 33T, L=113 mm; CrV, HRC 40-44 / 8660; HRC 53-57;
- 3/8" (10 mm) M10, HBS, 33T, L=80 mm; CrV, HRC 40-44 / 8660; HRC 53-57;
- 1/2" (12.5 mm) M10, HBS, 33T, L=140 mm; CrV, HRC 40-44;
- M8, M10, L=75 mm; 8660; HRC 53-57;
- T40, T50, L=75 mm; 8660; HRC 53-57;
- H8, H10, L=75 mm; 8660; HRC 53-57;
- M8xH12, L=64 mm; 8660; HRC 53-57;
- H15, 33T, Ø 17 mm, L=30 mm, H15, 33T, Ø 19 mm, L=30 mm, H22, 33T, Ø 19 mm, L=30 mm; CrV, HRC 40-44;
- H17, H22, L=30 mm; S45C; HRC 38-42;
- Ø 35 x 30 mm; S45C; HRC 38-42;
- Ø 38 mm; S45C; HRC 38-42;
- H19x28, H21x28, H22x28; S45C; HRC 38-42;
- 1/2" (12.5 mm) (F) x H10 mm (F); CrV, HRC 40-44

YATO		
YT-04211	1/2" (12.7 mm)	3/8" (9.5 mm)

Front wheel bearing adapter set

23 PCS FOR FRONT WHEEL BEARING (PIASTY PRZEDNIE)




- Including: 15pcs pads, 4pcs bushes, 1pc screw, 1pc nut, 2pcs washers
- corrosion resistant black oxide finish

BMC & COLOR SLEEVE

YATO		
YT-2541	L (mm)	2

Pisc brake pad & caliper service tool kit

12 PCS



YATO		
YT-0611	1700	10


No.	zacisk przedni (F)	zacisk tylny (R)
0	General Motors - zaciski 2 1/2" (63.5 mm)	
1	Adapter do przedniego zacisku	
2	Citroen XM, Xantia (F/R)	
3	Opel (R)	
4	Ford (R), Mazda (R), Saab (R), Alfa Romeo 164 2.0 (R), Honda (R), General Motors (R)	
5	Nissan Maxima	
6	Nissan Primera, VW Golf IV	
7	Audi (R), Rover, Subaru (R), Ford (R), Nissan (R), Peugeot (R), Toyota (R), VW (R)	
8	General Motors - zaciski 1 7/8" (47.6 mm)	
9	General Motors - zaciski 2 1/8" (54.0 mm)	
11	Adapter do tylnego zacisku	

Disk brake pad and caliper

16 PCS

0.75 MPa

1/4"




YATO		
YT-0671	3400	5

No.	zacisk przedni (F)	zacisk tylny (R)
0	General Motors - zaciski 2 1/2" (F) (63.5 mm)	
2	Citroen XM, Xantia (F/R)	
3	Audi (F), Alfa Romeo (F), Fiat (F), Ford Fiesta (F), Isuzu (F), Honda Concerto (F), Jaguar (F/R), BMW (F), Mercedes-Benz (F), Mitsubishi Colt (F), Nissan, Almera, Stanza, Sunny (F), Rover (F), Toyota, Camry (F), Volvo (F), VW Passat, Golf GTI (F)	
4	Ford (R), Mazda (R), Saab (R), Alfa Romeo 164 2.0 (R), Honda (R), General Motors (R)	
5	Adapter z gniazdem 3/8"	
6	Nissan Primera (R), VW Golf IV (R)	
7	Audi (R), Rover, Subaru (R), Ford (R), Nissan (R), Peugeot (R), Toyota (R), VW (R)	
8	General Motors - zaciski 1 7/8" (47.6 mm)	
9	General Motors - zaciski 2 1/8" (54.0 mm)	
A	Renault (R)	
E	Nissan Maxima (F/R)	
F	Opel (R)	
K	Citroen (R)	
M	Ford (R), Cooper (R)	
N	Saab, Honda (F/R)	

Disk brake pad and caliper

18
PCS



YATO	No.	front brake caliper	rear brake caliper	
	1-1	siłowniki z lewym i prawym gwintem		
	1	płytki oporowa		
	5	3/8" (10,0 mm)	adapter z gniazdem	
	0	2 1/2" (63,5 mm)	General Motors	
	2	2 1/8" (51,0 mm)	Citroen XM, Xantia	
	3	2 5/32" (55,0 mm)	Audi, Alfa Romeo, Fiat, Ford Fiesta, Honda, Jaguar, BMW, Mercedes, Mitsubishi Colt, Nissan, Rover, Austin, Toyota Camry, Volvo, VW: Passat, Golf GTI	Jaguar
	4	1 1/4" (32,0 mm)		Ford, Mazda, Saab, Alfa Romeo 164, Honda, General Motors
YT-0682	6	1 21/32" (42,0 mm)		Nissan Primera, VW Golf IV
	7	1 21/32" (42,0 mm)		Audi, Rover, Subaru, Ford, Nissan, Peugeot, Toyota, VW
	8	1 7/8" (48,0 mm)	General Motors	
	9	2 1/8" (54,0 mm)	General Motors, Cadillac	
	E	1 21/32" (42,0 mm)		Nissan Maxima
	G	1 1/4" (32,0 mm)		Opel
	K	2 1/8" (54,0 mm)		Citroen
	M	1 1/4" (32,0 mm)		Ford
	N	1 1/4" (32,0 mm)	Saab, Honda	
	Z	1 3/16" (30,0 mm)		Renault

Disk brake pad and caliper

35
PCS

3/8"

10
mm




YATO	No.	front brake caliper	rear brake caliper	
	2	2 1/8" (51,0 mm)	Citroen Xantia, Honda Prelude	
	3	2 5/32" (55,0 mm)	Fiat, Alfa Romeo, Isuzu, Mercedes Benz, BMW, Citroen, Ford, Honda, Jaguar, Nissan, Peugeot, Rover, Toyota, VAG, Volvo	Jaguar
	4	1 1/4" (32,0 mm)		Ford, Mazda, Saab, Fiat, Alfa Romeo, General Motors
	5	3/8" (10,0 mm)	adapter z gniazdem	
	7	1 21/32" (42,0 mm)		Nissan, VAG, Jaguar S
	6	1 21/32" (42,0 mm)		Audi, Rover, Subaru, Ford, Nissan, Peugeot, Toyota, VAG, Saab, Jaguar, GM
	8	1 7/8" (48,0 mm)	General Motors	
	9	2 1/8" (54,0 mm)	General Motors, Cadillac	
	0	2 1/2" (63,5 mm)	General Motors	
	A	1 1/5" (30,5 mm)		Renault, BMW Mini
	B	1 19/30" (41,5 mm)		Ford, Lincoln, Subaru
	C	1 19/30" (41,5 mm)		Mini, Nissan, Opel, Toyota
	D	2 1/8" (51,0 mm)	Renault, Citroen	
	E	1 21/32" (42,0 mm)		Nissan Maxima
	F	1 1/4" (32,0 mm)		Opel, Fiat
	G	3/8" (10,0 mm)		Peugeot, GM
	J	1 22/33" (42,5 mm)	Fiat, Alfa Romeo, Audi, Citroen, Renault, Peugeot, Ford, Nissan, Saab, VAG, Subaru, Volvo	
	K	2 1/8" (54,0 mm)		Citroen, Opel
	K1	2 1/8" (54,0 mm)	Renault, Citroen	
	K2	1 22/33" (50,0 mm)		Citroen, Renault, Audi
	P	1 19/30" (41,5 mm)		VAG, BMW, Ford, Lancia, Proton, Renault, Rover, Citroen
	M	1 1/4" (32,0 mm)		Ford, Mini, Nissan
	N	1 1/4" (32,0 mm)		Saab, Honda, Alfa Romeo, Ford Mondeo, Lancia, Volkswagen
	Z	1 3/16" (30,0 mm)		Ford, Mazda, Mitsubishi, Toyota Corolla
	1, 11, 12		płytki oporowa	

Disc brake spreader

0-65
mm

10
mm



YATO			
YT-0610	760		12/24

Disc brake piston tool

3/8"

10
mm

CrV



YATO		
YT-0683		12/96

Cross rim wrench


CrV



YATO	size	
YT-0800	17x19x21x22	10
YT-0801	17x19x21x1,2"	10
YT-0802	24x27x32x3/4"	3
YT-08002	17x19x21x23	10

Brake spring pliers kit

3
PCS



YATO	□	□ (mm)	□
YT-0684	3/8"	14	6/24

T-Type sleeved ratchet wrench

4
PCS 1/2" AS-DRIVE 44T CrV SSBV30



* 1/2" sockets: 17,19,21,23mm

YATO	□	□ (mm)	□
YT-0803	1800	5/10	

Spark plug socket

3/8" AS-DRIVE CoMo



YATO	□	□ (mm)	□
YT-38510	3/8"	14	12/24

Spark plug socket

3/8" AS-DRIVE CrV



YATO	□	□ (mm)	□
YT-38511	3/8"	16	12/24

Spark plug socket

3/8" (10 mm) x 315 mm CrV SSBV30



YATO	□ (mm)	□
YT-38513	16	10/40

Spark plug socket


3/8" AS-DRIVE CrV



YATO	□	□ (mm)	□
YT-38512	3/8"	14	25/100

Deep impact sockets

1/2" CrMo SCS44H AS-DRIVE



YATO	□	□ (mm)	L (mm)	□
YT-10560	1/2"	17	78	12/48

Impact bit socket

1/2" CrMo SCS44H AS-DRIVE



YATO	□	□	□
YT-10650	1/2"	M14	25/100
YT-10651	1/2"	M16	25/100

Impact bit socket

1/2" CrMo SCM440



YATO	Ø	Ø (mm)	L (mm)	Box
YAT-1066-H17	1/2"	H17	78	25/50

Socket bit

1/2" CrV S2



YATO	Ø	Ø (mm)	L (mm)	Box
YAT-77191	1/2"	T52	125	25/100

Socket bit

1/2" CrV S2



YATO	Ø	Ø (mm)	L (mm)	Box
YAT-77170	1/2"	T50	200	25/100
YAT-77171	1/2"	T55	200	25/100
YAT-77172	1/2"	T60	200	25/100

Socket bit

1/2" CrV S2



YATO	Ø	Ø (mm)	L (mm)	Box
YAT-76594	3/8"	H7	36	100/400
YAT-76595	3/8"	H9	92	20/120
YAT-76596	1/2"	H9	50	100
YAT-76597	1/2"	H11	90	120

Deep thin wall impact sockets


1/2" 3 PCS CrMo SCM440 AS-DRIVE 17 19 21 26 28 31 mm



YATO	Ø	Box
YAT-1056	1/2"	12/24

Coil spring clamp

90x200mm 2 PCS 21mm



YATO	Ø (mm)	L (mm)	Box
YAT-0605	90	200	5/10

Fan clutch tool



YATO	Ø (mm)	L (mm)	Box
YAT-06272	36	345	10

Deep thin wall impact sockets

1/2" CrMo SCM440 AS-DRIVE



YATO	Ø	Ø (mm)	Box
YAT-10561	1/2"	17	12/24
YAT-10562	1/2"	19	12/24

CrV




YATO	Ø (mm)	L (mm)	Box
YAT-2544	82	370	8

COLD FORGED

YATO	Ø (mm)	L (mm)	Box
YAT-2547	82	355	8

Universal radiator pressure kit

14 PCS P_{max} 0.25 MPa $200^{\circ}C$ max.



YATO	No.			
YT-0672		General Motors	4300	4
		Mercedes, General Motors, Jeep		
		Peugeot, Subaru, Chrysler, Acura, General Motors, Mitsubishi, Nissan, Mazda, Toyota, Infiniti, GEO, Suzuki, Isuzu, Ford		
		Honda, Toyota, Suzuki, Mitsubishi, Chrysler, Acura		
		Audi, BMW, Volkswagen, Porsche		
		Volvo, Saab, Citroen, Renault, Fiat, Alfa Romeo, Jeep		

YATO	No.			
YT-0672		Volkswagen	4300	4
		Mercedes, General Motors, Jeep		
		BMW		
		Audi, Volkswagen		
		Ford, Land Rover, Opel, Jaguar, Mercedes		
	Mercedes			

Drive nut set

5 PCS



- No. 1 10.5 mm VW Golf rear
- No. 2 12.5 mm VW Golf front
- No. 3 14.5 mm VW Polo, Golf, Passat, Audi 80
- No. 4 14.5 mm Austin Maestro
- No. 5 14.0 mm Mercedes Benz C-Class (W203)



YATO	size (mm)	
YT-0621	10.5; 12.5; 14.5; 14.5; 14.0	12/48

Tire-inflating gun


1/4" 6.3mm 0.8 MPa (80 PSI) AI 440mm (17.3")



YATO	
YT-2370	8/40

Interchangeable fork spring compressor and removal tool


7 PCS 65-125 mm 88-160 mm max. 1500kg 125-212 mm



YATO	
YT-2536	1

Diesel injector and cutter set

8 PCS CrMoV SKD11



17 x 17 mm, 17 x 19 mm, 15 x 19 mm, (CrMoV SKD11)

120° 17 x 17 mm, 120° 17 x 21 mm, (CrMoV SKD11)

YATO	
YT-17625	1

Wheel balance pliers



YATO		
YT-0643	520	12/48

Magnetic tool holder



YATO		
YT-0835	920	4/16

Telescopic magnetic pick up tool




YATO		
YT-0661	120	12/144

Telescopic pick up and mirror set



YATO		
YT-0662	160	10/40

Rubber valve core torque tool




YATO		
YT-0795	60	50/200

Flexible hose clip screwdriver



YATO	L (mm)	PCS packing	
YT-1385	400	6	72


LED lighted telescopic inspection mirror



- 1pc of LED light
- telescopic handle 265-920mm

YATO		
YT-0663	250	12/72

Metal valve core torque tool



YATO		
YT-0796	60	50/200

Magnetic parts tray



YATO		
YT-0830	410	12/48

Magnetic parts tray



YATO		
YT-0831	1300	6/12

Rectangular telescopic inspection mirror

50x90 mm TELESCOPIC HANDLE 285x770 mm



YATO		
YT-0660	120	12/144

Thread repair set

133 PCS HSS 4341 STAINLESS STEEL



YATO	size (mm)	
YT-1763	M5 x 0.8 x 6.7	5/10
	M6 x 1.0 x 10.8	
	M8 x 1.25 x 10.8	
	M10 x 1.5 x 13.5	
	M12 x 1.75 x 16.3	

Emergency automotive lock-out tool set

9 PCS STAINLESS STEEL TOOLING PVC POUCH



YATO		
YT-08385		25

Telescopic magnetic pick-up tool

22.5 kg TELESCOPIC HANDLE 59-99 cm



- max magnetic force: 22.5kg
- telescopic handle 59-99mm

YATO	L (mm)	
YT-0860	590-990	6/24

Thread repair set

88 PCS HSS 4341 STAINLESS STEEL



YATO	size (mm)	
YT-1769	M6 x 1.0 x 10.8	5/10
	M8 x 1.25 x 10.8	
	M10 x 1.5 x 13.5	

Hydraulic floor jack

3t 465 mm 130 mm

COLOR BOX



YATO	T	
YT-17211	3	1

Torque angle gauge

1/2" 360° 12.5 mm CrV



YATO		
YT-0593		12/48

Oil pan thread repair set

64 PCS CrMo



YATO		
YT-1757		5

Hydraulic floor jack


2.5t 457 mm 89 mm CE



- hydraulic, max capacity: 2.5t, min height: 89mm
- max height: 457mm


YATO	T	
YT-1721	2.5	1

Hydraulic bottle jack



YATO	T	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	
YT-1702	5	212	110	146	468	40	110x112	5
YT-1704	10	220	115	148	483	48	124x127.5	3
YT-1706	15	231	113	154	498	56	140x142	2
YT-1707	20	241	115	165	521	60	165x161	2
YT-1709	30	244	108	140	492	65	186x174	1

Hydraulic bottle jack




YATO	T	A (mm)	B (mm)	
YT-17000	2	181	345	6
YT-17001	3	194	374	6
YT-17002	5	216	413	4
YT-17003	8	230	457	2
YT-17004	10	230	460	2
YT-17005	12	230	465	2
YT-17006	15	230	462	2
YT-17007	20	242	452	2
YT-17008	32	285	465	1
YT-17009	50	300	480	1

Two-piston hydraulic bottle jack




YATO	T	
YT-1711	5	2




YATO	T	
YT-1713	10	2

Two-piston hydraulic bottle jack



YATO	T	
YT-1714	10	1



YATO	T	
YT-1715	12	1

Hydraulic floor jack



- hydraulic, max capacity: 2t, 360°
- rotating handle, min height: 89mm, max height: 359mm

YATO	T	
YT-1720	2	1



Jack stands



• 2PIECES/SET

YATO	T	min(mm)	max(mm)	
YT-17310	2	265	415	1
YT-17311	3	280	420	1
YT-17312	6	382	600	1

Workshop creeper



YATO			
YT-0880	6		1

Rope winch



YATO	daN	L(m)	Ø (mm)	
YT-5911	1000	3	5	6

Chain block



YATO	T	
YT-58950	0.5T X 3M	1
YT-58951	1.0T X 3M	1
YT-58953	2.0T X 3M	1
YT-58954	3.0T X 3M	1
YT-58955	5.0T X 3M	1
YT-58957	10T X 3M	1

Chain block



YATO	T		
YT-58962	1.5MX0.75T	7	1
YT-58964	1.5MX1.5T	11.5	1
YT-58966	1.5MX3T	18.5	1
YT-58967	1.5MX6T	27	1
YT-58968	1.5MX9T	42	1

Rope winch



YATO	daN	L(m)	Ø (mm)	
YT-5913	1300	3	5	6

Rope winch



YATO	daN	L(m)	Ø (mm)	
YT-5914	1500	3	6	3

Electronic battery charger

6 V 8 A
12 V
5-200 Ah
~230V 50Hz
WET GEL AGM
MOKRY ZELONY AGM
CE



YATO		
YT-8301	8	

Battery tester

12 V BATTERY TEST TEST AKUMULATORA

NEW



YATO		
YT-83101	12/72	

Jumpstart wires

2.5m
CE



YATO	max (A)	
YT-83152	400	12
YT-83153	600	12

Battery charger with boost function

25 A 170-350 Ah WET MOKRY



YATO		
YT-8305	2	

Jump starter power bank

200 A 400 A USB 5V/2A LI-PO JUMP START POWER BANK 7500 mAh 2h

NEW



YATO		
YT-83080	20	

Electronic battery charger

20-200 V 2000 Hz 1 A 4 A MOKRY ZELONY AGM
6 V 120 Ah max LED

NEW



YATO		
YT-83033	1	

Battery charger with a starter

12 V 27 A 300 A
24 V 25 A 240 A
20-600 Ah



YATO		
YT-83060	1	

Jump starter power bank

200 A 400 A USB 5V/2A LI-PO JUMP START POWER BANK 9000 mAh 3h 20V/1.5A OUTPUT WYKŁAD

NEW



YATO		
YT-83081	10	

Foot pump with gauge

GAT MP3



YATO		
YT-7350	1/10	

Inflating head



1.0 MPa (10bar.)
DOUBLE BLISTER

YATO	Ø (mm)	
YT-2371	6	50/300
YT-2372	8	50/300

Auto body fender set



7 PCS

YATO		
YT-4590	4900	4

Rechargeable work lamp



60+1 LED
13000 MCD
7.2V 1000mAh NiMH
230V-50Hz
7.2V 1000mAh NiMH
4 h
WATER PROOF
EXTRAPROTEKTION
MAGNETIC

YATO	LED	
YT-0852	60	5/20

Professional brake tool set



0-15 bar
0-225 PSI
140 PSI
SLIDING CARD

YATO	
YT-24301	25/100

Hand-held vacuum pump



22 PCS
-1+3 bar

YATO	
YT-0674	5

Work LED Lamp



27 LED
230V-50Hz
3.6V 1300mAh NiMH
13000 MCD
4 h
WATER PROOF
EXTRAPROTEKTION
MAGNETIC

YATO	
YT-08523	5

Puller for ribbed drive pulley



40-165mm
17mm
COLOR BOX

YATO	
YT-25480	10

Work LED Lamp



30/7 LED
230V-50Hz
13000 MCD
3.6V 1300mAh NiMH
4-5 h
WATER PROOF
EXTRAPROTEKTION
MAGNETIC

YATO	
YT-08505	10

Workshop LED battery lamp



8 LED
80 lm
1.5V 3x AA
20 h @ 1 LED

YATO	
YT-08514	12/72

Rechargeable work lamp

5W	400 lm	4500 K	CRI 95	LED	180°
CHARGING TIME CZAS ŁADUNKU 4 h	BATTERY LIFE CZAS PRACY 4 h	3.7V 1800mAh Li-ion	IP65		
IK07	x2	HOOK HAK			






YATO	LED	
YT-08509	60	5/20

Workshop LED battery lamp

12V RECHARGEABLE ŁADUNKOWA	1+1 LED	180 lm	CHARGING TIME CZAS ŁADUNKU 4 h	BATTERY LIFE CZAS PRACY 3 h	3.7V 1800mAh Li-ion	230V-50Hz BATTERY CHARGER ŁADOWNIKA	HOOK HAK	MAGNET
----------------------------------	------------	-----------	--------------------------------------	-----------------------------------	---------------------------	--	-------------	--------




YATO		
YT-08502		10

Under Bonnet Work LED Lamp

1+7 LED	250 lm	3.7V 1800mAh Li-ion	12V BATTERY CHARGER ŁADOWNIKA	NEW	COB LED
CHARGING TIME CZAS ŁADUNKU 4 h	BATTERY LIFE CZAS PRACY 4 h	USB BATTERY CHARGER ŁADOWNIKA	HOOK TIME CZAS PRACY 4 h		
x2 HOOK HAK	x2				





YATO		
YT-08504		10

Under Bonnet Work LED Lamp

120 LED	230V-50Hz BATTERY CHARGER ŁADOWNIKA	13000 MCD			
7.2V 1800mAh NiMH	50 LED	120 LED			
CHARGING TIME CZAS ŁADUNKU 4-5 h	BATTERY LIFE CZAS PRACY 8 h	BATTERY LIFE CZAS PRACY 4 h			
x2 HOOK HAK					







YATO	LENGTH (m)	
YT-08530	1.2-1.95	4

Workshop LED battery lamp

36 LED	18 LED	36 LED	7.4V 2400mAh Li-Ion	230V-50Hz BATTERY CHARGER LADOMAGNET
900 lm	CHARGING TIME COLD DOWN 5.5 h	WORK TIME COLD FACT 3.5 h	HOOK HAK	MAGNETIC

NEW

SMD
LED




YATO	
YT-08533	4

LED lamp

10W	6000°K
~220-240V 50Hz	700 lm
20000 h	IP65

LED



COLOR BOX

YATO	
YT-81800	18

LED head lamp

3W	100 lm	ZOOM	WATER PROOF OPPOSITE AND WIDE	1.5V 3x AAA
----	--------	------	-------------------------------------	-------------------



YATO	W	lm	
YT-08590	3	100	50/100

Portable LED lamp

10W	6000°K	
~220-240V 50Hz	700 lm	
20000 h	IP65	1.8m

LED

COB LED



COLOR BOX

YATO	
YT-81802	12

LED lamp with motion detector

10W 6000K
~220-240V 50Hz 700 lm
20000 h IP44
LED



YATO
YT-81801 18

LED lamp

30W 6000K ~220-240V 50Hz
2100 lm 20000 h IP65
LED



YATO
YT-81803 6

LED lamp with motion detector

30W 6000K ~220-240V 50Hz
2100 lm 20000 h IP44
LED



YATO
YT-81804 6

LED lamp

50W 3500 lm 6000K ~220-240V 50Hz
20000 h IP65
LED



YATO
YT-81806 3

Auto tester

6-24 V
LED
90 cm



- test range: 6-24VDC
- pocket clip, with clamp

YATO	L (mm)	
YT-2865	140	10/250

Flashlight

6W XPG3 500 lm 230m 4 IPX7 6V 4x AAA



YATO	size (mm)	Max brightness	Range(M)	
YT-08564	172X41	500LM	230	6/24

Flashlight

5W XPG2 300 lm 150m 3 ZOOM IPX4 4.5V 2x AAA



YATO	size (mm)	Max brightness	Range(M)	
YT-08566	126X34	300LM	150	8/64

Auto tester

6-12 V
LED
90 cm



- test range: 6-12VDC
- pocket clip, with clamp

YATO	L (mm)	
YT-2866	140	10/100

Flashlight

3W XPE2 200 lm 120m 2 ZOOM IPX4 3V 2x AAA



YATO	size (mm)	Max brightness	Range(M)	
YT-08565	160X29	200LM	120	8/64

Flashlight

10W XPL 1000 lm 350m 3 ZOOM IPX4 6V 4x CR1632



YATO	size (mm)	Max brightness	Range(M)	
YT-08567	254X46	1000LM	350	8/16

Auto tester

6-24 V
LED
250 cm



- test range: 6-24VDC
- pocket clip, with clamp

YATO	L (mm)	
YT-28522	140	12/120

USB Flashlight

3.7 V 150mAh USB IPX4 5W XTE 350 lm 4 ZOOM 150m



YATO	size (mm)	Max brightness	Range(M)	
YT-08569	94X27	350LM	150	12/96

USB Flashlight

3.7 V 200mAh USB IPX4 6W XTE 500 lm 4 ZOOM 200m



YATO	size (mm)	Max brightness	Range(M)	
YT-08578	150X37	500LM	200	4/32

Heavy duty nut splitter

4 PCS

CrV

HRC 40-45



YATO
YT-0585

10

Inner tie rod tool

23 mm
35-42




YATO
YT-06160

25

Belt gauge

NEW



YATO
YT-06019

20

Tie rod end lifter

100 mm

20-60 mm



YATO
YT-06122

19 (mm)

L (mm)
100

Ø (mm)
20

20

Hand-held vacuum pump

16 PCS

-1+0 bar



YATO
YT-0673


10

Twist socket set

10 PCS

3/8" 10 mm

NEW



YATO
YT-06031

20

Tie rod / ball joint tool kit

6 PCS



YATO
YT-06157

5

Professional brake tool set

8 PCS

FOR DRUM BRAKES TO REMOVE DRUMS



YATO
YT-0680



5

Universal puller set

12 PCS

DROP FORGED KUTE

NEW



YATO
YT-25105

2

Valve stem seal pliers

270 mm FOR VALVES STEAM SEALS
NON-SLIP

NEW

YATO	L (mm)	
YT-0648	270	12/60

Feather keys assortment

80 PCS

NEW

3.0x5.0x13 mm, 4.0x5.0x13 mm, 3.0x6.5x16 mm,
4.0x7.5x19 mm, 5.0x7.5x19 mm, 4.0x6.5x16 mm,
5.0x9.0x22 mm, 6.0x9.0x22 mm

YATO		
YT-06790		25

Metric nuts & bolts assortment

347 PCS MIX PLASTIC HANGING BOX

3x12 mm, 3x20 mm, 5x24 mm; 2.5x12 mm, 3x19 mm,
4x24 mm; M5, M6; M5x20 mm, M5x25 mm, M6x20 mm;
M5, M6

YATO		
YT-06771		6/24

Refractometer

NEW

YATO		
YT-06722		20

E-ring circlips assortment

300 PCS 1.5-22 mm

NEW

1.5 mm, 3 mm, 5 mm, 6 mm, 10 mm,
12 mm, 15 mm, 19 mm, 22 mm

YATO		
YT-06884		25

Metric nuts assortment

300 PCS MIX PLASTIC HANGING BOX

M3, M4, M5, M6, M8, M10

YATO		
YT-06772		5/20

Metric wing nut assortment

150 PCS METRIC NETWORK

NEW

M4, M5, M6, M8, M10

YATO		
YT-06776		25

Aluminium rivet assortment

400 PCS MIX AL

NEW

2.4; 3.2; 4.0; 4.8 mm

YATO		
YT-36420		5/20

Stainless steel nuts assortment

300 PCS MIX STAINLESS STEEL NETWORK PLASTIC HANGING BOX

M3, M4, M5, M6, M8, M10

YATO		
YT-06773		5/20

Self locking nuts assortment

146 PCS INSERT LOCK MIX

PLASTIC HANGING BOX



M4, M5, M6, M8, M10, M12

YATO YT-06774 5/20

Copper washer set

150 PCS Cu

PLASTIC HANGING BOX




YATO YT-06871 5/20

Professional brake tool set

419 PCS MIX NBR

PLASTIC BOX



3x1.5 mm, 4.4x2 mm, 5x2 mm, 7x1.5 mm, 10x1.5 mm, 10x2.5 mm, 11x2.5 mm, 13x1.5 mm, 13x2.5 mm, 14x2.5 mm, 16x2.5 mm, 18x2.5 mm, 19x2.5 mm, 21x2.5 mm, 22x2.5 mm, 18x3.5 mm, 20x3.5 mm, 22x3.5 mm, 23.5x3.5 mm, 25x3.5 mm, 26.5x3.5 mm, 28x3.5 mm, 30x3.5 mm, 31x3.5 mm, 33x3.5 mm, 34.5x3.5 mm, 36x3.5 mm, 38x3.5 mm, 41x3.5 mm, 44x3.5 mm, 47x3.5 mm, 50x3.5 mm

YATO YT-06876 24

Hex nut with top assortment

150 PCS MIX

PLASTIC HANGING BOX



M3, M4, M5, M6, M8, M10

YATO YT-06775 5/20

Splint pin assortment

555 PCS MIX

PLASTIC HANGING BOX



YATO	No.	inner diameter (mm)	pcs / szt.	
YT-06873	R-01	1.6 x 25	150	5/10
	R-02	2.4 x 25	150	
	R-03	2.4 x 38	100	
	R-04	3.2 x 32	75	
	R-05	3.2 x 50	50	
	R-06	4.0 x 64	30	

O-Rings assortment for air conditioning

270 PCS MIX HNBR

PLASTIC HANGING BOX



Ø 5.29 x 1.78 mm	Ø 6.07 x 1.78 mm	Ø 6.8 x 1.9 mm	Ø 7.65 x 1.78 mm	Ø 7.8 x 1.9 mm	Ø 8 x 2 mm	Ø 8.8 x 1.9 mm
Ø 10.82 x 1.78 mm	Ø 10.77 x 2.62 mm	Ø 11 x 2 mm	Ø 12 x 2 mm	Ø 13.9 x 1.8 mm	Ø 13.95 x 2.62 mm	Ø 15 x 2 mm
Ø 17 x 2 mm	Ø 17.17 x 1.78 mm	Ø 17.04 x 3.53 mm				

Ø 5.29 x 1.78 mm, 6.07 x 1.78 mm, 6.8 x 1.9 mm, 7.65 x 1.78 mm, 7.8 x 1.9 mm, 8 x 2 mm, 8.8 x 1.9 mm, 10.82 x 1.78 mm, 10.77 x 2.62 mm, 11 x 2 mm, 12 x 2 mm, 13.9 x 1.8 mm, 13.95 x 2.62 mm, 15 x 2 mm, 17 x 2 mm, 17.17 x 1.78 mm, 17.04 x 3.53 mm

YATO YT-06879 6/24

Aluminium washer set

150 PCS METRIC

NEW




M4, M5, M6, M8, M10

YATO YT-06776 5/20

Rubber grommet assortment

180 PCS MIX

NEW



YATO dimensions/wymiary (mm) YT-06878 6.3, 7.9, 9.5, 11.0, 12.7, 15.8, 22.0, 25.4 mm; 5/20

Spring assortment

200 PCS MIX

PLASTIC HANGING BOX



YATO
YT-06875 5/20

External circlip assortment

300 PCS EXTERNAL DIMENSION

PLASTIC HANGING BOX



Ø 3, 4, 5, 6, 8, 9, 11, 12, 13, 14, 15, 19, 20, 22, 25, 26, 28, 32 mm

YATO
YT-06880 5/20

Aluminium rotary oil pump

21 l/min 500 cm 300 cm

COLOR BOX

3xPIPE FOR OIL 3xRURA DO OLESAI AI




YATO
YT-07115 10

O-ring assortment

225 PCS HEAT RESISTANT SILICONE FOODGRADE OIL RESISTANT THERMO STABLE ORIGINAL DESIGN

PLASTIC HANGING BOX




YATO
YT-06877 5/20

Internal circlip assortment

300 PCS EXTERNAL DIMENSION

PLASTIC HANGING BOX



Ø 3, 4, 5, 6, 8, 9, 11, 12, 13, 14, 15, 19, 20, 22, 25, 26, 28, 32 mm

YATO
YT-06881 5/20

Grease pump

4kg 13.8 MPa 1.5m

GREY CARTON BOX & COLOR LABEL



YATO capacity (kg)
YT-07061 4 1

External circlip assortment

1000 PCS MIX

PLASTIC HANGING BOX



1.5x25 mm, 2.4x25 mm, 2.4x38 mm, 3.0x32 mm, 3.0x50 mm, 4.0x60 mm

YATO
YT-06885 12

Hitch pin assortment set

150 PCS 6

PLASTIC HANGING BOX



2.4x31 mm, 2x33 mm, 2x40 mm, 2.8x42 mm, 3.5x45 mm, 4x75 mm

YATO
YT-06883 6/24

Grease pump

8kg 13.8 MPa 1.5m

GREY CARTON BOX & COLOR LABEL



YATO capacity (kg)
YT-07063 8 1

Shop crane



GREY CARTON BOX & COLOR LABEL



YATO
YT-5556 1

Shop crane



GREY CARTON BOX & COLOR LABEL



ADJUSTABLE BRACKET
WSPORNIK Z REGULACJĄ

YATO
YT-5557 1