

YATO 

 AS

YATO 



**NON-
SPARKING**





sparkling tools



Non-sparking combination spanner



YATO		Ø	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-65139	YT-68139	6	105	22	20
YT-65140	YT-68140	7	120	37	34
YT-65141	YT-68141	8	120	37	34
YT-65142	YT-68142	9	135	55	50
YT-65143	YT-68143	10	135	55	50
YT-65144	YT-68144	11	150	75	70
YT-65145	YT-68145	12	150	75	70
YT-65146	YT-68146	13	175	122	110
YT-65147	YT-68147	14	175	122	110
YT-65148	YT-68148	15	195	122	110
YT-65149	YT-68149	16	195	155	140
YT-65151	YT-68151	17	195	155	140
YT-65152	YT-68152	18	215	210	190
YT-65153	YT-68153	19	215	210	190
YT-65154	YT-68154	20	215	225	200
YT-65155	YT-68155	21	245	225	200
YT-65156	YT-68156	22	245	250	220
YT-65157	YT-68157	23	265	260	220
YT-65158	YT-68158	24	265	260	230
YT-65159	YT-68159	25	265	260	230
YT-65161	YT-68161	26	290	420	380
YT-65162	YT-68162	27	290	420	380
YT-65163	YT-68163	30	320	560	500
YT-65164	YT-68164	32	340	670	600
YT-65165	YT-68165	34	360	850	750
YT-65166	YT-68166	35	360	890	800
YT-65167	YT-68167	36	430	890	800
YT-65168	YT-68168	38	430	1200	1300
YT-65169	YT-68169	41	430	1440	1300
YT-65171	YT-68171	46	480	1890	1700
YT-65172	YT-68172	50	520	2220	2000
YT-65173	YT-68173	55	560	2460	2500
YT-65174	YT-68174	60	595	3300	2900
YT-65175	YT-68175	65	595	3250	3300
YT-68176	YT-68176	70	630	4550	4300



Non-sparking double open end spanner



YATO		Ø	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-64700	YT-67700	5.5*7	90	23	20
YT-64701	YT-67701	6*7	92	25	22
YT-64702	YT-67702	6*8	94	28	25
YT-64703	YT-67703	7*9	96	28	25
YT-64704	YT-67704	8*9	98	34	31
YT-64705	YT-67705	8*10	100	34	31
YT-64706	YT-67706	9*10	105	50	45
YT-64707	YT-67707	9*11	110	50	45
YT-64708	YT-67708	10*11	115	60	55
YT-64709	YT-67709	10*12	120	60	55
YT-64710	YT-67710	10*13	122	60	55
YT-64711	YT-67711	10*14	124	75	69
YT-64712	YT-67712	11*13	126	75	69
YT-64713	YT-67713	12*13	128	75	69
YT-64714	YT-67714	13*14	130	75	69
YT-64715	YT-67715	13*17	140	120	110
YT-64716	YT-67716	14*15	143	115	105
YT-64717	YT-67717	14*17	150	120	110
YT-64718	YT-67718	16*17	157	130	120
YT-64719	YT-67719	16*18	163	145	130
YT-64720	YT-67720	17*19	170	150	135
YT-64721	YT-67721	17*21	173	185	165
YT-64722	YT-67722	17*22	176	220	200
YT-64723	YT-67723	18*19	179	200	180
YT-64724	YT-67724	19*21	182	210	190
YT-64725	YT-67725	19*22	185	220	200
YT-64726	YT-67726	19*24	190	235	210
YT-64727	YT-67727	20*22	195	250	225
YT-64728	YT-67728	21*23	200	270	235
YT-64729	YT-67729	21*26	205	275	245
YT-64730	YT-67730	22*24	210	312	285
YT-64731	YT-67731	22*27	215	320	292
YT-64732	YT-67732	23*26	220	330	302
YT-64733	YT-67733	24*26	225	345	310
YT-64734	YT-67734	24*27	230	345	310
YT-64735	YT-67735	24*30	233	365	330
YT-64736	YT-67736	25*28	236	365	330
YT-64737	YT-67737	26*29	240	485	430
YT-64738	YT-67738	26*32	243	465	420
YT-64739	YT-67739	27*29	246	485	430
YT-64740	YT-67740	27*30	250	485	430
YT-64741	YT-67741	27*32	255	600	549
YT-64742	YT-67742	29*32	260	610	540
YT-64743	YT-67743	30*32	265	610	540
YT-64744	YT-67744	30*36	270	815	730
YT-64745	YT-67745	32*34	270	815	730
YT-64746	YT-67746	32*36	300	885	800
YT-64747	YT-67747	34*36	300	885	800
YT-64748	YT-67748	36*38	330	1350	1210
YT-64749	YT-67749	36*41	330	1350	1210
YT-64750	YT-67750	38*40	330	1350	1210
YT-64751	YT-67751	41*46	355	1690	1530
YT-64752	YT-67752	46*50	370	2050	1850
YT-64753	YT-67753	50*55	385	2160	1950
YT-64754	YT-67754	50*60	400	2488	2275
YT-64755	YT-67755	55*60	415	2700	2450
YT-64756	YT-67756	60*65	435	3950	3600
YT-64757	YT-67757	65*70	460	4850	3600
YT-64758	YT-67758	65*75	485	5510	3650
YT-64759	YT-67759	70*80	535	6800	3800
YT-64760	YT-67760	75*80	545	7000	3750
YT-64761	YT-67761	75*85	565	8260	3850

Non-sparking bi-hexagonal ring spanner



YATO		Ø	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-64780	YT-67780	5.5*7	115	22	20
YT-64781	YT-67781	6*7	115	25	23
YT-64782	YT-67782	6*8	120	50	46
YT-64783	YT-67783	7*9	130	50	46
YT-64784	YT-67784	8*9	130	55	50
YT-64785	YT-67785	8*10	130	55	50
YT-64786	YT-67786	9*10	135	70	65
YT-64787	YT-67787	9*11	140	70	65
YT-64788	YT-67788	10*11	140	80	75
YT-64789	YT-67789	10*12	140	85	78
YT-64790	YT-67790	10*13	140	85	78
YT-64791	YT-67791	10*14	140	120	110
YT-64792	YT-67792	11*13	160	120	110
YT-64793	YT-67793	12*13	160	120	110
YT-64794	YT-67794	12*14	160	151	140
YT-64795	YT-67795	14*15	220	205	180
YT-64796	YT-67796	14*17	220	205	180
YT-64797	YT-67797	16*17	220	220	202
YT-64798	YT-67798	16*18	220	220	202
YT-64799	YT-67799	17*19	250	225	205
YT-64800	YT-67800	17*21	250	290	265
YT-64801	YT-67801	17*22	250	290	265
YT-64802	YT-67802	18*19	250	295	270
YT-64803	YT-67803	19*21	280	310	280
YT-64804	YT-67804	19*22	280	310	280
YT-64805	YT-67805	19*24	310	355	320
YT-64806	YT-67806	20*22	285	310	280
YT-64807	YT-67807	21*23	285	405	360
YT-64808	YT-67808	21*26	320	450	410
YT-64809	YT-67809	22*24	310	455	415
YT-64810	YT-67810	22*27	340	520	475
YT-64811	YT-67811	23*26	340	520	475
YT-64812	YT-67812	24*26	340	520	475
YT-64813	YT-67813	24*27	340	520	475
YT-64814	YT-67814	24*30	350	550	501
YT-64815	YT-67815	25*28	350	580	530
YT-64816	YT-67816	26*29	350	705	645
YT-64817	YT-67817	26*32	370	640	570
YT-64818	YT-67818	27*29	350	705	645
YT-64819	YT-67819	27*30	360	705	645
YT-64820	YT-67820	27*32	380	805	736
YT-64821	YT-67821	29*32	380	805	736
YT-64822	YT-67822	30*32	380	805	736
YT-64823	YT-67823	30*36	395	1050	960
YT-64824	YT-67824	32*34	400	1080	980
YT-64825	YT-67825	32*35	405	1145	1030
YT-64826	YT-67826	32*36	405	1145	1030
YT-64827	YT-67827	34*36	420	1165	1065
YT-64828	YT-67828	35*41	426	1600	1465
YT-64829	YT-67829	36*38	434	1600	1465
YT-64830	YT-67830	36*41	445	1600	1465
YT-64831	YT-67831	38*40	460	1600	1465
YT-64832	YT-67832	41*46	470	2077	1905
YT-64833	YT-67833	46*50	490	2530	2315
YT-64834	YT-67834	50*55	510	2580	2360
YT-64835	YT-67835	50*60	520	3002	2745
YT-64836	YT-67836	55*60	530	3203	2905
YT-64837	YT-67837	60*70	560	4105	3605

Non-sparking combination spanner set

9
PCS



- 8,10,12,14,17,19,22,24,27mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-65177	YT-68177	1815	1655

11
PCS



- 8,10,12,14,17,19,22,24,27,30,32mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-65178	YT-68178	3235	2955

13
PCS



- 8,10,12,13,14,16,17,19,22,24,27,30,32mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-65179	YT-68179	3485	3175

Non-sparking double open end spanner set

9
PCS



- 8*10,10*12,12*14,14*17,17*19,19*22,22*24,24*27,30*32mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-64770	YT-64770	2810	2570

11
PCS



- 8*10,9*11,10*12,12*14,14*17,17*19,19*22,22*24,24*27,27*30,30*32mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-64771	YT-64771	3530	3230

13
PCS



- 5.5*7,6*7,8*10,9*11,10*12,12*14,14*17,17*19,19*22,22*24,24*27,27*30,30*32mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-64772	YT-64772	3610	3295

Non-sparking bi-hexagonal ring spanner set

9
PCS



- 8*10,10*12,12*14,14*17,17*19,19*22,22*24,24*27,30*32mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-64840	YT-64840	2815	2575

11
PCS



- 8*10,9*11,10*12,12*14,14*17,17*19,19*22,22*24,24*27,27*30,30*32mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-64841	YT-67841	3585	3275

13
PCS



- 5.5*7,6*7,8*10,9*11,10*12,12*14,14*17,17*19,19*22,22*24,24*27,27*30,30*32mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-64842	YT-67842	3630	3320

Non-sparking open end impact wrench



YATO		Ø	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-65190	YT-68190	17	125	150	135
YT-65191	YT-68191	18	125	150	135
YT-65192	YT-68192	19	125	150	135
YT-65193	YT-68193	22	135	190	175
YT-65194	YT-68194	24	150	245	220
YT-65195	YT-68195	26	150	335	300
YT-65196	YT-68196	27	175	335	300
YT-65197	YT-68197	28	190	435	390
YT-65198	YT-68198	29	190	435	390
YT-65199	YT-68199	30	190	435	390
YT-65200	YT-68200	32	190	515	460
YT-65201	YT-68201	36	200	725	730
YT-65202	YT-68202	38	230	955	860
YT-65203	YT-68203	41	230	955	860
YT-65204	YT-68204	42	250	1100	1100
YT-65205	YT-68205	45	250	1100	1100
YT-65206	YT-68206	46	250	1225	1100
YT-65207	YT-68207	50	275	1560	1200
YT-65208	YT-68208	52	305	1850	1500
YT-65209	YT-68209	55	305	1850	1500
YT-65210	YT-68210	56	315	2190	1970
YT-65211	YT-68211	60	315	2190	1970
YT-65212	YT-68212	63	335	2670	2400
YT-65213	YT-68213	65	335	2670	2400
YT-65214	YT-68214	70	370	3250	2925
YT-65215	YT-68215	75	375	3660	3300
YT-65216	YT-68216	76	400	4500	4070
YT-65217	YT-68217	80	400	4500	4070
YT-65218	YT-68218	85	400	5290	4770
YT-65219	YT-68219	90	435	6640	6000
YT-65220	YT-68220	95	445	7730	7000
YT-65221	YT-68221	100	485	11600	8000
YT-65222	YT-68222	110	512.5	13500	10000
YT-65223	YT-68223	120	537.5	16820	10500
YT-65224	YT-68224	130	567.5	19450	11000
YT-65225	YT-68225	140	602.5	24590	12500
YT-65226	YT-68226	150	637.5	28450	14000

Non-sparking ring impact wrench



YATO		Ø	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-64850	YT-67850	17	138	200	180
YT-64851	YT-67851	19	138	200	180
YT-64852	YT-67852	22	140	245	220
YT-64853	YT-67853	24	155	245	220
YT-64854	YT-67854	27	165	350	315
YT-64855	YT-67855	30	175	475	430
YT-64856	YT-67856	32	175	465	430
YT-64857	YT-67857	34	185	580	520
YT-64858	YT-67858	36	195	580	520
YT-64859	YT-67859	38	205	755	680
YT-64860	YT-67860	41	215	755	680
YT-64861	YT-67861	46	225	990	890
YT-64862	YT-67862	50	240	1145	1030
YT-64863	YT-67863	55	255	1440	1300
YT-64864	YT-67864	60	265	1620	1450
YT-64865	YT-67865	65	285	1995	1800
YT-64866	YT-67866	70	315	2435	2200
YT-64867	YT-67867	75	326	3010	2720
YT-64868	YT-67868	80	340	3600	3250
YT-64869	YT-67869	85	355	4330	3915
YT-64870	YT-67870	90	375	5500	4970
YT-64871	YT-67871	95	390	5450	4920
YT-64872	YT-67872	100	410	7080	6100
YT-64873	YT-67873	105	420	7000	6320
YT-64874	YT-67874	110	445	9130	8250
YT-64875	YT-67875	120	480	11000	9930
YT-64876	YT-67876	130	510	12610	11400
YT-64877	YT-67877	140	520	13000	11750
YT-64878	YT-67878	150	565	14500	13100

Non-sparking adjustable wrench



YATO		Ø	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-65320	YT-68320	13	100	33	30
YT-65321	YT-68321	18	150	135	120
YT-65322	YT-68322	24	200	281	255
YT-65323	YT-68323	30	250	440	401
YT-65324	YT-68324	36	300	720	655
YT-65325	YT-68325	46	375	1410	1290
YT-65326	YT-68326	55	450	2261	2065
YT-65327	YT-68327	65	600	4705	4301

Non-sparking hinged pipe vice



YATO		Ø	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-65340	YT-68340	25	200	510	465
YT-65341	YT-68341	30	250	845	770
YT-65342	YT-68342	40	300	1280	1170
YT-65343	YT-68343	50	350	1675	1530
YT-65344	YT-68344	60	450	2650	2420
YT-65345	YT-68345	75	600	3950	3610
YT-65346	YT-68346	125	900	6600	6005
YT-65347	YT-68347	150	1200	12500	11405

Non-sparking hex key



YATO		Ø	L	H	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(mm)	(g)	(g)
YT-65227	YT-68227	1.5	59	25	6	5
YT-65228	YT-68228	2	59	25	6	5
YT-65229	YT-68229	2.5	59	25	6	5
YT-65230	YT-68230	3	59	25	8	7
YT-65231	YT-68231	4	65	30	10	8
YT-65232	YT-68232	5	79	32	16	12
YT-65234	YT-68234	6	85	37	25	20
YT-65236	YT-68236	7	88	43	34	30
YT-65237	YT-68237	8	92	44	50	45
YT-65238	YT-68238	9	97	44	61	55
YT-65239	YT-68239	10	110	45	82	70
YT-65240	YT-68240	11	119	48	100	90
YT-65241	YT-68241	12	130	52	145	130
YT-65242	YT-68242	13	140	54	180	160
YT-65243	YT-68243	14	150	58	211	191
YT-65244	YT-68244	15	156	60	260	230
YT-65245	YT-68245	16	162	63	300	270
YT-65246	YT-68246	17	168	65	370	335
YT-65247	YT-68247	18	173	69	450	402
YT-65248	YT-68248	19	177	72	490	445
YT-65249	YT-68249	21	184	74	652	595
YT-65251	YT-68251	22	186	77	675	615
YT-65252	YT-68252	23	192	82	825	755
YT-65253	YT-68253	24	192	82	825	755
YT-65254	YT-68254	25	200	84	925	840
YT-65255	YT-68255	26	206	90	1025	940
YT-65256	YT-68256	27	213	93	1220	1115
YT-65257	YT-68257	28	222	95	1350	1235
YT-65258	YT-68258	29	240	105	1615	1475
YT-65259	YT-68259	30	240	105	1615	1475
YT-65261	YT-68261	32	266	116	2065	1885
YT-65262	YT-68262	36	294	128	2905	2650
YT-65260	YT-68260	41	320	140	4120	3760

Non-sparking hex key



YATO		Ø	L	H	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(mm)	(g)	(g)
YT-65280	YT-68280	2	50	16	3	3
YT-65281	YT-68281	3	63	20	5	5
YT-65282	YT-68282	4	70	25	12	11
YT-65283	YT-68283	5	80	28	22	20
YT-65284	YT-68284	6	90	32	30	27
YT-65285	YT-68285	7	95	34	50	45
YT-65286	YT-68286	8	100	36	56	91
YT-65287	YT-68287	9	106	38	85	76
YT-65288	YT-68288	10	112	40	100	90
YT-65289	YT-68289	11	118	42	140	125
YT-65290	YT-68290	12	125	45	162	113

Non-sparking t-handle hex key



YATO		Ø	L	H	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(mm)	(g)	(g)
YT-65300	YT-68300	2	90	100	55	50
YT-65301	YT-68301	3	90	100	55	50
YT-65302	YT-68302	4	90	100	75	70
YT-65303	YT-68303	5	90	100	85	75
YT-65304	YT-68304	6	90	100	100	90
YT-65305	YT-68305	8	90	100	100	90
YT-65306	YT-68306	10	90	100	150	135

Non-sparking vAlve handle



YATO		L	L	H	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(mm)	(g)	(g)
YT-64650	YT-67650	30*200	200	44	280	250
YT-64651	YT-67651	32*300	300	50	540	490
YT-64652	YT-67652	35*250	250	47	364	325
YT-64653	YT-67653	40*300	300	50	470	422
YT-64654	YT-67654	45*350	350	58	610	540
YT-64655	YT-67655	48*375	375	62	660	595
YT-64656	YT-67656	50*400	400	67	705	615
YT-64657	YT-67657	55*450	450	73	960	870
YT-64658	YT-67658	60*500	500	79	1205	1105
YT-64659	YT-67659	65*550	550	82	1370	1250
YT-64660	YT-67660	70*600	600	85	1540	1360
YT-64661	YT-67661	75*650	650	88	1705	1540
YT-64662	YT-67662	80*700	700	91	1910	1650
YT-64663	YT-67663	85*750	750	97	2250	2015
YT-64664	YT-67664	90*800	800	103	2380	2130

Non-sparking tools

Non-sparking oil tank spanner



YATO		L	H	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-64630	YT-67630	300	70	630	580

Non-sparking tin shear



YATO		size	B	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-65395	YT-68395	300	75	488	410

Non-sparking diagonal side cutting pliers



YATO		size	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(inch)	(mm)	(g)	(g)
YT-65357	YT-68357	6"	150	245	225
YT-65358	YT-68358	8"	200	410	365

Non-sparking oil tank spanner



YATO		L	H	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-64631	YT-67631	300	70*95	630	580

Non-sparking adjustable combination pliers



YATO		size	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(inch)	(mm)	(g)	(g)
YT-65370	YT-68370	6"	150	213	195
YT-65371	YT-68371	8"	200	380	350

Non-sparking carpenter's pliers



YATO		size	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(inch)	(mm)	(g)	(g)
YT-65377	YT-68377	8"	200	325	300

Non-sparking cutting shear



YATO		size	B	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-65393	YT-68393	150	61	110	100

Non-sparking lineman pliers



YATO		size	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(inch)	(mm)	(g)	(g)
YT-65350	YT-68350	6"	150	180	165
YT-65351	YT-68351	7"	175	355	330
YT-65352	YT-68352	8"	200	465	435

Non-sparking tower pliers



YATO		size	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(inch)	(mm)	(g)	(g)
YT-65375	YT-68375	7"	175	250	225

Non-sparking flat nose pliers


YATO		size		L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(inch)	(mm)	(g)	(g)	(g)
YT-65360	YT-68360	6"	150	165	151	
YT-65361	YT-68361	8"	200	281	257	

Non-sparking water pump pliers


YATO		size		L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(inch)	(mm)	(g)	(g)	(g)
YT-65382	YT-68382	6"	150	180	160	
YT-65383	YT-68383	10"	250	425	370	
YT-65384	YT-68384	12"	300	670	600	
YT-65385	YT-68385	14"	350	850	770	

Non-sparking long nose pliers


YATO		size		L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(inch)	(mm)	(g)	(g)	(g)
YT-65362	YT-68362	6"	150	190	170	
YT-65363	YT-68363	8"	200	335	300	

Non-sparking bent nose pliers


YATO		size		L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(inch)	(mm)	(g)	(g)	(g)
YT-65367	YT-68367	6"	150	190	170	

Non-sparking cable cutter


YATO		size		L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)	(g)
YT-65411	YT-68411	6	600	3350	3070	
YT-65413	YT-68413	8	900	9250	8400	

Non-sparking wire stripping pliers


YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65380	YT-68380	170	225	205

Non-sparking slotted screwdriver


YATO		size		L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)	(g)
YT-65460	YT-68460	50*3	134	35	33	
YT-65461	YT-68461	50*4.5	134	43	40	
YT-65462	YT-68462	75*3	159	35	32	
YT-65463	YT-68463	75*4	159	45	42	
YT-65464	YT-68464	75*5	180	70	65	
YT-65465	YT-68465	100*4	184	45	42	
YT-65466	YT-68466	100*5	205	75	70	
YT-65467	YT-68467	100*6	215	85	80	
YT-65468	YT-68468	125*6	240	100	95	
YT-65469	YT-68469	150*6	265	110	105	
YT-65470	YT-68470	150*7	265	125	120	
YT-65471	YT-68471	150*8	277	140	135	
YT-65472	YT-68472	200*8	327	165	155	
YT-65473	YT-68473	250*9	377	185	175	
YT-65474	YT-68474	250*11	377	260	245	
YT-65475	YT-68475	300*10	427	245	230	
YT-65476	YT-68476	300*11	427	290	275	
YT-65477	YT-68477	350*11	477	320	300	
YT-65478	YT-68478	400*12	550	450	430	
YT-65479	YT-68479	450*13	600	450	430	

Non-sparking phillips screwdriver


YATO		size		L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)	(g)
YT-65490	YT-68490	50*PH0	134	35	32	
YT-65491	YT-68491	75*PH1	159	70	63	
YT-65492	YT-68492	100*PH1	205	75	70	
YT-65493	YT-68493	125*PH2	240	100	95	
YT-65494	YT-68494	150*PH2	265	110	105	
YT-65495	YT-68495	200*PH3	327	165	155	
YT-65496	YT-68496	250*PH3	377	185	170	
YT-65497	YT-68497	300*PH4	427	245	230	
YT-65498	YT-68498	350*PH4	477	270	255	
YT-65499	YT-68499	400*PH4	550	295	280	
YT-65500	YT-68500	450*PH4	600	320	300	

Non-sparking common knife



YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65641	YT-68741	80*185	75	105
YT-65642	YT-68742	145*250	95	125

Non-sparking putty knife



YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65655	YT-68755	75*200	100	165
YT-65656	YT-68756	100*200	105	195
YT-65657	YT-68757	150*250	215	310

Non-sparking Machinists punch



YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65685	YT-68785	5*150	235	215
YT-65686	YT-68786	8*150	265	255
YT-65687	YT-68787	10*150	345	315

Non-sparking knife



YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65645	YT-68745	90*203	80	110

Non-sparking double socket ratchet handle



YATO		Ø	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-64620	YT-67620	14*17	280	410	370
YT-64621	YT-67621	17*19	310	450	410
YT-64622	YT-67622	19*22	345	530	480
YT-64623	YT-67623	22*24	365	680	620
YT-64624	YT-67624	24*27	380	860	780
YT-64625	YT-67625	27*30	400	990	900
YT-64626	YT-67626	30*32	400	1025	930
YT-64627	YT-67627	32*36	450	1450	1300
YT-64628	YT-67628	36*41	495	1860	1690

Non-sparking punch



YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65690	YT-68790	3*9*110	20	15
YT-65691	YT-68791	4*10*110	57	50
YT-65692	YT-68792	6*12*115	105	95
YT-65693	YT-68793	8*14*120	130	115
YT-65694	YT-68794	10*16*145	200	180
YT-65695	YT-68795	12*18*160	280	260
YT-65696	YT-68796	14*20*180	410	380
YT-65697	YT-68797	16*24*200	640	600
YT-65698	YT-68798	18*30*225	1070	960
YT-65699	YT-68799	20*32*225	1230	1110

Non-sparking putty knife



YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65651	YT-68751	25*200	75	90
YT-65652	YT-68752	40*200	95	115
YT-65653	YT-68753	50*200	105	120
YT-65654	YT-68754	65*200	115	125

Non-sparking machinists punch



YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65680	YT-68780	14*150	165	155
YT-65681	YT-68781	18*200	385	355
YT-65682	YT-68782	20*250	610	555
YT-65683	YT-68783	20*300	725	660

Non-sparking punch



YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65701	YT-68801	5*11*150	105	95
YT-65702	YT-68802	6*12*150	130	115
YT-65703	YT-68803	7*13*150	150	135
YT-65704	YT-68804	8*14*150	170	150
YT-65705	YT-68805	10*16*175	255	230
YT-65706	YT-68806	12*18*175	335	300
YT-65707	YT-68807	13*29*255	1180	1060

Non-sparking flat punch


YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65710	YT-68810	14*160	175	160
YT-65711	YT-68811	16*160	231	210
YT-65712	YT-68812	18*160	295	271
YT-65713	YT-68813	18*200	382	342
YT-65714	YT-68814	20*200	473	430
YT-65715	YT-68815	24*250	822	751
YT-65716	YT-68816	24*300	1025	942
YT-65717	YT-68817	25*300	1302	1002
YT-65718	YT-68818	25*400	1502	1360
YT-65719	YT-68819	25*500	1903	1730
YT-65720	YT-68820	30*500	2730	2481
YT-65721	YT-68821	16*180	290	270

Non-sparking wrecking bar


YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65722	YT-68822	25*500	1975	1805
YT-65723	YT-68823	25*600	2380	2175
YT-65724	YT-68824	25*800	3175	2905
YT-65725	YT-68825	25*1000	3985	3645
YT-65726	YT-68826	25*1200	4795	4385
YT-65727	YT-68827	25*300	1302	1002

Non-sparking hearing needle


YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65730	YT-68830	6*250	85	75
YT-65731	YT-68831	8*300	150	135
YT-65732	YT-68832	7*400	160	145
YT-65733	YT-68833	10*500	335	306

Non-sparking ball peen hammer


YATO		L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65570	YT-68670	280	230	230
YT-65571	YT-68671	280	340	340
YT-65572	YT-68672	310	450	450
YT-65573	YT-68673	340	680	680
YT-65574	YT-68674	350	910	910
YT-65575	YT-68675	400	1130	1130

Non-sparking mechanical hammer


YATO		L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65580	YT-68680	310	500	500
YT-65582	YT-68682	340	1000	1000
YT-65583	YT-68683	400	1500	1500
YT-65584	YT-68684	450	2000	2000
YT-65585	YT-68685	900	3000	3000
YT-65586	YT-68686	900	5000	5000

Non-sparking scaling hammer


YATO		L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65588	YT-68688	280	150	150
YT-65589	YT-68689	280	300	300

Non-sparking claw hammer


YATO		L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65590	YT-68690	280	230	230
YT-65591	YT-68691	300	450	450
YT-65592	YT-68692	330	680	680
YT-65593	YT-68693	390	910	910

Non-sparking sledge hammer


YATO		L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65615	YT-68715	310	450	450
YT-65616	YT-68716	400	1000	1000
YT-65617	YT-68717	400	1400	1400
YT-65618	YT-68718	400	1500	1500
YT-65619	YT-68719	400	1800	1800
YT-65620	YT-68720	400	2000	2000
YT-65621	YT-68721	400	2200	2200
YT-65622	YT-68722	900	2500	2500
YT-65623	YT-68723	900	2700	2700
YT-65624	YT-68724	900	3000	3000
YT-65625	YT-68725	900	3600	3600
YT-65626	YT-68726	900	4000	4000
YT-65627	YT-68727	900	4500	4500
YT-65628	YT-68728	900	5000	5000
YT-65629	YT-68729	900	5400	5400
YT-65630	YT-68730	900	6400	6400
YT-65631	YT-68731	900	7200	7200
YT-65632	YT-68732	900	8000	8000
YT-65633	YT-68733	900	8200	8200
YT-65634	YT-68734	900	9100	9100
YT-65635	YT-68735	900	9900	9900

Non-sparking tool set

32
PCS



Non-sparking 1/2"socket: 8,9,10,11,12,13,14,15,16,17,18,19,20,21,22, 23,24,26,27,28,30,32mm
 Non-sparking 13/16"spark plug
 Non-sparking flexible ratchet handle: 1/2"*245mm
 Non-sparking sliding T-bar handle: 1/2"*250mm
 Non-sparking rapid rocker: 1/2"*400mm
 Non-sparking socket extension bar: 1/2"*125mm,1/2"*250mm
 Non-sparking universal joint: 1/2"
 Non-sparking bit adapter: 1/2"
 Non-sparking socket bend handle: 1/2"*230mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-65540	YT-68640	8980	8390

Non-sparking tool set

17
PCS



Non-sparking hinged pipe vice: 350mm
 Non-sparking adjustable wrench: 200mm*24mm,300mm*36mm
 Non-sparking combination spanner set: 14,17,19,22,24,27mm
 Non-sparking lineman pliers: 200mm
 Non-sparking long nose pliers: 200mm
 Non-sparking adjustable combination pliers: 200mm
 Non-sparking cape chisel: 18mm*160mm
 Non-sparking flat punch: 18mm*160mm
 Non-sparking slotted screwdriver: 6*150mm
 Non-sparking phillips screwdriver: PH2*150mm
 Non-sparking ball peen hammer: 0.91Kg

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-65555	YT-68655	9000	8500

Non-sparking tool set

26
PCS



Non-sparking 3/4"socket: 21,22,23,24,26,27,28,29,30,31,32,34,36,38, 41,46,50mm
 Non-sparking 1"socket: 55,60,65mm
 Non-sparking reversing ratchet: 3/4"*160mm
 Non-sparking sliding T-bar handle: 3/4"*250mm
 Non-sparking socket extension bar: 3/4"*200mm,3/4"*430mm
 Non-sparking universal joint: 3/4"*120mm
 Non-sparking sliding T-bar handle: 3/4"*1"

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-65550	YT-68650	24900	23060

Non-sparking tool set

26
PCS



Non-sparking flat punch: 18*200mm
 Non-sparking adjustable wrench: 200mm
 Non-sparking lineman pliers: 200mm
 Non-sparking long nose pliers: 150mm
 Non-sparking adjustable combination pliers: 200mm
 Non-sparking slotted screwdriver: 150,200mm
 Non-sparking phillips screwdriver: 150,200mm
 Non-sparking 1/2"socket: 8,10,12,14,17mm
 Non-sparking sliding T-bar handle: 1/2"*250mm
 Non-sparking test hammer: 0.15Kg
 Non-sparking double open end spanner: 8,10,12,14,17mm
 Non-sparking hex key: 4,5,6,8,10

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-65556	YT-68656	22200	20400

Non-sparking tool set

28
PCS



Non-sparking valve handle: 400mm
 Non-sparking hinged pipe vice: 300mm,450mm
 Non-sparking adjustable wrench: 200mm*24mm,300mm*36mm
 Non-sparking combination spanner set: 8,10,12,14,17,19,22,24,27,30,32mm
 Non-sparking lineman pliers: 200mm
 Non-sparking long nose pliers: 200mm
 Non-sparking adjustable combination pliers: 200mm
 Non-sparking wrecking bar: 25mm*160mm
 Non-sparking flat punch: 25mm*160mm
 Non-sparking slotted screwdriver: 100,200mm
 Non-sparking phillips screwdriver: 100,200mm
 Non-sparking sledge hammer: 1.80Kg
 Non-sparking ball peen hammer: 0.91Kg
 Non-sparking claw hammer: 0.45Kg

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-65557	YT-68657	23200	22000

Non-sparking tool set

50
PCS



Non-sparking slotted screwdriver: 100,200mm
 Non-sparking phillips screwdriver: 100,200mm
 Non-sparking sledge hammer: 1.8kg
 Non-sparking ball peen hammer: 0.91kg
 Non-sparking claw hammer: 0.45kg
 Non-sparking hinged pipe vice: 300,450mm
 Non-sparking ratchet handle: 250mm
 Non-sparking extension bar: 125,250mm
 Non-sparking rapid rocker: 400mm
 Non-sparking sliding T-bar handle: 250mm
 Non-sparking universal joint: 1/2"
 Non-sparking putty knife: 25mm*200mm
 Non-sparking adjustable wrench: 24mm*200mm,36mm*300mm
 Non-sparking combination spanner set: 8,10,12,14,17,19,22,24,27,30,32mm
 Non-sparking 1/2" socket: 10,11,12,14,17,19,22,24,27,30,32mm
 Non-sparking lineman pliers: 200mm
 Non-sparking long nose pliers: 200mm
 Non-sparking adjustable combination pliers: 200mm
 Non-sparking wrecking bar: 25*300mm
 Non-sparking flat punch: 25*300mm
 Non-sparking cape chisel: 20*300mm
 Non-sparking valve handle: 400mm
 Non-sparking common knife: 250mm
 Non-sparking saw: 500mm
 Non-sparking saw blade: 300mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-65565	YT-68665	3000	28000

Non-sparking chain block



YATO		size	lifting	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(T)	(mm)	(g)	(g)
YT-65760	YT-68860	0.5	2.5	10200	9000
YT-65761	YT-68861	1	2.5	13600	12300
YT-65762	YT-68862	1.5	2.5	20000	18100
YT-65763	YT-68863	2	3.0	22000	20000
YT-65764	YT-68864	3	3.0	23600	21500
YT-65765	YT-68865	5	3.0	36000	32700
YT-65766	YT-68866	10	3.0	68500	62200
YT-65767	YT-68867	16	3.0	187000	170000
YT-65768	YT-68868	20	3.0	201000	182700

Non-sparking point shovel



YATO		L	B	H	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(mm)	(g)	(g)
YT-65745	YT-68845	990	240	420	1553	1420

Non-sparking square shovel



YATO		L	B	H	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(mm)	(g)	(g)
YT-65740	YT-68840	940	175	340	1410	1290
YT-65741	YT-68841	990	240	418	1804	1650