



## HEAVY TABLE TOP CARTS

A multifunctional modular system with the approved fetra Insert-and-Bolt Principle • Stylish frame structure of „one cast“ with „round edges“ • Stylish and absolutely secure connection of frames and tubular supports • High quality powder coating blue RAL 5007 • Derived timber material boards housed in the frame, surface beech grain • Alternatively platforms made of steel sheet or trays made of steel sheet • Steel sheet platforms and trays powder coated • 2 swivel and 2 fixed-wheel castors, wheels with TPE tyres, hubs with groove ball bearing • Swivel castors with wheel locks

HEAVY TABLE TOP CARTS



2402B-TOTALSTOP



# HEAVY TABLE TOP CARTS



## Heavy table top carts Modular system

Tubular steel and sectional steel, welded and powder-coated, surface durably protected, resistant to impact and scratches, shelves made of derived timber material boards, surface beech grain.

2 swivel and 2 fixed-wheel castors with TPE tyres 160 x 40 mm resp. 200 x 40 mm or pneumatic tyres 220 x 70 mm, additional charge.

Swivel castors with wheel locks, according to the European Standard EN 1757-3 (safety of platform trolleys).

Capacity upper and middle shelf 200 kg.

### 2496

Square platforms 600 x 600 mm.  
2 shelves.

### 2400 | 2401 | 2402 | 2403

Rectangular platforms in 4 sizes.  
2 shelves.

### 2420 | 2421 | 2422 | 2423

Rectangular platforms in 4 sizes.  
3 shelves.

### 2442 | 2443

Rectangular platforms in 2 sizes.  
4 shelves.



2496



2400 | 2401 | 2402 | 2403



2420 | 2421 | 2422 | 2423



2442 | 2443




#### Add-on kit 2149

for table top carts, steel plate drawer with ball pull-out and cylinder lock. H x W x D inside 105 x 410 x 475 mm.

(2 kits per cart possible, for type 2496, 2400 and 2420 1 kit per cart available.)

Can not be retrofitted.



#### Drawer subdivision-set 2148/ES

made of galvanized steel sheet, insertable. 2 longitudinal partitions and 6 dividing sheets.



#### Scanner holder

For details see page 170.

	Order no.	Capacity kg	Wheel-Ø mm	Platform size L x W mm	Outside dimensions L x W x H mm	No. of shelves	Shelf heights mm	Net weight kg
Table top carts	2496	500	160	600 x 600	737 x 609 x 860	2	228, 860	36
	2400	500	160	850 x 500	1047 x 509 x 860	2	228, 860	37
	2401	600	200	1000 x 600	1197 x 609 x 900	2	270, 900	44
	2402	600	200	1000 x 700	1197 x 709 x 900	2	270, 900	49
	2403	600	200	1200 x 800	1397 x 809 x 900	2	270, 900	58
	2420	500	160	850 x 500	1047 x 509 x 860	3	228, 544, 860	50
	2421	600	200	1000 x 600	1197 x 609 x 900	3	270, 585, 900	61
	2422	600	200	1000 x 700	1197 x 709 x 900	3	270, 585, 900	67
	2423	600	200	1200 x 800	1397 x 809 x 900	3	270, 585, 900	79
	2442	600	200	1000 x 700	1197 x 709 x 1218	4	270, 585, 900, 1218	85
2443	600	200	1200 x 800	1397 x 809 x 1218	4	270, 585, 900, 1218	104	
Add-on kit	2149	-	-	-	-	-	-	-
Drawer subdiv.-set	2148/ES	-	-	-	-	-	-	-

Blue marked item numbers = quick delivery (for details see page 4)

Accessories on pages 168-170



# HEAVY TABLE TOP CARTS



2496B



2400B | 2401B | 2402B | 2403B



2496W



2400W | 2401W | 2402W | 2403W




### Add-on kit 2149

for table top carts, steel plate drawer with ball pull-out and cylinder lock. H x W x D inside 105 x 410 x 475 mm.

(2 kits per cart possible, for type 2496B, 2496W, 2400B and 2400W 1 kit per cart available).

Can not be retrofitted.



### Drawer subdivision-set 2148/ES

made of galvanized steel sheet, insertable. 2 longitudinal partitions and 6 dividing sheets.



### Scanner holder

For details see page 170.

## Heavy table top carts Modular system

Tubular steel and sectional steel, welded and powder-coated, surface durably protected, resistant to impact and scratches.

- Platforms made of steel sheet, flush with frame, neatly welded, powder coated blue RAL 5007.
- Alternatively trays made of steel sheet, with rim 10 mm high, welded oil-tight.

2 swivel and 2 fixed-wheel castors with TPE tyres 160 x 40 mm resp. 200 x 40 mm or pneumatic tyres 220 x 70 mm, additional charge.

Swivel castors with wheel locks, according to the European Standard EN 1757-3 (safety of platform trolleys).

Capacity upper shelf 200 kg.

### 2496B

Square platforms 600 x 600 mm, platforms made of steel sheet, flush with frame, powder coated.

### 2400B | 2401B | 2402B | 2403B

Rectangular platforms in 4 sizes, made of steel sheet, flush with frame, powder coated.

### 2496W

Square platforms 600 x 600 mm, trays made of steel sheet, with rim 10 mm high, welded oil-tight, powder coated.

### 2400W | 2401W | 2402W | 2403W

Rectangular platforms in 4 sizes, trays made of steel sheet, with rim 10 mm high, welded oil-tight, powder coated.

## Accessories

on pages 168-170

	Order no.	Capacity kg	Wheel-Ø mm	Platform size L x W mm	Outside dimensions L x W x H mm	No. of shelves	Shelf heights mm	Net weight kg
Table top carts with platforms made of sheet steel	2496B	500	160	600 x 600	737 x 609 x 860	2	228, 860	41
	2400B	500	160	850 x 500	1047 x 509 x 860	2	228, 860	44
	2401B	600	200	1000 x 600	1197 x 609 x 900	2	270, 900	53
	2402B	600	200	1000 x 700	1197 x 709 x 900	2	270, 900	58
	2403B	600	200	1200 x 800	1397 x 809 x 900	2	270, 900	75
Table top carts with steel plate trays	2496W	500	160	600 x 600	737 x 609 x 860	2	228, 860	37
	2400W	500	160	850 x 500	1047 x 509 x 860	2	228, 860	39
	2401W	600	200	1000 x 600	1197 x 609 x 900	2	270, 900	47
	2402W	600	200	1000 x 700	1197 x 709 x 900	2	270, 900	51
	2403W	600	200	1200 x 800	1397 x 809 x 900	2	270, 900	63
Add-on kit	2149	-	-	-	-	-	-	-
Drawer subdivision-set	2148/ES	-	-	-	-	-	-	-





## LIGHT TABLE TOP CARTS



### Light table top carts Modular system

Table top carts, tubular steel welded and powder coated, surface durably protected, resistant to impact and scratches, shelves made of derived timber material boards, in a frame of angle steel, height of rim 12 mm.

2 swivel and 2 fixed-wheel castors with TPE tyres, hubs with groove ball bearing.

Swivel castors with wheel locks, according to the European Standard EN 1757-3 (safety of platform trolleys).

Capacity upper and middle shelf 80 kg.



Example of use

2940 | 2942 | 2950 | 2952  
with a horizontal push bar.

2740 | 2750 | 2742 | 2752  
Constructed as above, but with a high push bar.



2940 | 2942



2950 | 2952



2740 | 2742



2750 | 2752

	Order no.	Capacity kg	Wheel-Ø mm	Platform size L x W mm	Outside dimensions L x W x H mm	No. of shelves	Shelf heights mm	Net weight kg
Table top carts	2940	300	125	850 x 500	1020 x 500 x 830	2	200, 820	28
	2942	300	125	1000 x 600	1170 x 600 x 830	2	200, 820	35
	2950	300	125	850 x 500	1020 x 500 x 830	3	200, 510, 820	35
	2952	300	125	1000 x 600	1170 x 600 x 830	3	200, 510, 820	48
	2740	300	125	850 x 500	985 x 500 x 1040	2	200, 820	28
	2742	300	125	1000 x 600	1135 x 600 x 1040	2	200, 820	36
	2750	300	125	850 x 500	985 x 500 x 1040	3	200, 510, 820	35
	2752	300	125	1000 x 600	1135 x 600 x 1040	3	200, 510, 820	49

Blue marked item numbers = quick delivery (for details see page 4)

Accessories  
on pages 168-170



# LIGHT TABLE TOP CARTS



Example of use



3740 | 3742



3760 | 3762



2622



### Drawer subdivision-set

Made of galvanized steel sheet, insertable. 2 longitudinal partitions and 6 dividing sheets.

## Light table top carts Modular system 3740 | 3742 | 3760 | 3762

Tubular steel welded and powder coated, surface durably protected, resistant to impact and scratches, shelves made of derived timber material boards resp. boxes, in a frame of angle steel. Boards with 12 mm rim. Boxes with 45 mm rim.

With a high push bar.

2 swivel and 2 fixed-wheel castors with TPE tyres, hubs with groove ball bearing.

Swivel castors with wheel locks, according to the European Standard EN 1757-3 (safety of platform trolleys).

Capacity upper shelf 80 kg.

Inside dimension of boxes L x W x H mm:

810 x 450 x 45 mm when platform size 850 x 500 mm

960 x 550 x 45 mm when platform size 1000 x 600 mm

### 2622

Construction and dimensions as 2742, 2 sheet steel drawers with ball pull-out and cylinder lock.

Inside dimension of drawer

H x W x D

105 x 415 x 490 mm.

Capacity upper shelf 80 kg.

Capacity per drawer 25 kg.

	Order no.	Capacity kg	Wheel-Ø mm	Platform size L x W mm	Outside dimensions L x W x H mm	No. of shelves	Shelf heights mm	Net weight kg
Table top carts	3740	300	125	850 x 500	985 x 500 x 1040	2	200, 820	30
	3742	300	125	1000 x 600	1135 x 600 x 1040	2	200, 820	38
	3760	300	125	850 x 500	985 x 500 x 1040	2	200, 820	32
	3762	300	125	1000 x 600	1135 x 600 x 1040	2	200, 820	40
	2622	300	125	1000 x 600	1135 x 600 x 1040	2	200, 820	48
Subdivision-set	2148/ES	-	-	-	-	-	-	-

Accessories on pages 168-170