



CASH AND CARRY CARTS

For all applications where several transport trolleys must be provided in a relatively confined area • Nesting trolleys, thereby reducing storage space by 75% • 3 different models with 3 platform sizes each • Sturdy tubular steel construction • High quality powder coating, surface durably protected, resistant to impact and scratches • Platform made of anti-skid waterproof plywood boards • Easy rolling due to large quality-casters • Practical accessories such as clip board, wire basket or deposit lock

CASH AND CARRY CARTS



2962 | 2982 | 2972



CASH AND CARRY CARTS



Cash and carry carts

Nesting trolleys, thereby reducing storage space by 75%.

Tubular steel construction, powder coated, platform made of anti-skid waterproof plywood boards.

2 swivel and 2 fixed-wheel castors, TPE tyres.

Swivel castors with wheel locks, according to the European Standard EN 1757-3 (safety of platform trolleys).



2960 | 2961 | 2962



Clip board upright DIN A4
See also page 170.



Clip board broadsize DIN A4
See also page 170.

2960 | 2961 | 2962

Platform height:
with wheel-Ø 160 = 265 mm
with wheel-Ø 200 = 310 mm

2970 | 2971 | 2972

As 2960/2961/2962, but with 2 shelves.

Shelf heights

with:
wheel-Ø 160 = 265/775 mm

with:
wheel-Ø 200 = 310/820 mm

Capacity upper shelf 80 kg.



2970 | 2971 | 2972



Wire basket
For small items,
600 x 140 x 200 mm.
See also page 170.

2980 | 2981 | 2982

As 2960/2961/2962, but instead of tubular pushbar 2 lateral frames, 680 mm high, on the side of the fixed wheels also 2 lateral frames, 500 mm high.

Platform interior width:
435/535/635 mm

Platform height:
with wheel-Ø 160 = 265 mm
with wheel-Ø 200 = 310 mm



2980 | 2981 | 2982



Deposit locks
Made of high-quality plastic, to be operated easily and safely. Suitable for 1 Euro coins.

Wall securing chain
For deposit lock, length 1.20 m.

	Order No.	Capacity kg	Wheel-Ø mm	Platform size L x W mm	Outside dimensions L x W x H mm	Net weight kg
Cash and carry carts	2960	400	160	850 x 500	1045 x 643 x 959	25
	2961	500	200	1000 x 600	1212 x 743 x 1004	28
	2962	500	200	1000 x 700	1212 x 843 x 1004	31
	2970	400	160	850 x 500	1045 x 643 x 959	32
	2971	500	200	1000 x 600	1212 x 743 x 1004	36
	2972	500	200	1000 x 700	1212 x 843 x 1004	41
	2980	400	160	850 x 500	1045 x 643 x 949	27
	2981	500	200	1000 x 600	1212 x 743 x 990	30
	2982	500	200	1000 x 700	1212 x 843 x 990	33
Clip board upright	1290	-	-	-	-	1,2
Clip board broadsize	1390	-	-	-	-	1,3
Wire basket	1291	-	-	-	-	1,8
Deposit locks	2910	-	-	-	-	0,24
Wall securing chain	2913	-	-	-	-	0,28



WAREHOUSE TROLLEYS



2966

Warehouse trolleys

Nesting trolleys, thereby reducing storage space by 75%.

Handy and manoeuvrable for quick transports and picking.

Warehouse trolleys of tubular steel construction, platforms conical and slightly inclined, made of wire lattice.

Powder coated blue RAL 5007. 4 swivel castors, wheels with TPE tyres 125 x 32 mm, soft, easy running and trackless. Hubs with bush bearing.

2 wheels with locks, according to the European Standard EN 1757-3 (safety of platform trolleys).

Flat packed for easy self assembly.



2977

2966

One platform, conical. Platform height 227 mm.

2977

Two platforms, lower platform conical, upper platform square. Upper platform can be folded away.

Platform heights 227/755 mm. Upper platform capacity 80 kg.



Clip board upright DIN A4
See also page 170.



Clip board broadsize DIN A4
See also page 170.



Wire basket for small items
600 x 140 x 200 mm.
See also page 170.



Deposit locks
Made of high-quality plastic, to be operated easily and safely. Suitable for 1 Euro coins.

Wall securing chain
For deposit lock, length 1.20 m.

	Order No.	Capacity kg	Wheel-Ø mm	Platform size L x W mm	Outside dimensions L x W x H mm	Net weight kg
Warehouse trolleys	2966	300	125	850 x 500/320	967 x 560 x 977	14
	2977	300	125	715 x 455	967 x 560 x 977	21
Clip board upright	1290	-	-	-	-	1,2
Clip board broadsize	1390	-	-	-	-	1,3
Wire basket	1291	-	-	-	-	1,8
Deposit locks	2910	-	-	-	-	0,24
Wall securing chain	2913	-	-	-	-	0,28

Accessories
on pages 169-170