

SHELVED TROLLEYS

A multifunctional modular system with the fetra Insert-and-Bolt Principle • These shelved trolleys can be altered, interchanged and supplemented in many ways • Sectional/tubular steel construction • Powder coated blue RAL 5007 • Ends available with open tubular construction or with ends made of screwed wire lattice or with intermediate uprights to stop items falling through • Push handle mountable on both sides, also usable without grip • Shelves of stable, rigid shelves, surface beech grain, edges with PVC-edging or boxes of derived timber material • Shelf supports mountable as required in intervals of 100 mm • 2 swivel and 2 fixed-wheel castors, wheels with TPE tyres, hubs with groove ball bearing • Swivel castors with wheel locks



8302



SHELVED TROLLEYS



8100 | 8101 | 8102 | 8103



8200 | 8201 | 8202 | 8203



8301 | 8302 | 8303



8240 | 8241 | 8242 | 8243



8341 | 8342 | 8343

Shelved trolleys Modular system

made of tubular and sectional steel, welded and powder coated blue RAL 5007, bolted construction. Ends of tubular construction in 3 heights.

1 fix and 2, 3 or 4 shelves made of special wood material boards, surface beech grain.

Variable use of shelves, in a grid of 100 mm.

Capacity per shelf 90 kg.

2 swivel and 2 fixed-wheel castors, TPE tyres 160 x 40 or 200 x 40 mm, hubs with groove ball bearing.

Swivel castors with wheel locks, according to the European Standard EN 1757-3 (safety of platform trolleys).

Shelves


Additional charge or price reduction for shelves including 1 pair of support brackets.

Size mm	Order no.
850 x 500	E8100ETAW
1000 x 600	E8101ETAW
1000 x 700	E8102ETAW
1200 x 800	E8103ETAW

Reinforcement struts for shelved trolleys

With flanges for two-point screw attachment. Stabilises the upper structure and increases the capacity of the inserted shelves.

1 pair per trolley is included.



Capacity per shelf is 150 kg instead of 90 kg.

The shelf located on top of the longitudinal connector struts has a carrying capacity of 150 kg due to the support.

If more shelves need to have an increased capacity, please order reinforcement struts correspondingly.

Reinforcement struts

1 additional pair for 1 shelf

Size mm	Order no.
850 x 500	E8100VK
1000 x 600	E8101VK
1000 x 700	E8102VK
1200 x 800	E8103VK

Accessories

on pages 168-170

	Order no.	Capacity kg	Wheel-Ø mm	Platform size L x W mm	Outside dimension L x W x H mm	Shelf heights mm	Charge kg
Shelved trolleys	8100	500	160	850 x 500	1019 x 509 x 1111	228, 628, 1028	41
	8101	600	200	1000 x 600	1169 x 609 x 1152	269, 669, 1069	50
	8102	600	200	1000 x 700	1169 x 709 x 1152	269, 669, 1069	55
	8103	600	200	1200 x 800	1369 x 809 x 1152	269, 669, 1069	68
	8200	500	160	850 x 500	1019 x 509 x 1511	228, 628, 1028, 1428	51
	8201	600	200	1000 x 600	1169 x 609 x 1552	269, 669, 1069, 1469	61
	8202	600	200	1000 x 700	1169 x 709 x 1552	269, 669, 1069, 1469	68
	8203	600	200	1200 x 800	1369 x 809 x 1552	269, 669, 1069, 1469	85
	8301	600	200	1000 x 600	1169 x 609 x 1800	269, 669, 1069, 1469	64
	8302	600	200	1000 x 700	1169 x 709 x 1800	269, 669, 1069, 1469	69
	8303	600	200	1200 x 800	1369 x 809 x 1800	269, 669, 1069, 1469	86
	8240	500	160	850 x 500	1019 x 509 x 1511	228, 528, 828, 1128, 1428	56
	8241	600	200	1000 x 600	1169 x 609 x 1552	269, 569, 869, 1169, 1469	71
	8242	600	200	1000 x 700	1169 x 709 x 1552	269, 569, 869, 1169, 1469	79
	8243	600	200	1200 x 800	1369 x 809 x 1552	269, 569, 869, 1169, 1469	99
8341	600	200	1000 x 600	1169 x 609 x 1800	269, 569, 869, 1169, 1469	72	
8342	600	200	1000 x 700	1169 x 709 x 1800	269, 569, 869, 1169, 1469	80	
8343	600	200	1200 x 800	1369 x 809 x 1800	269, 569, 869, 1169, 1469	101	

Blue marked item numbers = quick delivery (for details see page 4)



SHELVED TROLLEYS



Shelved trolleys Modular system

made of tubular and sectional steel, welded and powder coated blue RAL 5007, bolted construction. Ends of tubular construction with intermediate uprights at intervals of approx. 130 mm.

1 fix and 3 or 4 shelves made of special wood material boards, surface beech grain.

Variable use of shelves, in a grid of 100 mm.

Capacity per shelf 90 kg.

2 swivel and 2 fixed-wheel castors, TPE tyres 200 x 40 mm, hubs with groove ball bearing.

Swivel castors with wheel locks, according to the European Standard EN 1757-3 (safety of platform trolleys).



8311 | 8312 | 8313



8351 | 8352 | 8353


Shelves

Additional charge or price reduction for shelves including 1 pair of support brackets.

Size mm	Order no.
850 x 500	E8100ETAW
1000 x 600	E8101ETAW
1000 x 700	E8102ETAW
1200 x 800	E8103ETAW

Reinforcement struts for shelved trolleys

1 pair per trolley is included. Details see on page 51.



Capacity per shelf is 150 kg instead of 90 kg.

Reinforcement struts

1 additional pair for 1 shelf

Size mm	Order no.
850 x 500	E8100VK
1000 x 600	E8101VK
1000 x 700	E8102VK
1200 x 800	E8103VK



8311-1 | 8312-1 | 8313-1



8351-1 | 8352-1 | 8353-1



	Order no.	Capacity kg	Wheel-Ø mm	Platform size L x W mm	Outside dimension L x W x H mm	Shelf heights mm	Charge kg
Shelved trolleys	8311	600	200	1000 x 600	1169 x 609 x 1800	269, 669, 1069, 1469	70
	8312	600	200	1000 x 700	1169 x 709 x 1800	269, 669, 1069, 1469	80
	8313	600	200	1200 x 800	1369 x 809 x 1800	269, 669, 1069, 1469	97
	8351	600	200	1000 x 600	1169 x 609 x 1800	269, 569, 869, 1169, 1469	79
	8352	600	200	1000 x 700	1169 x 709 x 1800	269, 569, 869, 1169, 1469	91
	8353	600	200	1200 x 800	1369 x 809 x 1800	269, 569, 869, 1169, 1469	112
	8311-1	600	200	1000 x 600	1169 x 630 x 1800	269, 669, 1069, 1469	82
	8312-1	600	200	1000 x 700	1169 x 730 x 1800	269, 669, 1069, 1469	92
	8313-1	600	200	1200 x 800	1369 x 830 x 1800	269, 669, 1069, 1469	111
	8351-1	600	200	1000 x 600	1169 x 630 x 1800	269, 569, 869, 1169, 1469	95
	8352-1	600	200	1000 x 700	1169 x 730 x 1800	269, 569, 869, 1169, 1469	107
	8353-1	600	200	1200 x 800	1369 x 830 x 1800	269, 569, 869, 1169, 1469	128

Accessories
on pages 168-170



SHELVED TROLLEYS



8120 | 8121 | 8122 | 8123



8220 | 8221 | 8222 | 8223



8321 | 8322 | 8323

Shelved trolleys Modular system

made of tubular and sectional steel, welded and powder coated blue RAL 5007, bolted construction. Ends of tubular construction in 3 heights.

1 fix and 2 or 3 shelves made of special wood material boards, surface beech grain.

Variable use of shelves, in a grid of 100 mm.

Capacity per box 120 kg.

Box height 60 mm.

Interior measure of boxes with platform in mm:

- 850 x 500 = 815 x 455 x 45
- 1000 x 600 = 965 x 555 x 45
- 1000 x 700 = 965 x 655 x 45
- 1200 x 800 = 1165 x 755 x 45

2 swivel and 2 fixed-wheel castors, TPE tyres 160 x 40 or 200 x 40 mm, hubs with groove ball bearing.

Swivel castors with wheel locks, according to the European Standard EN 1757-3 (safety of platform trolleys).


Boxes for shelved trolleys

Additional charge or price reduction for shelves including 1 pair of support brackets.

Size mm	Order no.
850 x 500	E8120ETAW
1000 x 600	E8121ETAW
1000 x 700	E8122ETAW
1200 x 800	E8123ETAW

Reinforcement struts for shelved trolleys

1 pair per trolley is included. Details see on page 51.



Capacity per shelf is 150 kg instead of 90 kg.

Reinforcement struts 1 additional pair for 1 shelf

Size mm	Order no.
850 x 500	E8100VK
1000 x 600	E8101VK
1000 x 700	E8102VK
1200 x 800	E8103VK



	Order no.	Capacity kg	Wheel-Ø mm	Platform size L x W mm	Outside dimension L x W x H mm	Shelf heights mm	Charge kg
Shelved trolleys	8120	500	160	850 x 500	1019 x 509 x 1111	228, 628, 1028	48
	8121	600	200	1000 x 600	1169 x 609 x 1152	269, 669, 1069	59
	8122	600	200	1000 x 700	1169 x 709 x 1152	269, 669, 1069	65
	8123	600	200	1200 x 800	1369 x 809 x 1152	269, 669, 1069	81
	8220	500	160	850 x 500	1019 x 509 x 1511	228, 628, 1028, 1428	57
	8221	600	200	1000 x 600	1169 x 609 x 1552	269, 669, 1069, 1469	70
	8222	600	200	1000 x 700	1169 x 709 x 1552	269, 669, 1069, 1469	78
	8223	600	200	1200 x 800	1369 x 809 x 1552	269, 669, 1069, 1469	97
	8321	600	200	1000 x 600	1169 x 609 x 1800	269, 669, 1069, 1469	71
	8322	600	200	1000 x 700	1169 x 709 x 1800	269, 669, 1069, 1469	79
	8323	600	200	1200 x 800	1369 x 809 x 1800	269, 669, 1069, 1469	98

Accessories on pages 168-170



SHELVED TROLLEYS



Shelved trolleys Modular system

Made of tubular and sectional steel, welded and powder coated blue RAL 5007, bolted construction.

1 fix and 3 shelves made of special wood material boards, surface beech grain.

Variable use of shelves, in a grid of 100 mm.

Capacity per shelf 90 kg.

2 swivel and 2 fixed-wheel castors, TPE tyres 200 x 40 mm, hubs with groove ball bearing.

Swivel castors with wheel locks, according to the European Standard EN 1757-3 (safety of platform trolleys).

8411 | 8412 | 8413

End panels closed, made of wire lattice 100 x 100 x 5 mm.

8411-1 | 8412-1 | 8413-1

Ends and sides closed, made of wire lattice 100 x 100 x 5 mm.

Shelves

Additional charge or price reduction for shelves including 1 pair of support brackets.

Size mm	Order no.
1000 x 600	E8101ETAW
1000 x 700	E8102ETAW
1200 x 800	E8103ETAW

Shelved trolleys with foldable shelves

Construction as above, but with foldable shelves. Shelves consist of 3 parts made of waterproof plywood boards with piano hinge at the crease. Support brackets with adjustment - safe stand for the foldable shelves.

8462 | 8463

Open sides and ends.

8462-1 | 8463-1

Ends and sides closed, made of wire lattice 100 x 100 x 5 mm.

Foldable shelves

Additional charge or price reduction for shelves including 1 pair of support brackets.

Size mm	Order no.
1000 x 700	E8462ETAW
1200 x 800	E8463ETAW

Accessories
on pages 168-170



8411 | 8412 | 8413



8411-1 | 8412-1 | 8413-1



8462 | 8463



8462-1 | 8463-1



Shelved trolleys with foldable shelves

Are useful for the transport of different sized goods. Interfering or not used shelves can be folded and put up easily because of their low net weight. They are part of the trolley and are available every time. Because of the adjustment in the support brackets the foldable shelves are positioned safely.

Shelves consist of 3 parts made of waterproof plywood boards with piano hinge at the crease. Undetachably because of the on-sided bolting with the support brackets.



	Order no.	Capacity kg	Wheel-Ø mm	Platform size L x W mm	Outside dimension L x W x H mm	Shelf heights mm	Charge kg
Shelved trolleys with side panels made of wire lattice	8411	600	200	1000 x 600	1169 x 609 x 1800	269, 669, 1069, 1469	74
	8412	600	200	1000 x 700	1169 x 709 x 1800	269, 669, 1069, 1469	79
	8413	600	200	1200 x 800	1369 x 809 x 1800	269, 669, 1069, 1469	97
	8411-1	600	200	1000 x 600	1169 x 609 x 1800	269, 669, 1069, 1469	80
	8412-1	600	200	1000 x 700	1169 x 709 x 1800	269, 669, 1069, 1469	85
	8413-1	600	200	1200 x 800	1369 x 809 x 1800	269, 669, 1069, 1469	103
Shelved trolleys with foldable shelves	8462	600	200	1000 x 700	1169 x 709 x 1800	269, 669, 1069, 1469	60
	8463	600	200	1200 x 800	1369 x 809 x 1800	269, 669, 1069, 1469	83
	8462-1	600	200	1000 x 700	1169 x 709 x 1800	269, 669, 1069, 1469	72
	8463-1	600	200	1200 x 800	1369 x 809 x 1800	269, 669, 1069, 1469	93