

TROLLEYS FOR LONG GOODS

Agile trolleys for transporting long goods such as pipes, profiles, bars, rods etc. • Capacity 1.5 to 3 tons • Resilient welded steel profile structure • Shot-blasted and powder-coated in blue RAL 5007 • Removable stanchions • Easy to load and unload by crane or forklift • Water-resistant wooden platform or 2 hardware skips • 4 swivel castors for easy handling or diamond-shaped wheel layout for on-the-spot rotation • Trackless tyres are suitable even for sensitive flooring • Lockable brakes on 2 swivel castors or on centre wheel set





TROLLEYS FOR LONG GOODS



Trolleys for long goods

Sectional steel construction, with insertable tubular steel stanchions, powder coated.



2110



2111

2110

Platform of anti-slipping, water-proof plywood. 4 heavy duty castor wheels, elasticated solid rubber tyres, blue-grey „trackless“, hubs with ball bearings. 2 castors with wheel lock.

2111

2 cradles, centre clear for crane or fork-lift loading. Rhombic arrangement of wheels, on centre 2 fixed wheels, at each end 1 castor wheel with polyurethane tyre 200 x 50 mm. Hubs with ball bearings. Wheel lock on centre axle.



2113

2113

2 cradles, centre clear for crane or fork-lift loading. Wheels: on centre axle elasticated solid rubber tyres 360 x 75 mm, at each end 1 castor wheel with elasticated solid rubber tyre 200 x 50 mm, blue-grey „trackless“. Wheel lock on centre axle.



2123

2123

As 2113, but wheels with polyurethane tyre.

	Order no.	Capacity kg	Outside dimensions L x W x H mm	Loading height mm	Usef. length of stanchions mm	Clear width mm	Tyres mm	Net weight kg
Trolleys for long goods	2110	1500	700 x 700 x 895	338	550	510	200 x 50	59
	2111	1500	2000 x 600 x 850	350	500	500	200 x 50	72,5
	2113	2500	2500 x 700 x 920	420	500	600	360 x 75 / 200 x 50	175
	2123	3000	2500 x 700 x 920	420	500	600	360 x 75 / 200 x 50	178

TUBULAR STEEL TRUCKS AND ALUMINIUM TRUCKS

The right truck for each purpose • With solid rubber or pneumatic tyres • With small or big front shovel • Positioned upright or angular • Tubular steel truck neatly welded, steel sheet front shovel mountable, therefore exchangeable • Powder coated blue RAL 5007 • Aluminum trucks neatly welded and „natural“ • Aluminum sheet shovel mountable, therefore exchangeable • Wheels with plastic rim, hubs with roller bearings • Curved top bar and transversal struts. For safe transport of circular items such as rolls, cans, buckets etc.



A1125L | B1216V



TUBULAR STEEL TRUCKS



Tubular steel trucks

Handy tubular steel trucks with steel sheet blades, sturdy welded construction, blue RAL 5007. Safety grips. Steel sheet front shovel mountable, therefore exchangeable. Optionally solidrubber or pneumatic tyres on synthetic rims, hubs with roller bearings. Flat packed delivery.

Utility patent
20 2004 010 071.1

Wear parts

1762 Handle

With safety loop for tube-Ø 27 mm.
Picture see page 133.



B1115L



B1116L



B1215L



B1216L

Wheel-fixing

screwed wheel fixing, easy wheel change.



Handle 1762

with safety loop for tube-Ø 27 mm.



	Order no.	Capacity kg	Height mm	Blade depth mm	Blade width mm	Total width mm	Solid rubber tyres mm	Pneumatic tyres mm	Net weight kg
Tubular steel trucks	B1115V	250	1150	150	400	620	260 x 56	-	14,5
	B1115L	250	1150	150	400	620	-	260 x 85	12
	B1116V	250	1150	300	480	620	260 x 56	-	17,5
	B1116L	250	1150	300	480	620	-	260 x 85	15
	B1215V	350	1200	150	450	620	260 x 56	-	18,5
	B1215L	350	1200	150	450	620	-	260 x 85	16
	B1216V	350	1200	300	480	620	260 x 56	-	20,5
	B1216L	350	1200	300	480	620	-	260 x 85	18

Blue marked item numbers = quick delivery (for details see page 4)

Accessories on page 170



TUBULAR STEEL TRUCKS



Tubular steel trucks

Handy tubular steel trucks with steel sheet blades, sturdy welded construction, blue RAL 5007. Safety grips. Steel sheet front shovel mountable, therefore exchangeable. Optionally solid rubber or pneumatic tyres on synthetic rims, hubs with roller bearings. Curved top bar and transversal struts. For safe transport of circular items such as rolls, cans, buckets etc.

Flat packed delivery.

Utility patent
20 2004 010 071.1

B1330L | B1331L

With replaceable synthetic rockers.

Wear parts

Handle

1762
With safety loop for tube- \varnothing 27 mm.
See page 133.

Plastic skids

1753
1 set with clips.
See page 133.



B1125L



B1325L




B1326L



B1327L



B1328L



B1330L



B1331L



Curved top bar and transversal struts. For safe transport of circular items such as rolls, cans, buckets etc.



Wheel-fixing
screwed wheel fixing, easy wheel change.

	Order no.	Capacity kg	Height mm	Blade depth mm	Blade width mm	Total width mm	Solid rubber tyres mm	Pneumatic tyres mm	Net weight kg
Tubular steel trucks	B1125V	200	1150	250	320	570	260 x 56	-	13,5
	B1125L	200	1150	250	320	570	-	260 x 85	11
	B1325V	300	1300	250	320	580	260 x 56	-	16,5
	B1325L	300	1300	250	320	580	-	260 x 85	14
	B1326V	300	1300	300	480	580	260 x 56	-	18,5
	B1326L	300	1300	300	480	580	-	260 x 85	16
	B1327V	300	1600	250	320	580	260 x 56	-	18
	B1327L	300	1600	250	320	580	-	260 x 85	15
	B1328V	300	1600	300	480	580	260 x 56	-	20
	B1328L	300	1600	300	480	580	-	260 x 85	17
	B1330V	300	1300	250	320	580	260 x 56	-	17,5
	B1330L	300	1300	250	320	580	-	260 x 85	15
	B1331V	300	1300	300	480	580	260 x 56	-	19,5
B1331L	300	1300	300	480	580	-	260 x 85	17	

Blue marked item numbers = quick delivery (for details see page 4)

Accessories on page 170