



13 | POWERED EQUIPMENT

WITH MORE THAN 30 YEARS OF DEVELOPMENT AND INNOVATION, SP POWERED EQUIPMENT IS A BRAND NAME SYNONYMOUS WITH QUALITY AND ENDURANCE. WHETHER YOU'RE USING POWER FOR THE CONSTRUCTION OR AUTOMOTIVE INDUSTRY, WE HAVE A PACKAGE TO SUIT YOUR NEEDS

INDUSTRIAL ENGINES

At the heart of the SP Generator range, Torini Industrial Engines offer maximum power with maximum reliability.

Equipped with cast iron bore, overhead valve technology & large capacity oil reservoir ensures years of trouble free operation.

- Fast Starting
- Transistorised Ignition
- Smooth Operation
- OHV (Over Head Valve)
- High Efficiency
- Low Oil Protection

TORINI
ENGINES



Compliant to latest emissions standards





SUB-CATEGORIES:

INVERTER GENERATORS	418
INDUSTRIAL SERIES GENERATORS	420
CONSTRUCTION SERIES GENERATORS	422



> INVERTER GENERATORS

POWERED BY



PATENTED TECHNOLOGY

ALL SP INVERTER GENERATORS FEATURE A:

- Patented Torini engine with a large volume muffler to increase fuel efficiency and reduce noise.
- Patented permanent magnet inverter generator with ESC (Engine Smart Control) which intelligently controls rpm to further reduce noise and fuel consumption
- Patented 3 way cooling system to lower running temperature and extend engine life
- Patented exhaust gas circulation system where exhaust gas passes through two cavities for double oil separation, thus decreasing oil consumption and extending engine life



SPGI3300E

INVERTER GENERATOR 3300W - SUPER QUIET


SPECIFICATIONS

- Max Watts: 3300w
- Rated Watts: 3000w
- Power Outlets: 2 (15amp)
- Power: 50Hz/240v
- DB: 50~59dB
- Tank Capacity: 10L
- Starting System: Electric
- Net Weight: 45kg
- Operating Hours: 5.5h at 50% load

FEATURES

- Torini 4 stroke engine
- Engine smart control (ESC)
- Compact, lightweight and high quality
- 32 bit inverter core
- Ultra low running noise from 50 ~ 59dB
- 12 Volt outlet
- Parallel connection capable
- High precise power supply suitable for: computers, mobile phones and other electronic devices.
- Intelligent power supply also suitable for: refrigerators, air conditioners, microwaves, electric tools and similar equipment.

3 YEAR ENGINE WARRANTY
4 YEARS DOMESTIC USE



Dimensions: 570 x 440 x 510mm

SUPER QUIET RUNNING NOISE

SOUND SOURCES EXAMPLE & DISTANCE	SOUND PRESSURE LEVEL dB
Jet Aircraft, 50m away	140
Threshold of pain	130
Threshold of discomfort	120
Chainsaw, 1m away	110
Night club, 1m from speaker	100
Diesel Truck, 10m away	90
Kerbside of busy road, 5m away	80
Vacuum Cleaner, 1m away	70
Conversational speech, 1m	60
Average home	50
Quiet library	40
Quiet bedroom at night	30
Background in TV studio	20
Rustling leaves in the distance	10
Hearing threshold	0

POWERFUL, COMPACT AND WITH A SUPER QUIET RUNNING NOISE, THE RANGE OF SP INVERTER GENERATORS ARE IDEAL FOR ALL CAMPING AND LEISURE ACTIVITIES.

INVERTER GENERATORS SOUND LEVEL

BETWEEN 50 & 59dB
Equivalent to the average sound at home and having a conversation

THE ULTIMATE OUTDOOR COMPANION

Ideal for all camping and leisure activities, compared to similar products, the SPGI3300E is a powerful super quiet inverter generator with the best power, size to weight ratio on the market. Built around the reliable Torini race tested 7Hp engine and intelligent power supply, it is well suited for recreational use with air conditioners, refrigerators, microwave ovens, coffee machines & entertainment appliances. The microprocessor controlled inverter produces a high precision, pure sine wave power output, perfect for laptops, computers, mobile phones & tablets making it ideal for back up power at home during power outages & storm emergencies.

Don't risk your electronic devices on anything less.

All SP Generators meet strict Environmental Protection Agency (EPA), Proposed Australian Emissions Standards & strict Californian pollution laws and environmental protection standards.





SPGI3000

3 YEAR ENGINE WARRANTY
4 YEARS DOMESTIC USE

INVERTER GENERATOR 2500W - SUPER QUIET

PURE SINE WAVE

SPECIFICATIONS

- Max Watts: 2500w
- Rated Watts: 2300w
- Power Outlets: 2 (15amp)
- Power: 50Hz/240v
- DB: 51~59dB
- Tank Capacity: 4L
- Starting System: Pull
- Net Weight: 27kg
- Operating Hours: 4.5h at 50% Load

Dimensions: 600 x 340 x 530mm

FEATURES

- Torini 4 stroke engine
- 3 in 1 multi-function control
- Engine smart control (ESC)
- Compact, lightweight and high quality
- 32 bit inverter core
- Low running noise - 51~59dB
- 12 Volt outlet
- Parallel connection capable
- Robust construction
- Easy oil-change compartment

SPGI2000

3 YEAR ENGINE WARRANTY
4 YEARS DOMESTIC USE

INVERTER GENERATOR 1800W - SUPER QUIET

PURE SINE WAVE

SPECIFICATIONS

- Max Watts: 1800w
- Rated Watts: 1600w
- Power Outlets: 1 (15amp)
- Power: 50Hz/240v
- DB: 51~59dB
- Tank Capacity: 4L
- Starting System: Pull
- Net Weight: 22kg
- Operating Hours: 7h at 50% load

Dimensions: 499 x 285 x 455mm

FEATURES

- Torini 4 stroke engine
- 3 in 1 multi-function control
- Engine smart control (ESC)
- 32 bit inverter core
- Low running noise from 51~59dB
- 12 Volt outlet
- Parallel connection capable (cable included)
- Robust construction
- Easy oil-change compartment

LATEST GENERATOR TECHNOLOGY

JOIN ANY TWO SP INVERTER GENERATORS TOGETHER FOR AN ADDED BOOST IN POWER!

Joining any two SP Inverter Generators in parallel connection will ensure you get the full combined rated power output when you need it most. **NO LOSS OF POWER.**

Similar products on the market may only output a fraction of their combined rated power when connected together in parallel, making the SP Inverter Generator range the **market leaders** and the **most technologically advanced** generators available today.

POWER WHEN YOU NEED IT

Keep your options open, add power when your power needs increase



1600w + 3000w
= 4600w
NO LOSS OF POWER

SPGI3300E + SPGI2000

PCK3



PARALLEL CONNECTION CABLE KIT

- Used to connect two SP Inverter generators together in parallel
- Gain an extra power point when connected together

1600w + 1600w
= 3200w

NO LOSS OF POWER

Parallel connection cable included
SPGI2000 + SPGI2000



3000w + 3000w
= 6000w

NO LOSS OF POWER
Requires parallel connection cable - P/N: PCK3

SPGI3300E + SPGI3300E



GENERATORS INDUSTRIAL SERIES

DON'T BE LEFT IN THE DARK WHEN POWER OUTAGES HAPPEN

THE RELIABLE SP INDUSTRIAL SERIES GENERATORS WILL KEEP YOUR BUSINESS RUNNING AND YOUR HOME AND FAMILY SAFE DURING A POWER EMERGENCY.

POWERED BY



SP Industrial Series Generators all use a superior Automatic Voltage Regulator (AVR) equipped with a Digital Stability Control Program. This allows voltage to be calculated and controlled at the outlet and not the alternator. With Hi-Lo Limit Electronic Safety Shut Off this makes SP Industrial Series Generators one of the safest and advanced generators around.

SP use leading edge alternator and electronic technology to offer a range of generators that produce a very pure energy supply. This clean and pure form of energy makes SP Industrial Series Generators suitable to power even the most delicate electronic devices like laptops.

SP combined a strong rugged design with easy operation to offer one of the worlds most reliable and dependable range of generators.



SPG2800

GENERATOR - 6.5HP INDUSTRIAL SERIES

SPECIFICATIONS


- KVA: 2.8KVA
- Max Watts: 2300w
- Rated Watts: 2000w
- Power Outlets: 2 (15amp)
- Power: 50Hz/240v
- DB: 68dB
- Starting System: Pull
- Net Weight: 45kg
- Operating Hours: 23h at 50% load

FEATURES

- Sine wave technology
- Automatic voltage regulator
- Torini 4 stroke engine
- 2 x 15amp power outlets
- Large capacity 18L tank
- Ergonomical recoil start grip
- Large volume muffler 68dB(A)
- 12 Volt outlet

Dimensions: 590x 430 x 475mm

18 LITRE FUEL TANK





SPG4000

GENERATOR - 7HP INDUSTRIAL SERIES

SPECIFICATIONS

- KVA: 4KVA
- Max Watts: 3100w
- Rated Watts: 2800w
- Power Outlets: 2 (15amp)
- Power: 50Hz/240v
- DB: 68dB
- Starting System: Pull
- Net Weight: 52kg
- Operating Hours: 17h at 50% load

FEATURES

- Sine wave technology
- Automatic voltage regulator
- Torini 4 stroke engine
- 2 x 15amp power outlets
- Large capacity 18L tank
- Ergonomical recoil start grip
- Large volume muffler 68dB(A)
- 12 Volt outlet

Dimensions: 590x 490 x 550mm

18 LITRE FUEL TANK



3 YEAR ENGINE WARRANTY
4 YEARS DOMESTIC USE



SPG8100E

GENERATOR - 15HP INDUSTRIAL SERIES

SPECIFICATIONS


- KVA: 8.1KVA
- Max Watts: 6500w
- Rated Watts: 6000w
- Power Outlets: 3 (15amp)
- Power: 50Hz/240v
- DB: 72dB
- Starting System: Electric
- Net Weight: 90kg
- Operating Hours: 11.3h at 50% load

FEATURES

- Sine wave technology
- Automatic voltage regulator (AVR)
- Torini 4 stroke engine
- 3 x 15amp power outlets
- Large capacity 25L tank
- Large volume muffler 72dB(A)
- 12 Volt outlet
- Battery included

Dimensions: 695 x 710 x 720mm

18 LITRE FUEL TANK



3 YEAR ENGINE WARRANTY
4 YEARS DOMESTIC USE



GENERATORS CONSTRUCTION SERIES

**ON-SITE POWER SHORTAGE IS NOT A PROBLEM WHEN YOU
HAVE AN SP CONSTRUCTION SERIES GENERATOR.**

RELIABLE, ROBUST & EASY TO USE. NEVER BE WITHOUT POWER AGAIN

POWERED BY

TOPINI
ENGINES

SP Construction Series Generators all use a superior Automatic Voltage Regulator (AVR*) with a Digital Stability Control Program. This allows voltage to be calculated and controlled at the outlet and not the alternator. With Hi-Lo Limit Electronic Safety Shut Off this makes SP Construction Series Generators one of the safest and advanced generators around.

SP use leading edge alternator and electronic technology to offer a range of generators that produce a very pure energy supply. This clean and pure form of energy makes SP Construction Series Generators suitable to power even the most delicate electronic devices like laptops.

SP combined a strong rugged design with easy operation to offer one of the worlds most reliable and dependable range of generators.

SP have fitted IP66* Rated power outlets and RCD to their already famous professional generators to offer the most robust generators available to the building and construction industry.



SPGC8100E

GENERATOR - 15HP CONSTRUCTION SERIES

SPECIFICATIONS

- KVA: 8.1KVA
- Max Watts: 6500w
- Rated Watts: 6000w
- Power Outlets: 2 (15amp)
- Power: 50Hz/240v
- DB: 72dB
- Starting System: Electric
- Net Weight: 90kg
- Operating Hours: 11.3h at 50% load

FEATURES

- Sine wave technology
- Automatic voltage regulator
- RCD - Residual current circuit breaker
- Torini 4 stroke engine
- 2 x 15amp power outlets - IP66 rated
- Large capacity 25L tank
- Electric start
- Large volume muffler 72dB(A)
- 12 Volt outlet
- Battery included

Dimensions: 675 x 700 x 670mm

25 LITRE FUEL TANK



PURE SINE WAVE

AVR
AUTOMATIC VOLTAGE REGULATOR



IP66
WEATHER PROOF

3 YEAR ENGINE WARRANTY
4 YEARS DOMESTIC USE



SPGC12000E

GENERATOR - 20HP CONSTRUCTION SERIES

SPECIFICATIONS

- KVA: 12KVA
- Max Watts: 9500w
- Rated Watts: 8500w
- Power Outlets: 3 (15amp)
- Power: 50Hz/240v
- DB: 76dB
- Starting System: Electric
- Net Weight: 143kg
- Operating Hours: 20h at 50% load

FEATURES

- Sine wave technology
- Automatic voltage regulator
- RCD - Residual current circuit breaker
- Torini 4 stroke engine
- 3 x 15amp power outlets - IP66 rated
- Large capacity 45L tank
- Electric start
- Large volume muffler 76dB(A) @ 7 Meters
- 12 Volt outlet
- Pressure lubrication system
- Screw on replaceable oil filter
- Hour meter
- Battery included

Dimensions: 850 x 790 x 780mm

45 LITRE FUEL TANK



3 YEAR ENGINE WARRANTY
4 YEARS DOMESTIC USE

DIESEL POWERED



SPGD6800E

GENERATOR - 10HP CONSTRUCTION SERIES DIESEL POWERED

SPECIFICATIONS


- KVA: 6.8KVA
- Max Watts: 5500w
- Rated Watts: 5000w
- Power Outlets: 2 (15amp)
- Power: 50Hz/240v
- DB: 111dB
- Starting System: Electric
- Net Weight: 112kg
- Operating Hours: 10h at 50% load

FEATURES

- Sine wave technology
- Automatic voltage regulator
- RCD - Residual current circuit breaker
- Torini 4 stroke diesel engine
- 2 x 15amp power outlets - IP66 rated
- Fuel capacity: 14.5L tank
- Electric start
- Large volume muffler 111dB(A)
- Automatic decompression
- Low oil alert
- Heavy duty construction
- Pressure lubrication system
- Easy access oil filter
- Battery included

Dimensions: 850 x 790 x 780mm

14.5 LITRE FUEL TANK



3 YEAR ENGINE WARRANTY
4 YEARS DOMESTIC USE

