



Marking & Mortice Gauges

Beechwood Marking Gauge
For marking wood and laminate parallel to edge, prior to cutting, sawing or chiselling. With plastic thumbscrew.

Capacity: 0 - 150 (6").
Weight: 142g.



Order Code
KEN-597
-6600K

Rosewood Mortice Gauge
Manufactured from rosewood. Craftsman quality with pull slide, brass adjustment screw and brass plated head which is wear resistant and improves accuracy. Fitted with a single and a double spur for marking out mortices.

Capacity: 0 - 150mm (6").
Weight: 142g.



Order Code
KEN-597
-6650K

Chalk Lines

Aluminium Alloy Case
With foldaway locking handle. Heavy-duty robust design, complete with universal hook.
Weight: 242g.

Chalk not included



Line Length
30m
Order Code
KEN-597
-7300K

Die Cast Zinc Alloy Case
With a red satin finish. Complete with folding locking handle. Felt gasket distributes uniform chalk coating onto line. With sliding hatch for filling. Universal hook attaches to any projection or slot.
Weight: 383g.

Chalk not included



Line Length
30m
Order Code
KEN-597
-7320K

Chalk Line Refills - Large

Suitable for all chalk lines. Good colour fastness and weather resistance. Supplied in squeezable bottle.

Available in three colours:
Blue for general use externally and internally.
Red for exterior masonry work indelible in use.
White for interior use such as fixing a dado rail.



250gm NOW AVAILABLE

Colour	Weight each	Order Code
Blue	100g	-7330K
Red	100g	-7340K
White	100g	-7350K
Blue	250g	-7370K
Red	250g	-7380K
White	250g	-7390K

Angle Finder - Magnetic Base

Can be used independently as a 'quick check' tool or to convert a rule or square into a precision angle finder. High strength built-in ceramic magnet with vee groove for use on bars and pipes.

Accuracy: ±0.5%.
For the most accurate readings it is recommended that the angle finder is attached to a steel rule or square by means of the magnet or screws.

High strength built-in ceramic magnet plus vee groove for use on bars and pipes.



Dial Reading
0-90° (Any Quadrant)
Order Code
KEN-597
-7500K



KENNEDY Sliding Bevels

Used for marking regular and irregular angles. The 9" sliding steel blade can be locked into any position using the brass thumbscrew. Rosewood stock with brass tips for greater wear resistance.



Head Size	Weight Per 12	Order Code
190mm	1.95kg	-6750K
230mm	2.20kg	-6790K

Try & Mitre Squares

Used for marking out right angles and testing squareness. Rosewood stock with brass face for greater wear resistance. Blades are manufactured from hardened steel, and secured by steel washers with brass rivets. Solid rosewood stock with solid brass facing securely fixed to the stock provides a hard wearing contact edge.



Head Size	Weight Per 12	Order Code
150mm (6")	2.90kg	-6860K
230mm (9")	3.80kg	-6890K

WOODWORKING TOOLS

Rafter Square





Manufactured from hardened and tempered ground steel. Graduated to 2mm on one side and 1/8" and 1/16" increments on the other. In hands of a skilled carpenter the simple rafter's square becomes an indispensable calculating device of immense capacity. Enabling the carpenter to easily determine the length of any common, hip, valley or jack rafter for any pitch of roof. To make the proper cuts, top and bottom as well as slide or cheek cuts for any rafter.



Body Length	Tongue (mm)	Weight per 12	Order Code
610mm	406	11.1kg	-6950K

Combination Squares

Multi-functional. Can be used as try square, mitre square, depth gauge, spirit level, marking gauge, height gauge and rule. Supplied with scribing tool. Diecast aluminium alloy head with the 6" rule and diecast zinc alloy head with the 12" rule. Precision rolled blades.



Supplied with scribing tool.




Type	Blade Length	Weight Per 5	Order Code
Combination Square	150mm/6"	2.80kg	-7060K
Combination Square	300mm/12"	2.80kg	-7120K
Spare Lock Nut & Mandrel for 6"			-7130K
Spare Lock Nut & Mandrel for 12"			-7132K
Spare Scriber for 6"			-7134K
Spare Scriber for 12"			-7136K

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

KENNEDY Hexagon Key L-Wrenches
QUALITY INDUSTRIAL TOOLS

Manufactured from fully hardened carbon steel in accordance with **DIN ISO 2936** ensuring a quality ductile key with precision square cut ends and accurate AF dimensions to ensure full socket contact. Black finish.



METRIC



Metric - Standard Length

Size (mm)	Dimensions(mm)		Weight per 100	Order Code KEN-601
	a	b		
1.5	46.0	15.0	0.95kg	-1150K
2.0	52.0	18.0	1.93kg	-1200K
2.5	58.0	20.0	3.36kg	-1250K
3.0	66.0	23.0	5.52kg	-1300K
4.0	74.0	29.0	11.4kg	-1400K
5.0	85.0	33.0	20.4kg	-1500K
6.0	96.0	38.0	33.3kg	-1600K
7.0	102.0	41.0	48.5kg	-1700K
8.0	108.0	44.0	67.4kg	-1800K
10.0	122.0	50.0	119kg	-2100K
12.0	137.0	57.0	194kg	-2120K
14.0	154.0	70.0	305kg	-2140K
17.0	177.0	80.0	517kg	-2170K
19.0	199.0	89.0	723kg	-2190K
22.0	222.0	102.0	1092kg	-2220K
24.0	224.0	90.0		-2240K
27.0	250.0	100.0		-2270K
32.0	315.0	125.0		-2320K

INCH



Inch - Standard Length

Size (inch)	Dimensions(mm)		Weight per 100	Order Code KEN-601
	a	b		
0.028"	33	7	0.07kg	-0010K
0.035"	33	11	0.08kg	-0020K
0.050"	41	13	0.11kg	-0030K
1/16"	47	16	0.16kg	-0040K
5/64"	52	18	0.21kg	-0050K
3/32"	58	20	0.32kg	-0060K
7/64"	66	23	0.42kg	-0070K
1/8"	66	23	0.58kg	-0080K
9/64"	72	26	0.77kg	-0090K
5/32"	74	29	1.00kg	-0100K
3/16"	85	33	1.50kg	-0120K
7/32"	91	36	2.16kg	-0140K
1/4"	96	38	3.20kg	-0160K
5/16"	108	44	4.30kg	-0200K
3/8"	122	50	9.20kg	-0240K
7/16"	130	53	13.50kg	-0280K
1/2"	145	63	19.40kg	-0320K
9/16"	154	69	27.00kg	-0360K
5/8"	176	76	36.00kg	-0400K
3/4"	199	89	62.00kg	-0480K
7/8"	222	102	92.00kg	-0560K
1"	275	125	128.00kg	-0640K

HAND TOOLS

Metric/Inch Hexagon Key Set - 20 Piece

Manufactured from high grade carbon steel to international standards **DIN ISO 2936**.

Supplied in a tough ABS plastic case for easy storage and selection.

Metric - 10 Piece: 1.5, 2, 2.5, 3, 4, 5, 6, 7, 8 and 10mm.

Inch - 10 Piece: 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8".



**20
PIECES**



Order Code **KEN-601**

-1060K

Description

Order Code **KEN-593**

Spare Case for 601-1060K

-4500K

Hexagon Key Walleted Sets

Metric - 9 Piece

Set Contents:

1.5 x 45, 2 x 50, 2.5 x 56, 3 x 63, 4 x 70, 5 x 79, 6 x 90, 8 x 100 and 10 x 112mm.

Inch - 10 Piece

Set Contents:

1/16" x 1 3/4", 5/64" x 1 7/8", 3/32" x 2", 1/8" x 2 1/4", 5/32" x 2 1/2", 3/16" x 2 3/4", 7/32" x 3", 1/4" x 3 1/4", 5/16" x 3 3/4" and 3/8" x 4 1/4".



Number of Pieces

9 (mm)
10 (inch)

Order Code **KEN-601**


-2970K
-0970K

CV Hex Keys

Chrome vanadium steel with a nickel plating.

Manufactured to **DIN ISO 2936**.

Supplied in an indexed plastic holder.



METRIC



Size (mm)	Overall Length (mm)	Order Code KEN-601
1.5	45	-7520K
2.0	50	-7540K
2.5	55	-7560K
3.0	60	-7580K
4.0	75	-7600K
5.0	85	-7620K
6.0	95	-7640K
8.0	110	-7660K
10.0	120	-7680K
9 Piece Set	1 of each above	-7990K

Key Ring Sets


Metric - 8 Piece Set Contents:

1.5, 2, 2.5, 3, 4, 5, 5.5 and 6mm.

Inch - 8 Piece Set Contents:

1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32" and 1/4".

**8
PIECES**



Number of Pieces

8 (mm)
8 (inch)

Order Code **KEN-601**

-2980K
-0980K



Manufactured from fully hardened carbon steel in accordance with **DIN ISO 2936** ensuring a quality ductile key with precision square cut ends and accurate AF dimensions to ensure full socket contact. Black finish.


Metric - Long Arm
METRIC


Size (mm)	Dimensions (mm) a	b	Weight per 100	Order Code KEN-601
1.5	63	15	1.21kg	-4150K
2.0	77	18	2.61kg	-4200K
2.5	87	20	4.59kg	-4250K
3.0	93	23	7.17kg	-4300K
4.0	104	29	14.6kg	-4400K
5.0	120	33	26.3kg	-4500K
6.0	141	38	44.3kg	-4600K
8.0	158	44	89.1kg	-4800K
10.0	180	50	158kg	-5100K
12.0	202	57	257kg	-5120K
14.0	229	70	405kg	-5140K
17.0	262	80	684kg	-5170K
19.0	280	89	922kg	-5190K
22.0	330	80		-5220K
24.0	370	90		-5240K
27.0	420	100		-5270K
32.0	500	125		-5320K

Inch - Long Arm
INCH


Size (inch)	Dimensions (mm) a	b	Weight per 100	Order Code KEN-601
1/16"	77	14	0.21kg	-3040K
5/64"	82	15	0.31kg	-3050K
3/32"	88	17	0.44kg	-3060K
7/64"	92	18	0.62kg	-3070K
1/8"	96	19	0.79kg	-3080K
9/64"	101	20	0.81kg	-3090K
5/32"	105	21	1.60kg	-3100K
3/16"	114	24	2.20kg	-3120K
7/32"	124	26	3.40kg	-3140K
1/4"	135	28	4.40kg	-3160K
5/16"	151	32	8.00kg	-3200K
3/8"	170	35	13.00kg	-3240K
1/2"	208	41	28.00kg	-3320K
9/16"	228	44	33.00kg	-3360K
5/8"	250	48	67.00kg	-3400K

Metric 9 Piece Long Arm Set Contents:

1.5 x 77, 2 x 83, 2.5 x 90, 3 x 98, 4 x 106, 5 x 118, 6 x 137, 8 x 156, and 10 x 170mm.

METRIC


Number of Pieces	Weight each	Order Code KEN-601
9	450g	-5970K

Inch 10 Piece Long Arm Set Contents:

1/16" x 3", 5/64" x 3 3/16", 3/32" x 3 1/2", 1/8" x 3 3/4", 5/32" x 4 1/8", 3/16" x 4 1/2", 7/32" x 4 7/8", 1/4" x 5 5/16", 5/16" x 6", and 3/8" x 6 3/4".

INCH


Number of Pieces	Weight each	Order Code KEN-601
10	380g	-3970K

Hexagon T-Handle Wrenches

Manufactured from fully hardened carbon steel. Ergonomically designed handle to provide high grip and torque with user comfort.


METRIC


Metric Size mm	Overall Length (mm)	Weight each	Order Code KEN-601
2.0	150	25g	-6030K
2.5	150	30g	-6050K
3.0	150	35g	-6060K
4.0	190	55g	-6080K
5.0	190	70g	-6100K
6.0	225	120g	-6120K
8.0	225	155g	-6160K
10.0	225	220g	-6200K

INCH


Inch Size (Inch)	Overall Length (Inch)	Weight each	Order Code KEN-601
3/32"	6"	25g	-6560K
1/8"	6"	30g	-6580K
5/32"	7 1/2"	55g	-6600K
3/16"	7 1/2"	65g	-6620K
1/4"	9"	130g	-6660K
5/16"	9"	160g	-6700K
3/8"	9"	210g	-6740K

Metric 5 Piece Set Contents:

4, 5, 6, 8 and 10mm.



Metric 8 Piece Set Contents: 2, 2.5, 3, 4, 5, 6, 8 and 10mm.


METRIC
5
PIECES
8
PIECES

Number of Pieces	Weight each	Order Code KEN-601
5	685g	-6450K
8	765g	-6470K

KENNEDY PROFESSIONAL Pro-Torq Hex Wrench Sets on Clip


Supplied on robust plastic clips. Keeps all sizes together and readily available. Conveniently folds up to a handy pocket size with penknife type storage. Wrench size stamped on clip.


INCH
METRIC

Size	Weight each	Order Code KEN-601
5/64" - 1/4"	160g	-1020K
1.5 - 8mm	160g	-3020K



KENNEDY Extra Long Ball Driver
Hex Key Set

Can be used at angles of up to 30°. Manufactured from high grade carbon steel to international standards.

Metric: 1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10mm

Inch: 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8".



**20
PIECES**



Tough ABS plastic case for easy storage and selection.


Description	Order Code
Spare Case to suit 602-280	KEN-593 -4520K

Number of Pieces	Weight each	Order Code
20	940g	KEN-602 -2800K

HAND TOOLS

KENNEDY Ball Driver
L-Wrenches

Manufactured from fully hardened carbon steel. A quality ductile key with precision cut ends and accurate AF dimensional to ensure maximum socket contact. Ball end allows up to 30° work offset. Long arm end is ball drive and short arm end plain. Black oxidised finish.



METRIC

Size (mm)	Overall Length	Weight per 100	Order Code
1.5	63mm	1.21kg	-3030K
2.0	77mm	2.61kg	-3040K
2.5	87mm	4.59kg	-3050K
3.0	93mm	7.17kg	-3060K
4.0	104mm	14.6kg	-3080K
5.0	120mm	26.2kg	-3100K
6.0	141mm	44.3kg	-3120K
7.0	147mm	63.5kg	-3140K
8.0	158mm	89.1kg	-3160K
10.0	180mm	158kg	-3200K

INCH

Size (inch)	Overall Length	Weight per 100	Order Code
0.050"	77mm	0.30kg	-4030K
1/16"	77mm	0.32kg	-4040K
5/64"	82mm	0.32kg	-4050K
3/32"	89mm	0.46kg	-4060K
7/64"	96mm	0.64kg	-4070K
1/8"	101mm	0.86kg	-4080K
9/64"	105mm	1.10kg	-4090K
5/32"	113mm	2.10kg	-4100K
3/16"	124mm	2.30kg	-4120K
7/32"	134mm	3.40kg	-4140K
1/4"	150mm	2.80kg	-4160K
5/16"	162mm	8.00kg	-4200K
3/8"	186mm	26.00kg	-4240K

Metric 7 Piece Set Contents: 1.5, 2, 2.5, 3, 4, 5 and 6mm.

Metric 9 Piece Set Contents: 1.5, 2, 2.5, 3, 4, 5, 6, 8 and 10mm.

Supplied in a plastic storage clip.




METRIC

Number of Pieces	Weight each	Order Code
7	110g	-4570K
9	350g	-5500K

Inch 7 Piece Set Contents: 5/64", 3/32", 7/64", 1/8", 9/64", 5/32" and 3/16".

Inch 9 Piece Set Contents: 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8".

Supplied in a plastic storage clip.



INCH

Number of Pieces	Weight each	Order Code
7	80g	-5580K
9	370g	-5730K

**KENNEDY**
QUALITY INDUSTRIAL TOOLING**Hexagon T-Handle
Ball Drivers**Manufactured from fully hardened carbon steel.
Ergonomically designed handle to provide high grip and torque with user comfort.**METRIC**

Size (mm)	Overall Length	Order Code KEN-602
2.5	150mm	-6050K
3.0	150mm	-6060K
4.0	150mm	-6080K
5.0	190mm	-6100K
6.0	190mm	-6120K
8.0	230mm	-6160K
10.0	230mm	-6200K

METRIC**5 Piece Set Contents:**
4, 5, 6, 8 and 10mm.**7 Piece Set Contents:**
2.5, 3, 4, 5, 6, 8 and 10mm.**5
PIECES****7
PIECES**

Number of Pieces	Weight each	Order Code KEN-602
5	650g	-7650K
7	1007g	-7770K

CV Ball Drivers

Manufactured from chrome vanadium steel with a nickel plating. Set supplied in an indexed plastic holder. Individual hexagon key slots help to instantly identify missing drivers.

**INCH**

Size (mm)	Overall Length	Order Code KEN-602
1.5	80mm	-9030K
2.0	85mm	-9040K
2.5	90mm	-9050K
3.0	100mm	-9060K
4.0	110mm	-9080K
5.0	130mm	-9100K
6.0	150mm	-9120K
8.0	175mm	-9160K
10.0	200mm	-9200K
9 Piece Set 1 of each above		-9940K

HEXAGON BALL DRIVERS**GROUP
602****KENNEDY
PROFESSIONAL****Pro-Torq T-Handled
Hexagon Ball Drivers**

Manufactured from hardened carbon steel with a dual material 'T' handle grip for comfort and extra force. The ball drivers can be used at angles of up to 30° for use where access is restricted and the shorter hexagon end is ideal for use when a greater tightening torque is required. Long arm end is ball drive and short arm end plain. Black oxidised finish.

**INCH**

Size (mm)	Overall Length	Order Code KEN-602
2.0	130mm	-7010K
2.5	140mm	-7020K
3.0	150mm	-7030K
4.0	160mm	-7040K
5.0	175mm	-7050K
6.0	185mm	-7060K
8.0	195mm	-7080K
10.0	205mm	-7100K

**Pro-Torq Ball Driver Set
Contents:**

2.0, 2.5, 3, 4, 5, 6, 8 and 10mm.

**8
PIECES**Weight each
750gOrder Code
KEN-602
-7800K**Hexagon Ball Driver Hand Clip Sets****METRIC****7 Piece Set Contents:** 2.5, 3, 4, 5, 6, 8 and 10mm.**INCH****7 Piece Set Contents:** 3/32", 1/8", 5/32", 3/16", 1/4", 5/16" and 3/8".

Description	Number of Pieces	Weight each	Order Code KEN-602
Metric	7	360g	-8070K
Inch	7	465g	-8170K

Pro-Torq Hexagon Ball Wrench Clip Sets

Conveniently folds up to a handy pocket size with penknife type storage. Moulded handle that gives excellent grip and user comfort.

Dimensions (W x D x H):
40 x 22 x 115mm.**8 Piece Set Contents:**
1.5 - 8mm.**METRIC****9 Piece Set Contents:** 5/64" - 1/4".**INCH**

Description	Number of Pieces	Weight each	Order Code KEN-602
Metric	8	169g	-8280K
Inch	9	149g	-8390K

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR**633**

GROUP 602 HEXAGON BALL DRIVERS



KENNEDY Hexagon Ball Drivers
QUALITY INDUSTRIAL TOOLING



Can be used at angles of up to 25° from the screw head, making them ideal for awkward access areas. Manufactured from hardened carbon steel, available with fluted driver handles, L-wrench pattern or T-handle.



METRIC  HEXAGON

Metric Size (mm)	Blade Length	Weight Per 10	Order Code KEN-602
1.5	86mm	65g	-1030K
2.0	89mm	90g	-1040K
2.5	99mm	120g	-1050K
3.0	81mm	200g	-1060K
4.0	97mm	450g	-1080K
5.0	109mm	710g	-1100K
6.0	137mm	910g	-1120K
8.0	163mm	1580g	-1160K
10.0	185mm	1840g	-1200K

INCH  HEXAGON

Inch Size (Inch)	Blade Length	Weight Per 10	Order Code KEN-602
1/16"	84mm	90g	-2040K
5/64"	89mm	110g	-2050K
1/8"	79mm	200g	-2080K
9/64"	84mm	400g	-2090K
5/32"	89mm	550g	-2100K
3/16"	96mm	1380g	-2120K
1/4"	119mm	1320g	-2160K
3/8"	165mm	1530g	-2240K

Hexagon Ball Driver Sets

Metric 6 Piece Set Contents:
 1.5, 2, 2.5, 3, 4 and 5mm.

Metric 9 Piece Set Contents:
 1.5, 2, 2.5, 3, 4, 5, 6, 8 and 10mm.

Inch 8 Piece Set Contents:
 1/16", 5/64", 1/8", 9/64", 5/32", 3/16", 1/4" and 3/8".

HAND TOOLS



6 PIECES


METRIC



Weight each
170g

Order Code
KEN-602

-2560K



9 PIECES

METRIC



Weight each
640g

Order Code
KEN-602

-2590K



8 PIECES

INCH



Weight each
480g

Order Code
KEN-602

-2640K



KENNEDY
QUALITY INDUSTRIAL TOOLING

L-Wrench TX Keys

Manufactured from chrome molybdenum steel. Made to manufacturer's standards. Torx is a registered trademark of Camcar Textron.



Size	Length (mm)	Weight each	Order Code KEN-603	Size	Length (mm)	Weight each	Order Code KEN-603
T6	46	20g	-0060K	T25	63	100g	-0250K
T7	52	20g	-0070K	T27	69	160g	-0270K
T8	52	30g	-0080K	T30	78	210g	-0300K
T9	54	30g	-0090K	T40	85	310g	-0400K
T10	54	40g	-0100K	T45	92	445g	-0450K
T15	58	55g	-0150K	T50	100	640g	-0500K
T20	61	75g	-0200K	T55	120	1200g	-0550K

L-Wrench TXS (Tamper-Proof) Keys

TXS tamper-proof TX keys are the same shape as standard TX keys, but have a security hole in the middle. Manufactured from chrome molybdenum steel.



Size	Length (mm)	Weight each	Order Code KEN-603	Size	Length (mm)	Weight each	Order Code KEN-603
T8	52	30g	-2080K	T25	63	100g	-2250K
T9	54	30g	-2090K	T27	69	160g	-2270K
T10	54	40g	-2100K	T30	78	210g	-2300K
T15	58	55g	-2150K	T40	85	310g	-2400K
T20	61	75g	-2200K				

Driver Style TX Keys

Screwdriver handle style wrenches. Suitable for all applications but particularly favoured for use when replacing shims and inserts on replaceable tipped carbide tooling. Also favoured by the electronics industry. Made from chrome molybdenum steel. Each driver is marked with size.



Size	Length (mm)	Weight each	Order Code KEN-603	Size	Length (mm)	Weight each	Order Code KEN-603
T6	61	30g	-0060D	T10	75	60g	-0100D
T7	61	32g	-0070D	T15	92	83g	-0150D
T8	72	34g	-0080D	T20	96	97g	-0220D
T9	75	60g	-0090D	T25	100	100g	-0250D

KENNEDY TX Key Ring Set

Contents: T9, T10, T15, T20, T25, T27, T30 and T40.



8
PIECES



Weight each	Order Code KEN-603
120g	-0720K

KENNEDY PROFESSIONAL Pro-Torq TX Wrench Set on Clip

Eight keys supplied on robust plastic clip. Keeps all sizes together and readily available. Conveniently folds up to a handy pocket size with penknife type storage. Wrench size stamped on clip.



Size	Weight each	Order Code KEN-603
T9 - T40	164g	-1680K



TX KEYS

GROUP
603



Set Contents:

T8, T9, T10, T15, T20, T25, T27, T30 and T40. Supplied in a plastic storage clip.



9
PIECES



Weight each	Order Code KEN-603
155g	-0760K

Set Contents:

T8, T9, T10, T15, T20, T25, T27, T30 and T40. Supplied in a plastic storage clip.



9
PIECES

Weight each	Order Code KEN-603
102g	-2680K

INDEXA-SEIKI Flag Type TX Keys



TX keys for use with external toolholders.



Type Torx Key	Order Code IND-107
T6 Flag	-5060K
T7 Flag	-5070K
T8 Flag	-5080K
T9 Flag	-5090K
T10 Flag	-5100K
T15 Flag	-5150K
T20 Flag	-5200K

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

635