



Office Supplies & Packaging

Product Grading



Production

High performance industrial tooling designed for continuous use applications on machine tools where repeatability and long tool life are of critical importance.



Professional

Industrial tooling that has enhanced features and benefits demanded by craftsmen and professional users.



Industrial

Designed for regular use in industrial applications. Manufactured to stringent quality levels and international standards.



Workshop

Standard quality tooling for use by tradesmen and generally industrial use.



Maintenance

Products designed for general maintenance of machines, workshops, garages and some household applications.



Home Improver

DIY quality tooling. Designed for home use and light industrial applications.



Product Groups

787 - 982

Contents

Description	Group	Page	Description	Group	Page
OFFICE SUPPLIES			PACKAGING & TAPES		
Archive Boxes & Storage	800	708	Banding, Strapping & Accessories	837	718 - 719
Calculators	825	714	Bonding Tapes	981	724
Catering Appliances	787	708	Industrial Tapes	981	724 - 725
Clocks	802	710	Masking Tapes	980	724
Computer Cleaners	803	710	Message Tapes & Labels	981	729
Data Books	849	716	Packaging - Cartons & Tubes	837	723
Furniture	811	710 - 711	- Paper/Bubble	837	723
Markers	846	713	- Polythene	837	720 - 721
Notice Boards	836	712	- Tags & Ties	837	722
Organisers	801	708	Packaging Tapes	981	726 - 727
Clipboards	804	708	Protective Sleeving	956	717
Security - Mirrors	820	709	Safety Knives	982	729
- Safes	820	709	Tackers & Staplers - Heavy Duty	838	721
Easels	836	712	Tape Dispensers	979	726, 728
Trimmers & Guillotines	840	713	Transparent Tapes	982	726
Weighing Scales	844	715			
Whiteboards	836	712			
Whiteboard Cleaners	836	713			
Tapes & Magnets	836	713			

KOBE Insect Killers

A safe and hygienic way to eliminate flying insects. Features a protective outer mesh, low energy consumption and removable tray for easy cleaning. Suitable for suspending from a wall or ceiling. Supplied with hanging chain.



EIK202

Replacement Tubes

Tube Type	Rated Power	Order Code
TLD10W	20W	-0150K
TLD20W	40W	-0160K

Model Number	Effective Area	Rated Power	Tube Type	Order Code
EIK202	30m ²	20W	2x TLD10W	-0130K
EIK402	60m ²	40W	2x TLD20W	-0140K

Remote Control Insect Killer

IKR202

A safe and hygienic way to eliminate flying insects. Features a protective outer mesh, low energy consumption and removable tray for easy cleaning. Suitable for suspending from a wall or ceiling. Supplied with hanging chain. Bulbs positioned at the top to allow an all round opening.

Tube type: 2x TLD10W.

Effective area: 40m².

Replacement tube: Order Code KBE-787-0150K (for single tube).



Rated Power	Order Code
20W	-0170K

Remote Control



Business Card Holder

Business Card Holder: PVC leather-look padded holder. Organise, store and view up to 96 cards. **Size (H x W x D):** 200 x 120 x 17mm.



Order Code
OFI-804
-0100K

PVC Clipboards

Keeps paper firmly in place. Rigid PVC covered board with heavy duty clip. Suitable for foolscap and A4 papers. Foldover clipboard has an inside pocket for protecting papers.




*Colours in table are for guidance only.

Colour	Type	Order Code
		OFI-804
Black	Single	-1720K
Blue	Single	-1725K
Red	Single	-1730K
Black	Foldover	-1740K
Blue	Foldover	-1745K
Red	Foldover	-1750K

AVON Archive Boxes

PACK OF
10

Rigid cardboard box with carrying handles and attached lid to prevent loss/damage. **Dimensions (W x H x D):** 430 x 360 x 257mm.




Colour	Order Code
Brown	AVN-801 -0040K



MATLOCK

Key Cabinets

All heavy gauge steel construction for secure key storage. Fitted with security lock and supplied complete with two keys. All key hooks are numbered for easier identification. Easily fitted to walls with screws (fixings not supplied).



Capacity	Order Code MTL-820
20 Keys	-0200K
48 Keys	-0250K
93 Keys	-0300K

Acrylic Security Mirrors

Internal and external acrylic convex mirrors with fully adjustable fixing brackets. For use in all situations i.e. security, safety, traffic surveillance etc. Each mirror comes complete with wall mounting hardware and instructions for maximum viewing.



Type	Size (mm)	Order Code MTL-820
Interior	400	-8040K
Interior	600	-8060K
Outdoor	600	-8160K

Convex Traffic Safety Mirror

These lightweight convex traffic mirrors are designed to assist road safety and can help eliminate blind spots at corners, concealed entrances and exits, car parks and junctions to ensure maximum visibility. Mirror manufactured from unbreakable Polymir with red/white plastic surround.



Type	Order Code MTL-820
Outdoor	-7840K

Emergency Key Cabinet

The Matlock Emergency Key Cabinet is an ideal way to centrally control access to a restricted key for emergency use on site. Supplied with hammer chain to break glass. It is manufactured from heavy gauge steel, with durable piano hinges, and a security lock with two keys.



Type	Order Code MTL-820
Keyed	-0400K

Blue Plastic Key Rings

Manufactured from plastic with a removable address label. Fitted with a metal key ring.



PACK OF
50

Order Code MTL-820
-9020K

Electronic Key Safe

Electronic key safe with a handy deposit slot - insert keys without opening the cabinet. Supplied with a manual override key, key rings, multi coloured tags and fixing bolts. Requires 4x AA batteries.



Key Capacity	Order Code MTL-820
48	-5540K

50 Key Cabinet with Perspex Window

Lockable steel key safe featuring a clear perspex window for easy visual check on keys. Suitable for wall mounting and includes pre-drilled mounting holes and bolts.



Key Capacity	Order Code MTL-820
50	-0350K

SECURITY SAFES

GROUP
820

Combination Key Safe

DPC012

Strong, secure, convenient key safe for making keys available for those you trust. Made of steel with a powder coated finish, it has four mounting holes (screws provided) and a weather guard to protect the re-settable 10,000 combination lock.



Size	Order Code MTL-820
118 x 83 x 40mm	-0500K

Mechanical Keyed Safe

Will safely store your valuables, legal documents etc.. It features double-locking steel bolts, concealed hinges, and pre-drilled anchor points for easy floor or wall mounting. Supplied with 3 keys.

Colour:
black.



Dimensions H x W x D (mm)	Order Code MTL-820
200 x 310 x 200	-6170K

Electronic Safe

Electronic safe complete with mounting bolts and floor carpet. One fixed shelf. 3 - 8 digit locking code. Concealed emergency manual key lock. Double locking bolts. Fine powder coated finish.



Dimensions (mm)		Order Code MTL-820
Internal	External	
290x370x245	300 x 380x300	-5030K

Electronic Digital Safe

Steel safe fitted with electronic combination lock that uses a 3 to 8 digit code. Features indicator lights for open, low battery and warning. Features 20mm locking bolts, concealed hinges, and pre-drilled anchor points for securing to the floor. Includes emergency override key and protective floor mat. Requires 4x AA batteries (included).



Dimensions H x W x D (mm)		Order Code MTL-820
Internal	External	
246x346x190	250x350x250	-6140K

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

709



14" Chrome Battery Clock

Traditional 12 hour clock.
Analogue display with quartz movement.



Size	Order Code
355mm (14")	OFI-802
	-0550K

24 Hour Clock

254mm (10") dial with a white plastic rim.
Large easy to read digits, hands and divisions. Moulded hanging slot for wall mounting. Quartz movement.
Requires 1x AA battery (not supplied). Conforms to CE.



Size	Order Code
254mm (10")	OFI-802
	-0540K

OFFICE SUPPLIES & PACKAGING

Lincoln

Conference Stacking Chairs

Stackable chairs with stylish black frame, deep foamed seat and curved back.

Maximum weight: 18 stones.
Colours: blue and black.
Dimensions: Seat: W415 x D470 x H495mm.
Back: W490 x H335mm.



Colour	Order Code
Blue	LNC-811
Black	-0480K
	-0490K

Conference Stacking Chairs

Multi-purpose stacking chair with chrome frame and comfortable deep foamed seat and back.
Five year guarantee.

Maximum weight: 18 stones.
Colours: blue and black.
Dimensions: Seat: W415 x D470 x H495mm.
Back: W490 x H335mm.



Colour	Order Code
Blue	LNC-811
Black	-0500K
	-0510K

Plastic Kick Stools

Manufactured in high quality durable plastic, lightweight and easy to move. Incorporates three sprung loaded castors which retract when weight is applied.

Maximum load: 125kg.



Colour	Order Code
Black	LNC-811
Blue	-0350K
Grey	-0360K
Red	-0370K
	-0380K

Metal Kick Stools

Fitted with three spring loaded castors for robust maximum mobility. Base ring holds the kick stool rigid to the floor when weight is applied. Heavy-duty construction.

Colours: black, blue, grey or red.
Diameter: 29cm.



Colour	Order Code
Black	LNC-811
Blue	-0190K
Grey	-0200K
Red	-0210K
	-0220K

SOLENT Air Duster

HFC-free. Designed to remove dust and dirt from hard to reach areas. Environmentally friendly, does not contribute to global warming. Extension tube included.

Size: 400ml can.



Order Code
SOL-780
-6800A

Multi-Purpose Wipes

Antibacterial multi-purpose wipes. Effectively cleans hard surfaces, computer casing, desks, telephones etc. Antibacterial formulation effective against E.coli, salmonella, MRSA and influenza virus. Helps to reduce build-up of dust and dirt where germs can breed.



PACK OF 100

Order Code
SOL-780
-6920N

Lincoln High Back Operator's Chair

Fabric covered, high backed, operator's chair. Gas assisted height adjustment and seat base tension control. Back height adjustment. 3" thick seat and back padding. Five star base for stability with covered dual wheel castors on each spur for moving seat location. Arm rests available as an optional extra.

Colours: charcoal and royal blue.
Maximum weight: 18 stones.
Dimensions:
Seat: D470 x W486mm.
Back: H501 x W460mm.
Seat height: 460mm.



Colour	Order Code
Charcoal	LNC-811 -0010K
Royal Blue	-0030K

High Backed Manager's Chairs

Fabric covered, high backed, manager's chair. Gas assisted height adjustment and seat base tension control. 3" thick seat and back padding for optimal comfort. Five star base for stability with covered dual wheel castors on each spur for moving seat location. Shaped arm rests for comfort.

Colours: charcoal and royal blue.
Dimensions:
Seat: D504 x W539mm.
Back: H628 x W529mm.
Seat height: 460mm.



Colour	Order Code
Charcoal	LNC-811 -0060K
Royal Blue	-0080K

High Industrial PU Chair

Moulded plastic, fixed position chair. Five star base for stability.

Colour: black.
Maximum weight: 18 stones.
Dimensions:
Height adjustable chrome foot ring: 200 - 400mm.
Seat height adjustment: 590 - 830mm.
 Medium back with depth adjustment.



Not to be used with castors

Colour	Order Code
Black	LNC-811 -0670K

Low Industrial PU Chair No Foot Ring

Easy to clean polyurethane ideal for the factory floor, workshop or laboratory.

Maximum weight: 18 stones.
Colour: black.
Dimensions:
Seat: W460 x D420 x H410 - 530mm.
Back: H310mm.



Colour	Order Code
Black	LNC-811 -0660K

Draughtsman's Chair

Fabric covered, fixed position chair. Five star base for stability.

Colours: charcoal or royal blue fabric colours.
Maximum weight: 18 stones.
Height adjustable chrome foot ring: (between 200 - 400mm).
Seat height adjustment: (590 - 830mm).
 Medium back with depth adjustment.



Not to be used with castors



Colour	Order Code
Charcoal	LNC-811 -0120K
Royal Blue	-0130K

OFFICE SUPPLIES & PACKAGING

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR



Felt Notice Boards - Aluminium Frames

Boards covered with felt in a range of colours for your business or personal use. Four fabric colours: blue, green, grey and red. In two sizes.



Colour	Size	Order Code OFI-836
Blue	900 x 600mm	-0050K
Red	600mm	-0080K
Blue	1200 x 900mm	-0090K
Red	900mm	-0120K

Executive Felt Covered Notice Boards - Aluminium Frames

Aluminium framed, executive felt covered notice boards. Available in blue, green, and grey with a satin finish aluminium frame.



Colour	Size	Order Code OFI-836
Blue	900 x 600mm	-0280K
Grey	600mm	-0300K
Blue	1200 x 900mm	-0310K
Grey	900mm	-0330K

Cork Notice Boards - Aluminium/ Wooden Frames


Cork boards are preferable for displaying notices and communications and they free your working area of knick-knacks. The boards will last for years even with daily use. Available in a choice of three sizes with anodised aluminium or wood frame finish.



Size	Order Code OFI-836
Aluminium Trim	
600 x 450mm	-0160K
900 x 600mm	-0170K
Wooden Trim	
600 x 450mm	-0130K
900 x 600mm	-0140K
1200 x 900mm	-0150K

Folding Magnetic Drywipe Board

Silver trimmed whiteboard with two folding end panels which double the display area. Panels can be closed for concealing sensitive information. Includes pen tray and wall fixings.



Size (mm)	Order Code OFI-836
1200 x 900	-0350K

Mobile Magnetic Drywipe Boards

Stylish and modern aluminium-framed mobile whiteboard to complement all conference and meeting rooms. Magnetic surface. Whiteboard is suspended on a horizontal pivot and mobility is provided by four leg castors. Complete with pen tray.

Available in two sizes:
1200 x 900mm and 1500 x 1200mm.



Size (mm)	Order Code OFI-836
1200 x 900	-0360K
1500 x 1200	-0370K

Drywipe Boards


These whiteboards have a revolutionary new surface which is ultra smooth to improve erasability and reduce ghosting. Plain white surface, supplied with wall fixings and pen tray.

Ultra Smooth Single Sided Magnetic Whiteboards

Surface guaranteed for five years in normal use. Surface can be used with any whiteboard markers and easy to wipe off.

Ultra Smooth Non-magnetic Whiteboard


Laminated dry-wipe whiteboard surface. Use with any whiteboard markers and easily wiped off by eraser.



Description	Size	Order Code OFI-836
Standard	900 x 600mm	-0030K
	1200 x 900mm	-0040K
Magnetic	900 x 600mm	-0010K
	1200 x 900mm	-0020K

Executive Dry Wipe Boards

The Offis™ Executive dry wipe white board is ideal to use in training seminars, presentations, in the classroom or anywhere else ideas or procedures need communicating to several people at the same time. The extra smooth, bright white surface improves erasability, reduces ghosting and provides a good contrast to anything written or drawn on it. Finished with an attractive aluminium trim and ABS plastic corners that will complement any conference or meeting room, supplied with concealed wall fixings and pen tray.



Size (mm)	Order Code OFI-836
Magnetic	
900 x 600	-0240K
1200 x 900	-0250K
Non-magnetic	
900 x 600	-0260K
1200 x 900	-0270K



Magnetic Markers

Round flat top magnets for use on magnetic planning boards, white boards or easels.



PACK OF
10



* Assorted colours:
black, blue, green, red and yellow.

Diameter	Colour	Order Code OFI-836
20mm	Black	-0550K
	Blue	-0560K
	Green	-0570K
	Red	-0580K
	White	-0590K
	Yellow	-0600K
20mm	Assorted*	-0500K
35mm	Assorted*	-0510K

SOLENT OFFICE Whiteboard Cleaner

Cleans like new! Effectively cleans dry wipe marker pen from most whiteboards. Non-toxic, non-hazardous fluid. Leaves whiteboards looking new. 250ml spray bottle. Use with Solent Dry Wipe Cloths (SOL-780-6840E) available separately.



Order Code
SOL-780
-7000A

KENNEDY Permanent Markers

Designed for use on all surfaces. Waterproof, low solvent content. Xylene-free.

PACK OF
10



Colour	Order Code KEN-734
Black	-5020K
Blue	-5060K
Red	-5040K
Green	-5070K




4-in-1 Rotary Trimmer

A multi-functional rotary trimmer - straight-cut, wave-cut, perforates and scores. Five sheet (80gsm) capacity. Safety cutting head with round stainless steel blade. Visual positioning aids. Finger cutting guard/transparent pressing rail. Non-slip rubber feet. Ideal for offices, homes and schools.

Max cut length: 300mm.

Size	Order Code OFI-840
A4	-0030K



A1 Freestanding 'A' Frame

Suitable for indoor/outdoor. Ideal for promoting products or displaying awareness information. Can be used in multiples to promote a series of information to people on the move. Double sided to display alternate traffic directions simultaneously. Anti-glare PVC poster cover helps to protect against environment and help maintain maximum visibility.



Order Code
OFI-836
-0190K

Adhesive Gridding Tape

Non-Magnetic vinyl tape, ideal for creating any form of grid, table or guide lines on drywipe and magnetic boards.

Length: 16.5m
Colour: black.



Size	Order Code OFI-836	Description	Order Code OFI-836
1.5mm x 16.5m	-0480K	Dispenser	-0520K
3mm x 16.5m	-0490K		



PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

GROUP 825 CALCULATORS

EDISON 8-Digit Pocket LCD Calculator

PC008
General purpose pocket-sized calculator with 8 digit LCD display. Solar powered with battery back-up. Percentage key. Automatic power off.
Dimensions (W x H): 62 x 102mm.



DUAL POWER 8 DIGITS

Product Number	Order Code
PC008	EDI-825 -0050K

12-Digit Semi-Desk LCD Calculator

DCS012
General purpose desk calculator with 12 digit LCD display. Includes cost, sell and margin feature and tax function. Solar powered with battery back-up.
Dimensions (W x H): 98 x 137mm.



Product Number	Order Code
DCS012	EDI-825 -0070K

OFFICE SUPPLIES & PACKAGING

12-Digit Desk LCD Calculator

DC012
General purpose desk calculator with 12 digit LCD display. Includes cost, sell and margin feature and tax function. Solar powered with battery back-up.
Dimensions (W x H): 109 x 167mm.

new



DUAL POWER 12 DIGITS

Product Number	Order Code
DC012	EDI-825 -0060K

Scientific Calculator

DFC240
Combines a twin line display that shows both the question and the answer with a logical algebraic entry system that allows you to enter calculations in the order they are written. Has 240 functions, automatic power off and slide-on case.
Dimensions (W x H): 83 x 154mm.



- Two-line display**
- Upper line shows calculation formula.
 - Lower line shows the result.

Product Number	Order Code
DFC240	EDI-825 -0080K

12-Digit Large LCD Calculator

DLC012
Large desk calculator with 12 digit LCD display. Features cost, sell and margin keys for profit calculations and tax keys which are ideal for VAT calculations. Solar powered with battery back-up.
Dimensions (W x H): 129 x 180mm.

new




12 DIGITS

Product Number	Order Code
DLC012	EDI-825 -0090K

Financial Calculator

DFC012
3 digit comma markers. Large 12 digit displays. Dual power, solar with battery back up. Automatic power off. Flip down stands.
Additional features: Clock. Decimal place selector; 'Floating', '4,2,0 digits' or Tax (with presettable rate), cost, sell, margin.

new



DUAL POWER 12 DIGITS

Model Number	Order Code
DFC012	EDI-825 -0030K

OXFORD PRECISION Electronic Weigh & Count Scales

Suitable for office, postroom or stores applications, the scales are designed to run on mains power or rechargeable battery (included). The large digital display is easy to read and metric or imperial readings can be selected.



Max Capacity	Order Code
6kg	OXD-844 -2040K

Electronic Weighing Scales

Designed to run on mains power via the 12V DC 650mA AC adaptor provided or the 6V 4AH rechargeable battery (included).
Graduation: 0.002kg/0.005lb.



Model No.	Max Capacity	Order Code
WS-15E	15kg/31lb	OXD-844 -2220K

Glass Top Digital Platform Scales

LCS03

Stylish and hygienic digital platform scales. ideal for accurate weighing of ingredients. Tare weight function. Overload indication. Low voltage alarm. Auto power off after 90 seconds.



Capacity	Platform Size	Order Code
5000g/11lb	160mm	OXD-844 -2840K

WEIGHTING SCALES

GROUP
844

Portable Bench Scales

Suitable for office, postroom or stores applications, the scales are mains or battery powered (4 x AAA batteries not included). Featuring a large, clear digital display, dual reading (metric or imperial), and self-levelling, anti-slip rubber feet.



Model No.	Max Capacity	Order Code
OPB60	60kg	OXD-844 -5340K
OPB120	120kg	-5380K

Weighing Scales

Suspended Scales

Dual-reading dial with protective plastic cover. Zero setting of $\pm 1.5\%$ with accuracy to 1 part in 250. Comes complete with top and bottom chrome vanadium hooks.



Model No.	Maximum Capacity	Order Code
55-25M	25kg/55lb	OXD-844 -3500K

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

© 2018

Fastener Reference Deskbook

This handy pocket-sized guide is designed to serve as a valuable tool for professional and student engineers alike.

It is packed with useful data, standards and tables to broaden your knowledge and inform your everyday practice. We hope it proves to be an indispensable guide and reference point for everything you need to know about fasteners.

**"WIRO"
BOUND**

**LAMINATED
PAGES**


Desk Edition
115 x 150mm

84 PAGES

Contents:

- Abbreviations for Standard Threads
- Basic Measurements
- Common Fastener Dimensions
- Common Thread Forms & Drill Sizes
- DIN Fastener Index
- Screw Thread Types
- Self Tapping Screws
- Stainless Steel Fasteners
- Steel Fasteners
- Surface Coatings
- Tightening Torque - Stainless Fasteners
- Tightening Torque - Steel Fasteners
- Terminology

new



Order Code
CAT-849

-4157A

Engineers Reference Data Charts

Now with 38 pages of engineering data. Each page is coated with an anti-glare matt lamination to protect against the dirt and grease.

Contents:

- Basic forms of heat treatment
- Material groups
- Tensile strength and hardness
- Lubricant selection
- Hole and shaft tolerances
- Metric screw and hole sizes
- Thread notation
- Standard thread forms;
- Dimensions of common shank types
- Standards for engineering drawings
- Abbreviations used in engineering drawings
- Common CNC codes
- Axis nomenclature for machine tools
- Trigonometry formulae
- Sines and Cosines
- Tangents and Cotangents
- Co-ordinates for equally pitched holes
- Bending allowances for malleable materials
- Cutting speed calculator
- Standard drill size conversions;
- Abbreviations and formulae
- Weight and measure systems, useful conversions and constants

FIFTH EDITION

**"WIRO"
BOUND**

**LAMINATED
EDITION**

Pocket Size
164 x 84mm

38 PAGES



Order Code
CAT-849

-2621A

Engineers Reference Handbook

- Booklet of data charts and tables
- Suitable for the drawing office, toolroom or workshop
- 9 sections

**DESK
EDITION**

Pocket Size
148 x 100mm

209 PAGES



Order Code
CAT-849

-0356A

AVON Global Protective Sleeving Reels

Exceptional, effective and economical protection for all kinds of products.

- Ideal protection for machined components during production and storage.
- Also widely used to protect ceramics, glass and other fragile components/products through storage and distribution.
- Designed to help prevent both surface and impact damage.
- 'Cushion' products during transportation.
- 6 colour-coded sizes.
- High stretch capability handles products/components up to 400mm diameter.
- Exceptional formability and flexibility means irregular and intricate shapes can be protected.
- Supplied in purpose-designed dispenser cartons.



Sampling

We will be pleased to supply samples of Avon protective sleeving for assessment. **Please contact your local branch.**

Universal Sample Boxes AVN-956-2000K

Colour	Diameter Range	Overall Length	Order Code AVN-956
Orange	6 - 17	250m Reel	-4260K
Black	10 - 25	250m Reel	-4130K
Violet	25 - 60	50m Reel	-5500K
Red	50 - 100	50m Reel	-4060K
Yellow	100 - 200	50m Reel	-4800K
Royal Blue	200 - 400	50m Reel	-5000K
Black	400 - 800	80m Reel	-5140K

Stillage Separators

- Ideal protection for components stored or shipped in stillages.
- Produced from tough, durable polyethylene.
- Oil and chemical resistant.
- Open mesh design allows oil and swarf to drain through.

new



Roll Size	Order Code AVN-956
1 x 50m	-2100K

Bottle Sleeving

A quick and easy way to protect bottles during transportation without obscuring the labelling. Forms easily around the bottle to provide a cost effective method of protection. Made from polyethylene, they are reusable, recyclable and can be disposed of safely.

Mesh type: 4-24M natural.
Sleeve span: 50-125mm
Sleeve length: 185-190mm.

new

PACK OF 400

Box Quantity	Order Code AVN-956
400	-2110K



PROTECTIVE SLEEVING

Nordic Protective Sleeving Reels

A cost-effective method of protecting goods against surface damage to components, during transportation and storage. The sleeve forms around all objects from cylindrical or more complex shapes and minimises surface scratching, scuffing and indentations. Remains soft and flexible between temperatures ranging from -40°C to +85°C. Resistance to grease, oil, water and some acids, available in a variety of colours, is reusable. Supplied on 200m reels that you can cut to the exact size required.



Colour	Diameter Range	Overall Length	Order Code AVN-956
Natural	7 - 30	200m Reel	-6204D
Violet	10 - 25	200m Reel	-6208H
Blue	20 - 70	200m Reel	-6212L
Pink	50 - 130	200m Reel	-6215P
Black	100 - 200	200m Reel	-6220V

Superior Protective Sleeving Hanks & Reels

- Manufactured from inert and chemical-resistant polymers
- Neat and easy to use at any stage of the manufacturing process
- Can stay in place through to end use and can 'add value' at retail
- Heavy gauge/small aperture
- High level protection
- 11 colour-coded sizes
- Tried and tested over many years



Colour	Diameter Range	Overall Length	Order Code AVN-956
Red	6 - 13	50m Hank	-0060K
Black	13 - 26	50m Hank	-0130K
Orange	26 - 40	25m Reel	-0260K
Brown	40 - 50	25m Reel	-0400K
White	50 - 65	25m Reel	-0500K
Grey	65 - 80	25m Reel	-0650K
Yellow	80 - 100	25m Reel	-0800K
Blue	100 - 125	25m Reel	-1000K
Green	125 - 160	25m Reel	-1250K
Straw	160 - 190	25m Reel	-1600K
Royal Blue	190 - 225	25m Reel	-1900K

High Stretch

Colour	Diameter Range	Overall Length	Order Code AVN-956
Pink	20 - 45	50m Hank	-2200K
Purple	40 - 80	50m Reels	-2400K
Green	75 - 125	25m Reels	-2750K

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

AVON Polypropylene Banding

Polypropylene plastic banding supplied on reels suitable for hand banding. Black, packed individually. Width: 12mm. Approximate breaking strain:
R13: 130kg, **R21:** 210kg, **R30:** 300kg.



Polypropylene

Type	Length (m)	Order Code AVN-837
R13	2000	-1800K
R21	1300	-1810K
R30	1000	-1820K

Machine Quality Polypropylene Banding

Suitable for use on automatic strapping machines. Supplied on 200/190mm cardboard cores 0.55mm thick. **Colour:** blue.



Polypropylene

*All breaking strains are approximate.

Width (mm) x Length (m)	Breaking Strain	Order Code AVN-837
12 x 3000	130kg*	-1790K

Steel Sealer

Suitable for use with 19mm seals. Use in conjunction with tensioner (AVN-835-0880K).

Capacity: 19mm.



Order Code
AVN-835
-0890K

AVON Steel Hand Banding Ribbon

Ribbon: Each layer is wound directly over the one below, so that the width of coil is the width of strap. 0.5mm thickness.

Approximate breaking strain:

12mm: 561kg,
16mm: 714kg,
19mm: 846kg.

Mill Wound: Each layer oscillates across the layer below, uniformly and tightly across the 63.5mm width of the coil. 0.5mm thickness.

Approximate breaking strain:

12mm: 561kg,
16mm: 714kg,
19mm: 846kg.



Prices for steel banding may change subject to manufacturer's surcharges.

Steel

Ribbon Wound

Width x Length	Order Code AVN-837
12mm x 330m	-1730K
16mm x 334m	-1740K
19mm x 335m	-1750K

Mill Wound

Width x Length	Order Code AVN-837
12mm x 965m	-1760K
16mm x 763m	-1770K
19mm x 643m	-1780K

Strapping Tensioner - Polypropylene

Robustly built non-slip ratchet tensioner with cutter for polypropylene strapping. Can be used horizontally to palletise goods. For use alongside crimpers.

Capacity: 12 - 15mm



Order Code
AVN-835
-0880K

Seals

Zinc finish.

Snap On: Placed over the overlapping strap ends.

Lap Over: Must be threaded onto strap before tensioning.



new

Type	Pk Qty	Size (mm)	Order Code AVN-835
Snap on	2000	13	-0940K
	2000	16	-0950K
	2000	19	-0960K
Lap over	2000	13	-0970K
	2000	16	-0980K
	2000	19	-0990K

Polypropylene Banding Seals

For securing polypropylene banding around objects.

Width: 12mm.



Polypropylene

Priced per pack

Type	Pk Qty	Order Code AVN-835
Plain		
Standard	2000	-0690K
Heavy	2000	-0700K
Serrated		
12mm	1000	-0770K
16mm	1000	-0780K

BANDING, STRAPPING & ACCESSORIES
Polyester Strapping

A low creep factor enables excellent retention of applied load, while ease of application and disposal enables fast efficient packaging by manual or automatic process.



Breaking strains
350kg **-0490K**
300kg **-0480K**
450kg **-0500K**

Extruded Polyester

Width x Length	Order Code AVN-837
12.0 x 0.68mm x 2200m	-0490K
12.0 x 0.60mm x 2500m	-0480K
15.5 x 0.68mm x 1750m	-0500K

Woven Polyester Strapping

Woven polyester strapping with almost the strength of steel banding and unaffected by extremes of temperature. Can be re-used when secured with metal buckles. **Core size:** 78mm.


Woven Polyester

Width x Length	Breaking Strain	Order Code AVN-837
13mm x 1100m	375kg	-1860K
16mm x 850m	450kg	-1870K
19mm x 600m	550kg	-1880K

Static Strapping Dispenser

Static strapping dispenser for use with woven cord polyester strapping. Rear mounted plastic box ensures seals and tools are always at hand.


Woven Polyester

Order Code
AVN-835
-0830K

Strapping Buckles

Galvanised Buckles
For use with polypropylene and composite strapping. Available in three different thicknesses.

Pack quantity: 1000 buckles.

**PACK OF
1000**



Buckle Size	Wire Thickness	Order Code AVN-835
13mm	3.3mm Ø	-0840K
16mm	3.5mm Ø	-0850K
19mm	3.8mm Ø	-0860K

Polypropylene Strap & Seal Kit

Portable polypropylene strap and seal kit for general duty strapping and bundling tasks. Pull out and cut the polypropylene strapping to the required length, place a seal over the overlapping strap ends and close with a strapping sealer or combination tool. Perfect for solving smaller packaging, bundling and stability problems.

Kit contains:

1x coil of polypropylene strapping, size 12mm x 800m in a cardboard dispenser box. 300 semi-open metal seals.


Polypropylene

Size (Width x Length)	Order Code AVN-835
12mm x 800m	-0870K

Edge Protectors


Plastic pallet load edge protectors help stop the straps from getting cut whilst also protecting the products on the pallet from the strap tension.



Size	Pk Qty.	Order Code AVN-830
Small	1000	-0290K
Medium	1000	-0300K
Large	1000	-0310K

Serrated Banding Seals

For securing polypropylene & polyester banding around objects.


Polypropylene
Extruded Polyester
Priced per pack

Width	Pk Qty	Order Code AVN-835
12mm	1000	-0770K
16mm	1000	-0780K

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

AVON **Blown Stretch Wrap**

For wrapping and stabilising pallet loads. Protects from weather and dust whilst in transit or storage. Sticks only to itself and not the wrapped items. All rolls have extended cores. All case quantities are per six except 100mm x 150m which are per 48.

All prices are per roll



Standard Core



Extended Core

Roll Size	Thickness (Micron)	Core Type	Colour	Order Code AVN-837
100mm x 150m	17	Ext.	Clear	-0520K
100mm x 150m	20	Ext.	Clear	-0530K
100mm x 150m	22	Std.	Black	-0620K
400mm x 200m	34	Std.	Clear	-0680K
400mm x 300m	15	Std.	Clear	-0540K
	17	Std.	Clear	-0550K
	20	Std.	Clear	-0560K
	25	Ext.	Black	-0570K
	17	Ext.	Red	-0580K
500mm x 300m	17	Ext.	Blue	-0590K
	20	Std.	Clear	-0670K
	35	Std.	Clear	-0660K
400mm x 300m (Extended Core)	17	Ext.	Clear	-0600K
	20	Ext.	Clear	-0610K

High Yield Hand Stretch Wrap

Ideal for wrapping uniform shaped pallet loads where cost is a concern. The lower micron high yield stretch wrap will perform as well as higher micron blown stretch wrap on uniform low to medium weight pallet loads. Used to protect and stabilise pallet loads, prevents split deliveries and damage from weather and dust whilst in transit or storage. Sticks only to itself and not the wrapped items.



Price is per roll

Roll Size (mm x m)	Thickness	Case Qty	Order Code AVN-837
400 x 300	12 Micron	6 rolls	-0700K

Stretch Wrap

Avon Q-Lite the innovative pre-stretched film makes wrapping pallets easier and more efficient. There is no need to stretch the film to get maximum load holding. Operators will appreciate the ease of which Q-Lite can be applied. Q-Lite allows you to reduce waste, as the characteristics of the film mean that lost and broken ends (edge hang-up) are virtually eliminated and the film can be used to the very end of the roll.

Thickness (microns): 8



Roll Size (Width x Length)	Order Code AVN-837
400mm x 600m	-1830K
450mm x 600m	-1840K

OFFICE SUPPLIES & PACKAGING

Stretch Wrap Dispensers

Adjustable Dispenser

Strong, lightweight aluminium base and core cover. Can be adjusted from 12" to 20" with a foam grip handle.

Capacities: stretch wrap width 12" to 20".
Core sizes: 1½", 2" and 3".



Standard Dispenser
For 400/50mm stretch wrap on 38/50/75mm Core. Weight 1.45kg.



Adjustable

Mini Dispenser

For use with 100mm x 150m stretch wrap rolls.



Description	Order Code AVN-834
Standard Dispenser	-0130K
Mini Dispenser	-0070K
Adjustable Dispenser	-0110K

Polythene Sheeting

65 micron polythene sheeting ideal for a multitude of tasks including packaging, dust protection, floor protection and waterproofing. Available in a choice of rolls of 750mm and 1m widths and roll length of 660m.



Size	Thickness (Micron)	Order Code AVN-837
660m/1m	65	-1700K
660m/0.75m	65	-1710K

Machine Stretch Film

Cast film is extruded as a flat sheet, resulting in higher outputs than blown film extrusion. Cast film predominates in machine applications and generally has superior optical properties of clarity and gloss.

Standard Cast Film

Will stretch in excess of 140%. For use on standard wrapping machines.

Super Power Pre-Stretch Film

Will stretch in excess of 250% when used on a power pre-stretch machine.



Roll Size (Width x Length)	Thickness (Micron)	Order Code AVN-837
Standard		
500mm x 1350m	23	-1910K
Super Power		
500mm x 1550m	20	-1920K

Centrefold & Multifold Polythene Sheeting

Quality polythene sheeting ideal for virtually all needs including packaging, dust protection, floor protection and waterproofing. Superb all round quality polythene. Supplied folded on rolls for easy storage.



Sheet Width (Folded/Open)	Overall Length	Micron	Order Code AVN-837
1m/2m	300m	32	-0070K
0.9m/1.8m	100m	50	-0080K
0.5m/1m	100m	100	-0085K
1m/2m	50m	125	-0090K
1m/4m	50m	30	-0100K
1m/4m	50m	60	-0110K
1m/4m	25m	130	-0120K
1m/4m	25m	200	-0125K

AVON Polythene Shrink Wrap

Centre Fold Sheetting - Type AS

Suitable for irregular and awkward shaped products, such as trolleys, trucks, machinery and furniture. Supplied centre folded on the roll.

Roll weight: 25kg.



All prices are per roll

Sheet Width (Folded/Open)	Film Thickness	Roll Length	Order Code AVN-837
1.25/2.50m	125 micron	85m	-0020K
1.00/2.00m	125 micron	99m	-0025K
1.50/3.00m	150 micron	58m	-0050K

AVON Heavy Duty Chrome Staple Gun

Heavy duty steel with a chrome finish. Easy squeeze handle. Jam-proof mechanism. For use with 140 staples. Supplied with 400x 1.2 x 8mm staples.



SUPPLIED WITH 400 STAPLES

Weight	Order Code AVN-838
940g	-0010K

No. 140
8mm

Metal Handle Staple Gun

Multi purpose gun, plastic body and metal handle. Ideal for home and light duty repairs. Takes 4-8mm staples.



No. 140
4 - 8 (mm)

Staple Size	Order Code AVN-838
4 - 8mm	-0030K

Heavy Duty Staple Remover


Toughened steel head and support to remove almost all staples. Large ergonomic plastic handle for comfort grip. Wide footprint provides good leverage.



Model Number	Order Code AVN-838
ST001	-0050K

Lay Flat Tubing - Type VH

Gusset shrink tubing. Quick and easy to use. For wrapping pallets of varying heights. Available in a choice of two sizes.



All prices are per roll

Roll Width (Folded/Open)	Film Thickness	Roll Length	Weight	Order Code AVN-837
1.25/2.25m	125 micron	50m	27kg	-0030K
1.20/2.30m	200 micron	30m	26kg	-0040K



Heavy Duty Professional Metal Tacker

All Steel construction with lock function. Ideal for wood, carpet and plastic. 4 year guarantee.

No. 140
6 - 14 (mm)


Staple Size	Order Code AVN-838
6 - 14mm	-0040K



Heavy Duty Hammer Tacker

Suitable for a variety of applications including carpet fitting and roof felting. Manufactured from heavy duty steel with a chrome finish and comfortable rubber grip. For use with 140 staples.


No. 140
10mm



Model Number	Order Code AVN-838
R311	-0020K

Plier Stapler

Full strip capacity. Uses 26/6 staples. Ideal for stapling paper, card, padded envelopes, fabric and other materials. Chrome finish.



Staple Size	Order Code AVN-838
26/6	-0060K

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

AVON Silica Gel Sachets

When used within enclosed storage areas, silica gel absorbs up to 40% of its weight in moisture to create a protective shield of dry air preventing condensation which can cause damage such as: rust, corrosion, tarnish, oxidation, mildew, fungus, mould, spotting and toning.



Pack Quantity	Weight each	Order Code	
100	25g	-0020K	N/A
	50g	-0030K	N/A
	100g	-0040K	N/A
	250g	-0010K	N/A

Anti-Rust Paper Rolls

Performance tested and approved to the German TL 8135-0002 standard.

VCI Paper: Volatile Corrosion Inhibitor (VCI) paper, VCI chemicals volatilize, attach themselves to metal and form a protective layer just a few molecules thick. This layer prevents humidity, salt, dirt from depositing on the metal and causing corrosion.

For use with ferrous metals only.

MPI Paper: Superior multi-purpose corrosion inhibitor paper for use as a wrapper for all metals, e.g. ground rollers, or as an interleave for packing light components.



Size: 900mm x 200m.

Type	Order Code
	AVN-830
VCI	-1890K
MPI	-1900K

Waxed Kraft Paper Rolls

A water-resistant paper made by waxing on both sides, frequently used for the wrapping of engineering components.



Size	Order Code
	AVN-830
900mm x 100m (55gsm)	-0260K
900mm x 100m (65gsm)	-0270K
900mm x 100m (120gsm)	-0280K

White Card Tags with Wire Ties

White Card tags with reinforced eyelets and 10" wire ties.



PACK OF 1000

Size	Order Code
	AVN-966
80 x 38mm	-0260K
100 x 51mm	-0270K
125 x 63mm	-0280K

Woven Polypropylene Sacks

A material made by weaving polypropylene tapes in two directions to form a lightweight breathable fabric suitable for grains, seeds, minerals, sand and other products. Woven polypropylene bags offer economy, better protection, weight savings, and greater strength than other available packaging.

PACK OF 100



Size (mm)	Order Code
	AVN-918
230 x 310	-0020K
310 x 460	-0030K
380 x 500	-0040K
460 x 620	-0050K
620 x 1000	-0060K

Sack Tying Tool

The tying tool to quickly and easily twist the tie around the neck of the sack to seal it.



Order Code
AVN-835
-0790K

Sack Ties

PVC coated stainless steel sack ties, for use on polypropylene woven sacks and polythene sacks. Made from 1.2mm thick wire. Each tie is looped at each end. Sold in bundles of 1000 ties. These are easily applied with a sack tying tool sold separately.

BUNDLES OF 1000



Size	Order Code
	AVN-835
150mm (6")	-0800K
200mm (8")	-0810K
230mm (9")	-0820K

Unwired Plastic Tags

White plastic tags with rounded corners. 250Mu. Metal ties available to purchase separately.



PACK OF 500



Type	Size (mm)	Pack Qty	Order Code
			AVN-966
Plastic	100 x 45	500	-0300K
Plastic	110 x 55	500	-0310K
Plastic	120 x 70	500	-0320K
Metal Ties	300	1000	-0380K

AVON Single-Faced Corrugated Paper

One of today's most versatile and commonly used protective packaging mediums. Manufactured from 100% recycled material and is 100% recyclable, meeting today's environmental demands.

new



Roll Diameter 600mm

Width x Length	Order Code AVN-830
900mm x 75m	-1860K

Bubble Wrap Rolls

Highly versatile packaging. Thousands of tiny air filled bubbles effectively protect the contents of your package against knocks and shocks. Can be used as a space filler.

new



**Carriage At
Extra Cost**

Bubble Type	Size	Bubble Diameter	Pack Quantity	Order Code AVN-830
Small	500mm x 100m	9.5mm	3	-1210K
	900mm x 100m	9.5mm	1	-1236K
Large	500mm x 45m	25mm	3	-1020K

Postal Tubes

Strong cardboard tubes complete with plastic end caps. Ideal for mailing artwork, plans, maps, charts etc.

new



Size	Dimensions Dia. x L (mm)	Order Code AVN-830
A4	50 x 330	-2150K
A2	50 x 430	-2140K
A1	50 x 625	-2130K
A0	50 x 890	-2120K

Packing List Envelopes

This range of self-adhesive polythene envelopes ensures that important documentation such as delivery notes, invoices and packing lists reach your customer safely. Contents are clearly visible without opening. Water and oil-resistant. Will not rip. Polythene thickness 60 microns.

new



Place your documents
inside the envelope



Remove silicone
backing paper to expose
adhesive



Position and press the
envelope to
your package



Size	Type	Pack Qty	Order Code AVN-830
A4	Plain	500	-2050K
A4	Doc Enc	500	-2114K
A4	Doc Enc	1000	-2112K
A5	Doc Enc	1000	-2060K
A5	Plain	1000	-2070K
A6	Plain	1000	-2080K
A6	Doc Enc	1000	-2090K
A7	Doc Enc	1000	-2100K
A7	Plain	1000	-2110K

Gripseal Polythene Bags - Write On

Gripseal bags with three write-on stripes. Medium duty. **Pack of 1000.**



**PACK OF
1000**

Size (mm)	Size (inch)	Order Code AVN-837
57 x 57	2¼" x 2¼"	-1580K
75 x 86	3" x 3⅜"	-1590K
90 x 115	3½" x 4½"	-1610K
100 x 140	4" x 5½"	-1620K
127 x 190	5" x 7½"	-1630K
150 x 230	6" x 9"	-1640K
190 x 190	7½" x 7½"	-1690K
203 x 280	8" x 11"	-1650K
255 x 355	10" x 14"	-1660K
320 x 225	12¾" x 9"	-1670K

Layflat Polythene Tubing

Customise your polythene bag size! Choose your preferred width and use the layflat tubing to make your own custom sized bags or sleeves. Tubing can be heat sealed, tied or stapled closed.

**LARGER SIZES
AVAILABLE ON
REQUEST**

new

Price per pack

Width	Order Code AVN-837
250g Gauge/330m Clear	
50mm	-0730K
75mm	-0740K
100mm	-0750K
150mm	-0770K
200mm	-0780K
250mm	-0790K
300mm	-0800K
400mm	-0830K
500mm	-0850K
600mm	-0860K
750mm	-0870K
800mm	-0875K

Polythene Bags (Plain)

Heavy Duty
A range of various sized light to heavy duty food grade polythene bags to suit all of your packaging requirements.



Size	Pack Quantity	Order Code AVN-837
9" x 12"	250	-1315K
15" x 20"	100	-1370K
24" x 36"	100	-1400K

Gripseal Polythene Bags - Plain

Plain gripseal bags. Medium duty.

**PACK OF
1000**

Size (mm)	Size (inch)	Order Code AVN-837
223 x 280	8" x 11"	-1520K
250 x 350	10" x 14"	-1540K
324 x 324	12¾" x 12¾"	-1560K
400 x 500	15" x 20"	-1570K


PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

© 2018

AVON Hi-Bond Acrylic Double-Sided Foam Tape

Bonds metals, plastics and glass. Strong enough to replace rivets, bolts, welds and other mechanical fixings. Vibration resistant and weatherproof. Used throughout the sign and transportation industry for bonding panels and re-enforcement struts.

Colour	Thickness x Width	Order Code AVN-981
Roll Length 10m		
Grey	0.8 x 12mm	-1710K
	0.8 x 19mm	-1720K
	0.8 x 25mm	-1730K
Clear	1.0 x 12mm	-1740K
	1.0 x 19mm	-1750K
	1.0 x 25mm	-1760K
White	1.1 x 12mm	-1770K
	1.1 x 19mm	-1780K
	1.1 x 25mm	-1790K
Roll Length 33m		
Grey	0.8 x 12mm	-1810K
	0.8 x 19mm	-1820K
	1.0 x 12mm	-1840K
Clear	1.0 x 19mm	-1850K
	1.0 x 25mm	-1860K
	1.1 x 12mm	-1870K
White	1.1 x 19mm	-1880K
	1.1 x 25mm	-1890K



Priced per roll

OFFICE SUPPLIES & PACKAGING

AVON Double-Sided Tape

Double-sided tissue tape with a high tack solvent acrylic adhesive. Hand tearable, good conformity, stable liner, excellent ultraviolet and plasticiser resistance.



Priced per roll

Width x Length	Order Code AVN-981
25mm x 10m	-5900K
25mm x 33m	-6010K
25mm x 50m	-5910K
50mm x 10m	-6030K
50mm x 33m	-6020K

Ultimate Double-Sided Bonding Tape

For permanent bonds. Fibre reinforcement for improved strength.



Priced per roll

Size	Order Code AVN-981
25mm x 5m	-6110K
50mm x 5m	-6120K

AVON Low Tac Tape

Black
An outdoor polythene low-tack protection tape. Suitable for use on mild steels, stainless steels and aluminium.

Thickness: 0.08mm.
Tensile strength: 17n/cm.
Elongation: 350%.
Steel adhesion: 2.2n/cm.



All prices are per roll

Width x Length	Order Code AVN-981
25mm x 100m	-0805K

Masking Tape

Auto Grade
High grade. Easily removed. Suitable for spray or paint masking and temperatures up to 150°F/80°C.



Width x Length	Order Code AVN-980
12mm x 50m	-1020K
19mm x 50m	-1030K
25mm x 50m	-1040K
38mm x 50m	-1050K
50mm x 50m	-1060K
75mm x 50m	-1070K

General-Purpose

Suitable for walls and glass. Leaves no residue. For use in temperatures up to 105°F/60°C.



Width x Length	Order Code AVN-980
19mm x 50m	-2020K
25mm x 50m	-2030K
38mm x 50m	-2040K
50mm x 50m	-2050K
75mm x 50m	-2060K

PVC Builder's Tape

Ideal for jointing all PVC and polythene sheets and membranes, protecting door and window frames during plastering and painting and for protecting sealing bags and pallet wrappings from the weather.

Sizes: 50mm x 33m and 75mm x 33m.



All prices are per roll

Colour	Order Code AVN-981
50mm x 33m	
Black	-0090K
White	-0100K
75mm x 33m	
Black	-0110K
White	-0120K

14 Day Blue Masking Tape

A high quality blue creped paper masking tape with an acrylic adhesive.



Width x Length	Order Code AVN-980
25mm x 10m	-0030K
50mm x 10m	-0040K
25mm x 50m	-0010K
50mm x 50m	-0020K

SENATOR QUALITY TOOLING

General Purpose Masking Tape

Can be used on most surfaces and in temperatures up to 60 degrees.



Width x Length	Order Code SEN-980
19mm x 50m	-0019D
25mm x 50m	-0025K
38mm x 50m	-0038M
50mm x 50m	-0050R
75mm x 50m	-0075V

All-Weather Outdoor Tape

Ideal for use when splicing polythene sheeting, repair of greenhouses, trailer curtains, tents and marquees.



All prices are per roll

Width x Length	Order Code AVN-981
50mm x 20m	-0500K

INDUSTRIAL TAPES

Waterproof Cloth (Duct) Tape

Seals from air and completely waterproof - unaffected by humidity. Made from a lamination of polythene film cotton cloth and extremely strong rubber resin adhesive. Highly flexible and can be torn easily by hand. Can be cleanly removed when used for temporary repairs. **For applications where long term protection is required use 'Silver LT' tape.**


50 metres
All prices are per roll

Colour	Order Code AVN-981
50mm x 10m	
Silver	-3010K
Black	-3250K
50mm x 50m	
Silver	-3060K
Silver LT	-0810K
Black	-3260K
75mm x 50m	
Silver	-3070K
Black	-3280K

Coloured Waterproof Cloth (Duct) Tape

Seals from air and completely waterproof - unaffected by humidity. Made from a lamination of polythene film cotton cloth and extremely strong rubber resin adhesive. Highly flexible and can be torn easily by hand. Can be cleanly removed when used for temporary repairs.

Roll size:
50mm x 50m.

50 metres
All prices are per roll

Colour	Order Code AVN-981
Blue	-3100K
Green	-3120K
Red	-3140K
White	-3160K
Yellow	-3180K


Triple Strength Cloth Tape

Has a unique super aggressive adhesive bonding system that bonds to everything. Its polythene backing is tough and durable and 100% waterproof. Tape will not twist and curl.


33 metres
All prices are per roll

Size	Colour	Order Code AVN-981
50mm x 33m	Silver	-5140D
75mm x 33m		-5170D

All Weather Duct Tape

Bonds and holds in extreme cold weather. Premium polythene backing. High adhesion to polythene sheeting. Ultimate vertical hold adhesive. Premium high grade cloth with tight unwind.

Roll size: 50mm x 50m.

new
All prices are per roll

Colour	Order Code AVN-981
Black	-3600K
Blue	-3610K
Red	-3620K
Silver	-3630K
White	-3640K


Waterproof Cloth Tape

Ideal for use indoors or outdoors - will withstand harsh weather conditions. Completely waterproof and unaffected by humidity. Available in black or silver, in 50mm x 50m rolls.


new

Colour	Order Code SEN-981
Black	-0050G
Silver	-0050S

Aluminium Foil Tape
4123

30 micron aluminium foil tape with liner and a high tack hot melt rubber adhesive. Conforms to **BS 476 Part 6 Class 0** and **Part 7 Category 1**. For joining foil-faced insulation panels and metal ducting.

Service temperature: -30°C to 85°C.

30 Micron

Width x Length	Order Code AVN-981
50mm x 45m	-0070K
75mm x 45m	-0080K

Pipe Repair Tape

Completely water and UV-resistant. Used to joint and repair a wide range of power and distribution cables up to 46kV. For above and below ground.



Width x Length	Colour	Order Code AVN-981
25mm x 10m	Black	-0940K

Plasterboard Tape

Self-adhesive plasterboard fibreglass tape for fast application with a strong bond. Won't tear, stretch, shrink or bubble, and helps prevent cracks in plaster finishes.

Colour: white. **Size:** 50m x 90m.

All prices are per roll

Width x Length	Order Code AVN-981
50mm x 90m	-0130K

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR



Gummed Paper Tape

Water-activated gum paper tape which penetrates into the fibres of the carton creating a total bond. This adds considerable strength to the closure and is also a solution to pilfering, contamination, counterfeiting and tampering. Used for sealing cartons and also sealing the backs of picture frames. 200m rolls.

Tamper Evident and 100% Recyclable



new



All prices are per roll

Width	Order Code AVN-981
48mm x 200m	-1520K
70mm x 200m	-1530K

Variable Length Tape Dispenser

Precision-made, durable gummed paper tape dispensers can produce measured lengths with optimum moistening to reduce tape waste and ensure the best seal. Manual pull and tear dispenser, roller moistens as tape is pulled forwards.

new



**Max. Tape width: 80mm.
Not suitable for reinforced gummed paper tape.**

Product Number	Order Code AVN-979
BP333	-1000K

Vinyl Bag Neck Sealing Tape

Rolls of adhesive vinyl tape. 9mm wide x 66m in length on 75mm diameter cores. Can be used in many applications, but are mainly sold to be used with the neck bag sealer (see below).

Pack quantity: 6 rolls



PACK OF 6

All prices are per pack

Colour	Order Code AVN-981
Blue	-2000K
Red	-2010K

Bag Neck Sealer

Can be used to seal food bags, storage bags and with flat plastic tubing. Heavy duty metal with a corrosion-resistant paint finish. Has foam anti-slip pads fitted and can be fixed to table or desk by four screws for stability. 10mm neck opening for use with tape up to 12mm wide x 66m on 75mm cores.



Core Diameter	Order Code AVN-979
75mm	-0010K

OFFICE SUPPLIES & PACKAGING

Gummed Paper Dispenser

Suitable for plain and reinforced tape up to 77mm wide. Easy tape length setting and dispenses up to 76cm of tape in one stroke. Uniform wetting and clean cutting.

new



Width	Order Code AVN-979
80mm	-0020K



Filament Tape

Clear polypropylene film, reinforced with glass fibre filaments which are cross-woven into an aggressive high shear adhesive to give high strength. Used for heavy reinforcement, high security sealing. Adheres to all paper, card and plastics.

Extremely High Strength cross woven filaments run the length and width of the tape.



145 Micron

All prices are per roll.

Width	Pack Qty	Order Code AVN-981
10m Long Rolls		
25	48	-0180K
50	24	-0190K
50m Long Rolls		
19	64	-0060K
25	48	-0010K
38	24	-0020K
50	18	-0030K
75	18	-0040K
100	18	-0050K



Cellulose Tape

Clear, high grade conventional sticky tape. 76mm core.



Width x Length	Order Code AVN-981
12mm x 66m	-6380K
19mm x 66m	-6390K
24mm x 66m	-6400K
50mm x 66m	-6420K

Selecting the right tape

Type of Tape	Description	Best For/Most Suitable Application	Adhesive Types
Vinyl (PVC)	Matt finish. Quiet coming off the roll. Slow release. Does not stretch. Can be torn by hand.	Long term storage. Easy to apply with dispenser. Best used at 18-21°.	Solvent - best long term adhesive.
Polypropylene	Shiny finish. Difficult to tear, requires dispenser or knife to cut. Noisy coming off the roll. Quick release. Does stretch.	Economical. High initial grab. Performs well in deep freeze conditions.	Solvent - best long term adhesive. Hot melt - solvent free adhesive. Acrylic - water based adhesive (environmentally friendly).
Low Noise Polypropylene	Shiny finish. Slow release. Can be torn by hand.	Combines to strength of polypropylene with the noiseless aspect of vinyl.	Solvent - best long term adhesive. Acrylic - water based adhesive (environmentally friendly).

Polypropylene Carton Tape

Standard tape - competitively priced, widely used in all sorts of packing applications. With rapid release from the roll, best applied with a dispenser fitted with a brake.



25 Micron

All prices are per roll

Colour	Order Code AVN-981
Roll Size: 50mm x 66m	
Buff	-1060K
Clear	-1070K
Roll Size: 72mm x 66m	
Buff	-5340K
Clear	-5350K

Coloured Polypropylene Tape

Standard tape - competitively priced, widely used in all sorts of packing applications. With rapid release from the roll, best applied with a dispenser fitted with a brake.

Size: 50mm x 66m.



All prices are per roll

Colour	Order Code AVN-981
White	-1080K
Red	-1090K
Blue	-1100K
Green	-1110K
Yellow	-1120K

High Grade Vinyl Carton Tape

35µ film thickness, silent and slow release. Can be torn using your fingertips, avoiding the need for a dispenser. 76mm core.

Roll Size: 50mm x 66m.



35 Micron

Priced per roll

Colour	Order Code AVN-981
Clear	-2070K

'Low Noise' Polypropylene Packing Tape

Slow and almost silent release characteristics. Difficult to tear using just fingertips. For best results use in a dispenser fitted with a brake.

Roll Sizes:

48mm x 66m. 28 microns.
75mm x 66m. 35 microns.



28 Micron or 35 Micron

All prices are per roll

Colour	Order Code AVN-981
Roll Size: 48mm x 66m	
Buff	-5000K
Roll Size: 75mm x 66m	
Buff	-5040K
Clear	-5050K

High Grade Vinyl Sealing Tape

An economic way to seal your cartons. Available in 35 and 65-micron for strength and toughness, the waterproof low-static vinyl film is impact resistant and has excellent adhesive strength.

Standard: (35 mic).

Heavy duty: (65 mic). 76mm core.

Roll Size: 50mm x 66m.



35 Micron or 65 Micron

All prices are per roll

Type	Order Code AVN-981
Standard	-2060K
Heavy Duty	-2260K

Low Tac Red Tape

Low adhesive strength tape. Suitable for temporarily positioning labels, etc. Can be peeled off without damaging the contact surface.



Width x Length	Order Code KEN-981
25mm x 66m	-6200K

OFFICE SUPPLIES & PACKAGING

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

GROUP 979 TAPE DISPENSERS

KENNEDY Bench Top Dispenser

For use with 33mm core tapes up to 19mm wide. Weighted for fast one-hand use.



Type	Weight each	Order Code
Bench Top	682g	-1080K

AVON Desk Top Tape Dispenser

For use with standard 76mm core tapes up to 25mm wide.



Colour	Weight each	Order Code
Red	1.357kg	-2160K
Blue		-2100K

Heavy Duty Desk Dispenser


Ideal for post rooms, offices and the warehouse. Rubber feet protect surface and prevent dispenser from slipping. Takes large rolls of tape up to 50mm wide and 66m long. Can be screwed to bench.



Product Number	Order Code
BD50	-1100K

Heavy Duty Desk Dispenser

Heavy duty metal dispenser for 1x 75mm x 66m roll or 3x 25mm x 66m length rolls on a 75mm core. Comes with blade protection attachment.



Product Number	Order Code
PACPLUS	-1110K

AVON Tape Dispensers

Sturdy construction with non-reversing plate and fixed brake. For use with 76mm core tapes. Available in two widths and with or without tension adjustment.



All with non-reverse and brake features

Heavy Duty 50mm



Adjustable 75mm

Type	Width	Order Code
Heavy Duty	50mm	-2360K
Adjustable	75mm	-2440K
Spare Wiper		-3030K

Clamp-on Tape Dispenser

Clamps to benches or work tops, for use with 75mm core tapes. Holds 1x 50mm width or 2x 25mm width tapes.



Product Number	Order Code
CBD50	-1150K

Hazard Tape Legislation

Regulation 13 of the Workplace Regulations 1992 (Part V of Schedule I) requires:

- All dangerous locations, obstacles and traffic routes must be marked in yellow/black diagonal stripes.

Regulation 17 of the Workplace Regulations 1992 (Part V of Schedule I) requires:

- All traffic routes within workplaces are indicated where necessary for health and safety reasons, using markings consisting of a continuous highly visible line.



Printed Message Tapes

Pre-printed with handling instruction and quality control information to warn carriers and ensure that your parcels and cartons are delicately handled. Clearly printed red on a white background. Can be used with pistol grip or bench dispensers.

Size: 50mm x 66m.

Price per roll.

TAPES WITH 'BESPOKE' MESSAGING CAN BE MANUFACTURED ON REQUEST. PLEASE CONTACT YOUR LOCAL STOCK CENTRE FOR PRICE AND DELIVERY.



Message	Order Code AVN-981
Fragile	-6200K
Handle with Care	-6210K
Caution	-6220K
'Glass' (Handle with Care)	-6230K
Scrap	-6240K
Passed	-6250K
This Way Up	-6260K

Message	Order Code AVN-981
QC Inspected	-6270K
QC Rejected	-6280K
QC Accepted	-6290K
Quarantine	-6300K
Awaiting Inspection	-6310K
Caution Liquids	-6320K
Reject	-6330K
Caution Heavy Package	-6340K



Cutting Safety Knife

High impact plastic handle with enclosed blade to ensure maximum user safety.



Priced per knife

Overall Length	Order Code AVN-537
154mm	-0020K

Carton Opener

For cutting through loading straps, extracting staples and slitting tape without damaging the contents. In-handle blade storage. Spring loaded blade guard, retractable slitting blade, complete with spare blade.



Priced per knife

Overall Length	Order Code AVN-537
180mm	-0030K

Fish 2000 Safety Knife

Has an enclosed blade within a 4.7mm gap and an auto-retracting hook blade, to ensure maximum user safety and to reduce accidental damage to the product.



Priced per knife

Overall Length	Order Code AVN-537
155mm	-0010K



Carton & Strap Cutter

The blade is partially exposed to prevent accidental cuts.



Priced per cutter

Overall Length	Weight each	Order Code SEN-537
80mm	10g	-2000K

Quick Release Folding Knife

Quick release blade and folds to 9 x 3.5cm to stow using the integral belt clip. Accepts medium, heavy duty and hook blades.



Part Number	Order Code KEN-537
NC1580-2	-0640K

Quick Change Utility Knife

An innovative sliding blade holder with durable soft touch composite casing. Quick and easy to change blade with no tools needed. Compatible with all standard utility blades. One handed operation.



Overall Length	Weight each	Order Code KEN-537
115mm	120g	-1120K

OFFICE SUPPLIES & PACKAGING

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR