



© Fotossearch



# Site Maintenance

### Product Grading



#### Production

High performance industrial tooling designed for continuous use applications on machine tools where repeatability and long tool life are of critical importance.



#### Professional

Industrial tooling that has enhanced features and benefits demanded by craftsmen and professional users.



#### Industrial

Designed for regular use in industrial applications. Manufactured to stringent quality levels and international standards.



#### Workshop

Standard quality tooling for use by tradesmen and generally industrial use.



#### Maintenance

Products designed for general maintenance of machines, workshops, garages and some household applications.



#### Home Improver

DIY quality tooling. Designed for home use and light industrial applications.



## Product Groups 741 - 996

## Contents

Description	Group	Page
Anti-Slip Floor Tapes	964	795 - 796
Anti-Slip Floor Treads	964	796
Architectural Hardware	949	782 - 788
Castors	945	775 - 779
First Aid	996	807 - 809
Floor Matting	946	780 - 781
Hand Brushes	906	771
Handling	985	801 - 804
Hazard Tapes	964	795 - 796
Identity Discs	937	796
Insulation Tape	986	806
Ladders & Access Equipment	939	804

Description	Group	Page
Lockout & Tagout System	950	793 - 794
Mechanical Lifting Equipment	941	773
Oil & Chemical Storage	741	752 - 755
Padlocks	950	789 - 792
Rope, Straps & Chain	978	797 - 800
Safety Signs	964	796
Spill Control	742	750 - 766
Stores Labelling & Marking Products	966	796
Tarpaulins	984	801
Traffic Management	992	805 - 806
Webbing Slings	942	774


# Take care of business and take care of the world

It pays to be pro-active about environmental management, protecting your people, profits and reputation from the damage that spills can cause.

As one of the world's leading providers of industrial supplies and equipment, we can help you with everything you need to manage and be prepared for any kind of spillage - from storing fluids safely to ensuring you have the systems in place to manage any potential spills.

All our absorbents conform to **BS 7959-2:2000** standard including the colour coding of absorbents.

We can save you money, time and stress with our solutions to spillage and containment.



## What we offer...

### Spill Response & Containment

We can advise you on the most appropriate storage and spill control for chemicals and hazardous liquids to ensure full compliance with all environmental legislation.

We supply a full range of products to enable you to respond to any spill/ leakage and can also provide spill kit management on site to ensure you have the full quota of products available to you at a moment's notice.

### Site Surveys

We can arrange a free site audit and carry out site surveys to identify any shortcomings in your fluid management systems and recommend solutions in line with current regulations and best practice.

Such surveys are relevant when seeking **ISO14001** accreditation or as part of an insurance assessment.

### Managed Stock

Ensuring that operatives have easy access to absorbents is essential. However, it is easy to overlook stock management resulting in the unnecessary and potentially dangerous depletion of spill kits and site stock. Spill centres ensure that absorbents are available for day to day incidental spills and leaks leaving spill kits for larger emergency spills. We offer a managed solution ensuring that spill kits and spill centres are checked and where necessary replenished on a regular basis.

A report shows consumption figures by area or cell allowing usage to be tracked.



### Training

We can organise on-site training ranging from basic to advanced, to ensure your staff are able to respond confidently and effectively to any spills that take place in your business.


**Contact your local branch to discuss your specific requirements.**



**Contact your local branch for our spill control brochure**

### Oil-Storage Regulations

Since September 2005 **"The Control of Pollution (Oil Storage) Regulations 2001"** have applied to all oil and fuel stored at an industrial or commercial site in England and Wales. Similarly in Scotland, **"The Water Environment (Oil Storage) Regulations 2006"** now fully apply since April 2010:- Although they differ slightly to each other, both sets of regulations have much the same effect on how oils and fuels are stored.



**Contact your local branch to discuss your requirements**



### Environmental Regulations

The recent increase in both the pace and scope of environmental legislation and regulation continues to impact upon businesses irrespective of their type or size. Responsibility for the correct handling and storage of liquids lies with the owner organisation.

The pollution of both land and water is regulated against by law and whether accidental or deliberate, can result in prosecution leading to fines, related costs and consequential damage to company image and reputation. The **Environment Agencies** vigorously pursue prosecution of those responsible for any infringements of these regulations. We will help to ensure that you comply with all environmental regulation and legislation.

# Selecting the Right Absorbent

Absorbents are one of the most effective and efficient ways of containing and recovering spilt liquids. Having the correct type of absorbents on site will allow you to manage any potential workplace spillage. We offer a comprehensive range of absorbents to deal with most types of workplace spillage including socks, booms, pads, rolls and cushions. For emergency spill response we offer a complete range of spill kits.

**All of our absorbents are tested to BS 7959-2:2000 and meet the BS standards for the colour coding of absorbents.** Using a simple colour coding system recognised throughout the industry, helps to identify which absorbent should be used to clean up different types of spills.

SITE MAINTENANCE



## Maintenance Absorbents/Spill Kits

Colour: **Black/Grey**

Absorbs both water and Oil based fluids.

**Common Liquids Absorbed:**

- Coolants
- Kerosene
- Latex paint
- Oils
- Petrol
- Solvents
- Vegetable oil
- Other water-based fluids

See pages 756 - 757 & 763



## Oil-Only Absorbents/Spill Kits

Colour: **White**

Absorbs Oil based fluids only and repels water.

**Common Liquids Absorbed:**

- Cooking oils
- Drilling and cutting fluids
- Engine oils
- Hydraulic and brake fluids
- Petrol, diesel and aircraft fuels
- Lubricants
- Oil-based paints and solvents
- Transmission fluids
- Other oils and petroleum-based fluids

See pages 758 - 759 & 764



## Chemical Absorbents/Spill Kits

Colour: **Yellow**

Used to clean up unknown toxic, flammable, corrosive & aggressive chemical spill.

**Common Liquids Absorbed:**

- Acids and bases
- Aggressive chemicals
- Citric acid
- Oils
- Sodium hydroxide
- Solvents
- Water-based fluids
- Other unknown chemicals

See pages 760 - 761 & 765



## Sustainable Absorbents/Spill Kits

**Maintenance Sustainable absorbents**

**For dealing with:**

- Oil and water
- Transmission fluid
- Hydraulic fluid
- Coolants
- Diesel fuel
- Many other fluids

**Oil-Only Sustainable absorbents**

**For dealing with:**

- Oil
- Transmission fluid
- Hydraulic fluid
- Coolants
- Diesel fuel
- Many other fluids
- Not suitable for water

See pages 762 & 766

**PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR**



Our extensive IBC spill containment range is specifically designed to meet the growing IBC end user market. Made from 100% corrosion free polyethylene these strong units are EC and UK compliant.

**Poly Storage Cabinets**

- Poly storage cabinets with locks and shelves



**30ltr  
-0030A**

**70ltr  
-0035B**

**100 Ltr  
-0040C**

**SITE MAINTENANCE**

Description	Dimensions	Sump	Weight	Order Code <b>SOL-741</b>
30ltr Poly Storage Cabinet	53 x 42 x 99cm	30ltr	15.0kg	<b>-0030A</b>
70ltr Poly Storage Cabinet	65 x 57 x 165cm	70ltr	44.0kg	<b>-0035B</b>
100ltr Poly Storage Cabinet	74 x 92 x 152cm	100ltr	55.0kg	<b>-0040C</b>

**IBC Spill Pallets**

Covered bunded IBC unit. Compliant to fluid storage regulations. Protects the bund from rain limiting removal of contaminated water.

**Single  
-0060A**



**All Weather Spill Pallets**

**Double Covered IBC Spill Pallet**  
Image shown with an optional tray. Comes with complete frame, roof panels and cover.

**Two Drum  
-0072A**



**Double  
-0062C**



**Four Drum  
-0074C**

Dimensions	Sump	UDL	Weight	Order Code <b>SOL-741</b>
176 x 135 x 241cm	1100ltr	1500kg	119.0kg	<b>-0060A</b>
256 x 135 x 208cm	1140ltr	2500kg	116.0kg	<b>-0062C</b>

Dimensions	Sump	UDL	Weight	Order Code <b>SOL-741</b>
149 x 99 x 169cm	230ltr	650kg	85.0kg	<b>-0072A</b>
147 x 142 x 207cm	410ltr	1250kg	121.0kg	<b>-0074C</b>



### Spill Pallets

Heavy duty rotational moulded IBC spill pallets for single or double IBC storage applications. 100% polyethylene construction, corrosion resistant and with removable decking to assist cleaning they are suitable for most IBC footprints. Forklift pockets for ease of positioning and moving empty units.



**Two Drum Spill Pallet**  
**-0082A**



**Four Drum Spill Pallet**  
**-0084C**



**Four Drum 4 Way Entry**  
**-0094C**



**Two Drum 4 Way Entry**  
**-0092A**


SITE MAINTENANCE

Description	Dimensions	Size	Capacity	Weight	Order Code
2 Drum Spill Pallet	122 x 82 x 33cm	240ltr	650kg	23.0kg	<b>-0082A</b>
2 Drum 4 Way Spill Pallet	129 x 87.5 x 34.5cm	410ltr	1200kg	27.0kg	<b>-0092A</b>
4 Drum Spill Pallet	128 x 128 x 27.5cm	230ltr	1250kg	29.0kg	<b>-0084C</b>
4 Drum 4 Way Spill Pallet	122 x 122 x 39cm	250ltr	3000kg	40.0kg	<b>-0094C</b>

**PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR**

**SOLENT** SPILL CONTROL **Workfloors & Bunds**

Our banded flooring range is the flexible decking solution for creating liquid handling workstations & storage areas to fit your working environment. Each individual unit is compliant with current oil storage regulatory requirements.



Description	Dimensions	Sump	UDL	Weight each	Order Code <b>SOL-741</b>
4 Drum Workfloor Pallet	166 x 126 x 15cm	300ltr	2000kg	38.0kg	<b>-0134C</b>
Workfloor Ramp	65 x 80 x 16cm	-	1000kg	8.0kg	<b>-0200A</b>
4 Drum In Line Spill Pallet	261 x 89.5 x 15cm	300ltr	2000kg	42.0kg	<b>-0124C</b>
2 Drum Workfloor Pallet	126 x 86 x 15cm	130ltr	1000kg	20.0kg	<b>-0132A</b>
Workfloor Bench Tray	63 x 55 x 7cm	9.5ltr	-	-	<b>-0210B</b>
Single 25ltr Container Bund	55 x 55 x 10cm	27.5ltr	50kg	5.0kg	<b>-0401A</b>
Double 25ltr Container Bund	71.5 x 46 x 11cm	27.5ltr	50kg	5.5kg	<b>-0410B</b>

**SITE MAINTENANCE**

**Racking & Grating**

Converts standard, existing pallet racking into banded racking. Made with 100% polyethylene and resistant to oils & most chemicals, the Rack Bund sits across the beams allowing the pallet of containers to sit inside it. Simple to use and easy to install with no tools required. Drop into place when needed, lift out when not. Ensures any leaks or spills are contained and prevents goods in the rack below from being damaged or contaminated. Two lengths are available and the design fits most beam widths. The load rating of Rack Bunds depends on the load rating of your racking.



Description	Dimensions	Sump	Weight	Order Code <b>SOL-741</b>
Racking Bund With 220ltr Sump Without tray	131 x 131 x 24.5cm	220ltr	17.0kg	<b>-0500A</b>
Racking Bund With 620ltr Sump Without tray	262 x 131 x 32.5cm	620ltr	30.0kg	<b>-0550F</b>
Grating for 220ltr Sump	120 x 120 x 6cm	220ltr	14.0kg	<b>-0600A</b>
Grating for 620ltr Sump	240 x 120 x 6cm	620ltr	14.0kg	<b>-0650F</b>

**SOLENT** SPILL CONTROL **Workfloors and Bunds**

Our spill & bunded tray range are designed to provide safe and compliant storage for small drums and liquid containers. These robust, quality units have excellent chemical compatibility and are corrosion free, strong, lightweight and compatible with most liquids. Trays come with or without grating.

**Twin Riser Drum Stacker**

**-0701B**
**Drum Transportation Trolley**

**-0720A**
**Drum Funnel & Lid**

**-0721B**
**Circular Drum Tray**

**-0900A**

Description	Dimensions	Sump	UDL	Weight	Order Code SOL-741
Twin Riser Drum Stacking Base Unit	139cm x 125cm x 49cm	400ltr	1250kg	50.0kg	<b>-0700A</b>
	124cm x 80cm x 37cm	-	600kg	13.0kg	<b>-0701B</b>
Drum Transportation Trolley	160cm x 74cm x 64cm	230ltr	300kg	42.0kg	<b>-0720A</b>
Drum Funnel and Lid For 205Ltr	61cm x 23cm	-	-	4.0kg	<b>-0721B</b>
205 ltr Circular Drum Tray	87cm x 24cm	50ltr	-	5.0kg	<b>-0900A</b>

**Spill Trays**

**20ltr Spill Tray without Grating -0950A**

**20ltr Spill Tray -0800A**

Description	Dimensions	Sump	UDL	Weight	Order Code SOL-741
20ltr Spill Tray with Grate	59.5cm x 39.5cm x 17cm	22ltr	55kg	3.5kg	<b>-0800A</b>
20ltr Spill Tray without Grating	59.5cm x 39.5cm x 17cm	22ltr	-	2.0kg	<b>-0950A</b>
30ltr Spill Tray with Grate	80.5cm x 40.5cm x 17cm	31ltr	55kg	4.5kg	<b>-0802C</b>
30ltr Spill Tray without Grating	80.5cm x 40.5cm x 17cm	31ltr	-	2.5kg	<b>-0952C</b>
60ltr Spill Tray with Grate	100.0cm x 60.5cm x 20cm	63ltr	205kg	10.0kg	<b>-0806G</b>
60ltr Spill Tray without Grating	100.0cm x 60.5cm x 20cm	63ltr	-	5.5kg	<b>-0980A</b>

**205ltr Drum Salvage Container**


Dimensions	Sump	Order Code SOL-741
81 dia x 105cm	340ltr	<b>-0910H</b>

**Grade 1 White Wipes**

High quality wipes. Manufactured from recycled material.



Pack Weight	Order Code SOL-930
10kg	<b>-1100K</b>

**PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR**





Many situations require a permanent supply of absorbents to be on hand. Solent Plus™ spill kits are a cost-effective answer to this requirement. Maintenance Spill Kits range in capacity from 10ltr up to 1,000ltr. They are packed with sufficient absorbents to cope with a spill up to the size shown. Oil Spill Kits can be found on pages 758 - 759. Chemical Spill Kits can be found on pages 760 - 761.

**10ltr Kit - Holdall**

**Kit contains:**

- 10 x Absorbent pads
- 1 x Absorbent 1.2m sock
- 1 x 1kg Putty seal pre-mixed drum plug mix
- 2 x Hazardous waste disposal bags and ties
- 1 x Vinyl holdall
- Tested to **BS 7959-2:2000**
- Ideal for forklift use

10  
Ltr



Nominal Capacity	Size HxWxD	Order Code
10ltr	39x46x12cm	<b>SOL-742-0500A</b>

**25ltr Kit - Caddy Bin**

**Kit contains:**

- 15 x Absorbent pads
- 1 x Absorbent 1.2m sock
- 2 x Absorbent pillows
- 4 x Hazardous waste disposal bags and ties
- 1 x Caddy bin
- Tested to **BS 7959-2:2000**

25  
Ltr



Nominal Capacity	Size HxWxD	Order Code
25ltr	43x26x27cm	<b>SOL-742-0506G</b>

**15ltr Kit - Carrier**

**Kit contains:**

- 12 x Absorbent pads
- 1 x Absorbent 1.2m sock
- 1 x Hazardous waste disposal bags and ties
- 1 x Clip top carrier
- Tested to **BS 7959-2:2000**

15  
Ltr



Nominal Capacity	Size HxWxD	Order Code
15ltr	59x70x54cm	<b>SOL-742-0502C</b>

**35ltr Kit - Cube Bag**

**Kit contains:**

- 15 x Absorbent pads
- 2 x Absorbent 3.0m socks
- 1 x Hazardous waste disposal bags and ties
- 1 x Cube bag
- Tested to **BS 7959-2:2000**

35  
Ltr



Nominal Capacity	Size HxWxD	Order Code
35ltr	35x35x19cm	<b>SOL-742-0508J</b>

**20ltr Kit - Holdall**

**Kit contains:**

- 13 x Absorbent pads
- 2 x Absorbent 1.2m socks
- 4 x Hazardous waste disposal bags and ties
- 1 x Vinyl holdall
- Tested to **BS 7959-2:2000**

20  
Ltr



Nominal Capacity	Size HxWxD	Order Code
20ltr	56x22x21cm	<b>SOL-742-0504E</b>

**50ltr Kit - Holdall**

**Kit contains:**

- 35 x Absorbent pads
- 3 x Absorbent 1.2m socks
- 2 x Absorbent pillows
- 5 x Hazardous waste disposal bags and ties
- 1 x Vinyl holdall
- Tested to **BS 7959-2:2000**

50  
Ltr

**Refill**  
Absorbents and bags only, as listed above



Nominal Capacity	Size HxWxD	Order Code
50ltr	58x71x15cm	<b>SOL-742-0510L</b>
Refill	-	<b>-1400A</b>



**Spill Kits - Maintenance**

**SPILL CONTROL**

**GROUP 742**

**M**

**90ltr Kit - Circular Bin**

**Kit contains:**

- 48 x Absorbent pads
- 8 x Absorbent 1.2m socks
- 1 x 1kg ready drum compound plug
- 1 x Hazardous waste disposal bags and ties
- 1 x PE Circular bin
- Tested to **BS 7959-2:2000**

**90**  
Ltr

**new**



**Refill**

Absorbents and bags only, as listed above.

Nominal Capacity	Size HxWxD	Order Code
90ltr	72x55x55cm	<b>SOL-742</b>
Refill	-	<b>-0700A</b>
Covers	-	<b>-1405L</b>

**240ltr Kit - Wheeled Bin**

**Kit contains:**

- 200 x Absorbent pads
- 10 x Absorbent 1.2m socks
- 10 x Absorbent pillows
- 18 x Hazardous waste disposal bags and ties
- 1 x Wheeled bin
- Tested to **BS 7959-2:2000**

**240**  
Ltr

**Refill**

Absorbents and bags only, as listed above.



**Audit Covers**

Yellow, weatherproof PVC covers with elasticated cord to allow fitting over the top of wheeled bin spill kit. A4 sized clear pouch for inserting audit record sheet.



Nominal Capacity	Size HxWxD	Order Code
240ltr	106x60x74cm	<b>SOL-742</b>
Refill	-	<b>-0514Q</b>
Covers	-	<b>-1420C</b>
		<b>-9010R</b>

**120ltr Kit - Wheeled Bin**

**Kit contains:**

- 75 x Absorbent pads
- 9 x Absorbent 1.2m socks
- 6 x Absorbent pillows
- 10 x Hazardous waste disposal bags and ties
- 1 x Wheeled bin
- Tested to **BS 7959-2:2000**

**120**  
Ltr

**Refill**

Absorbents and bags only, as listed above.



**Audit Covers**

Yellow, weatherproof PVC covers with elasticated cord to allow fitting over the top of wheeled bin spill kit. A4 sized clear pouch for inserting audit record sheet.



Nominal Capacity	Size HxWxD	Order Code
120ltr	95x47x54cm	<b>SOL-742</b>
Refill	-	<b>-0512N</b>
Covers	-	<b>-1410B</b>
		<b>-9001A</b>

**Metal Spill Centres**

Our absorbent dispensing units ensure that absorbents are always readily available by providing a simple yet effective system for storing, dispensing and managing a variety of absorbents. Spill dispensing units have the added advantage of ensuring that emergency spill kits are not robbed and therefore depleted of product. It is also easy to overlook the importance of proper stock management.

**260**  
Ltr

Supplied in steel cabinet.

**Size:** 138H x 58W x 55Dcm.

**Kit contains:**

- 1 x Absorbent Roll (50cm x 40cm)
- 100 x Absorbent pads
- 20 x Absorbent socks

Unstocked Steel Cabinet available.



Nominal Capacity	Order Code
260 ltr	<b>SOL-742</b>
Unstocked	<b>-4905A</b>
	<b>-9300A</b>

**SITE MAINTENANCE**

**PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR**

**SOLENT+ SPILL CONTROL** Spill Kits - Oil-Only

Many situations require a permanent supply of absorbents to be on hand. Solent Plus™ spill kits are a cost-effective answer to this requirement. Oil-Only Spill Kits range in capacity from 10ltr up to 1,000ltr. They are packed with sufficient absorbents to cope with a spill up to the size shown. *Maintenance Spill Kits can be found on pages 756 - 757. Chemical Spill Kits can be found on pages 760 - 761.*

**10ltr Kit - Holdall**

**Kit contains:**

- 10 x Absorbent pads
- 1 x Absorbent 1.2m sock
- 1 x 1kg Putty Seal pre-mixed drum plug mix
- 2 x Hazardous waste disposal bags and ties
- 1 x Vinyl holdall
- Tested to **BS 7959-2:2000**



10  
Ltr

Nominal Capacity	Size HxWxD	Order Code
10ltr	39x46x12cm	<b>SOL-742</b> <b>-1620C</b>

**35ltr Kit - Cube Bag**

**Kit contains:**

- 15 x Absorbent pads
- 2 x Absorbent 3.0m socks
- 1 x Hazardous waste disposal bags and ties
- 1 x Cube bag
- Tested to **BS 7959-2:2000**



35  
Ltr

Nominal Capacity	Size HxWxD	Order Code
35ltr	33x35x19cm	<b>SOL-742</b> <b>-1650F</b>

**15ltr Kit - Carrier**

**Kit contains:**

- 12 x Absorbent pads
- 1 x Absorbent 1.2m sock
- 1 x Hazardous waste disposal bags and ties
- 1 x Clip top carrier
- Tested to **BS 7959-2:2000**



15  
Ltr

Nominal Capacity	Size HxWxD	Order Code
15ltr	59x70x5cm	<b>SOL-742</b> <b>-1600A</b>

**20ltr Kit - Holdall**

**Kit contains:**

- 13 x Absorbent pads
- 2 x Absorbent 1.2m socks
- 4 x Hazardous waste disposal bags and ties
- 1 x Vinyl holdall
- Tested to **BS 7959-2:2000**



20  
Ltr

Nominal Capacity	Size HxWxD	Order Code
20ltr	56x22x21cm	<b>SOL-742</b> <b>-1630D</b>

**25ltr Kit - Caddy Bin**

**Kit contains:**

- 15 x Absorbent pads
- 1 x Absorbent 1.2m sock
- 2 x Absorbent pillows
- 4 x Hazardous waste disposal bags and ties
- 1 x Caddy bin
- Tested to **BS 7959-2:2000**



25  
Ltr

Nominal Capacity	Size HxWxD	Order Code
25ltr	43x26x27cm	<b>SOL-742</b> <b>-7611M</b>

new

**50ltr Kit - Holdall**

**Kit contains:**

- 35 x Absorbent pads
- 3 x Absorbent 1.2m socks
- 2 x Absorbent pillows
- 5 x Hazardous waste disposal bags and ties
- 1 x Vinyl Holdall
- Tested to **BS 7959-2:2000**



50  
Ltr

Nominal Capacity	Size HxWxD	Order Code
50ltr	58x71x15cm	<b>SOL-742</b> <b>-1640E</b>
Refill	-	<b>-2000A</b>

**90ltr Kit - Circular Bin**

**Kit contains:**

- 48 x Absorbent pads
- 8 x Absorbent 1.2m socks
- 1 x 1kg ready drum compound plug
- 1 x Hazardous waste disposal bags and ties
- 1 x PE Circular bin
- Tested to **BS 7959-2:2000**



90  
Ltr

**Refill**  
Absorbents and bags only, as listed above.

Nominal Capacity	Size HxWxD	Order Code
90ltr	72x55x55cm	<b>SOL-742</b> <b>-1655L</b>
Refill	-	<b>-2004F</b>

new

**SOLENT<sup>+</sup> Spill Kits -  
Oil-Only**
**120ltr Kit - Wheeled Bin**
**Kit contains:**

- 75 x Absorbent pads
- 9 x Absorbent 1.2m socks
- 6 x Absorbent pillows
- 10 x Hazardous waste disposal bags and ties
- 1 x Wheeled bin
- Tested to **BS 7959-2:2000**

**Refill**

Absorbents and bags only, as listed above.

**Audit Covers**

Yellow, weatherproof PVC covers with elasticated cord to allow fitting over the top of wheeled bin spill kit. A4 sized clear pouch for inserting audit record sheet.


**120**  
Ltr

Nominal Capacity	Size HxWxD	Order Code SOL-742
120ltr	95x47x54cm	<b>-1670H</b>
Refill	-	<b>-2005G</b>
Cover	-	<b>-9001A</b>

**360ltr Kit - Wheeled Bin**
**Kit contains:**

- 200 x Absorbent pads
- 20 x Absorbent 1.2m socks
- 4 x Absorbent 3m socks
- 4 x Absorbent pillows
- 16 x Absorbent pillows
- 1 x Hazard floor sign
- 1 x Hazard waste tape
- 40 x Hazardous waste disposal bags and ties
- 1 x Wheeled bin
- Tested to **BS 7959-2:2000**

**Refill**

Absorbents and bags only, as listed above.


**360**  
Ltr

**new**

Nominal Capacity	Size HxWxD	Order Code SOL-742
360ltr	110x58x86cm	<b>-1810C</b>
Refill	-	<b>-2015T</b>

**1,000ltr Kit - Wheeled Drop Front Bin**
**Kit contains:**

- 400 x Absorbent pads
- 8 x Absorbent 3m socks
- 16 x Absorbent pillows
- 2 x Absorbent roll
- 8 x Absorbent 3m booms
- 1 x Hazard floor sign
- 1 x Hazard waste tape
- 60 x Hazardous waste disposal bags and ties
- 1 x Wheeled drop front bin
- Tested to **BS 7959-2:2000**

**Refill**

Absorbents and bags only, as listed above.


**1000**  
Ltr

**new**

Nominal Capacity	Size HxWxD	Order Code SOL-742
1000ltr	133x126x104cm	<b>-1830F</b>
Refill	-	<b>-2025B</b>

**240ltr Kit - Wheeled Bin**
**Kit contains:**

- 200 x Absorbent pads
- 10 x Absorbent 1.2m socks
- 10 x Absorbent pillows
- 18 x Hazardous waste disposal bags and ties
- 1 x Wheeled Bin
- Tested to **BS 7959-2:2000**

**Refill**

Absorbents and bags only, as listed above.


**240**  
Ltr

**Audit Covers**

Yellow, weatherproof PVC covers with elasticated cord to allow fitting over the top of wheeled bin spill kit. A4 sized clear pouch for inserting audit record sheet.

Nominal Capacity	Size HxWxD	Order Code SOL-742
240ltr	106x60x74cm	<b>-1680J</b>
Refill	-	<b>-2010L</b>
Cover	-	<b>-9010R</b>

**500ltr Kit - Wheeled Bin**
**Kit contains:**

- 200 x Absorbent pads
- 20 x Absorbent 1.2m socks
- 8 x Absorbent 3m socks
- 16 x Absorbent pillows
- 1 x Hazard floor sign
- 1 x Hazard waste tape
- 18 x Hazardous waste disposal bags and ties
- 1 x Wheeled bin
- Tested to **BS 7959-2:2000**

**Refill**

Absorbents and bags only, as listed above.


**500**  
Ltr

**new**

Nominal Capacity	Size HxWxD	Order Code SOL-742
500ltr	122x120x77cm	<b>-1820E</b>
Refill	-	<b>-2020Z</b>

**Spill Centres Metal Cabinet**

Our absorbent dispensing units ensure that absorbents are always readily available by providing a simple yet effective system for storing, dispensing and managing a variety of absorbents. Spill dispensing units have the added advantage of ensuring that emergency spill kits are not robbed and therefore depleted of product. It is also easy to overlook the importance of proper stock management.

Supplied in steel cabinet.

**Size:** 138H x 58W x 55Dcm.

**Kit contains:**

- 1 x Absorbent roll (50cm x 40cm)
- 100 x Absorbent pads
- 20 x Absorbent socks

**Total of absorbency:**

260ltr Unstocked Steel Cabinet available.


**260**  
Ltr

Nominal Capacity	Order Code SOL-742
260ltr	<b>-4906B</b>
Unstocked	<b>-9300A</b>

**PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR**
**759**

**SOLENT+ SPILL CONTROL** Spill Kits - Chemical

Many situations require a permanent supply of absorbents to be on hand. Solent Plus™ spill kits are a cost-effective answer to this requirement. Chemical Spill Kits range in capacity from 10ltr up to 1,000ltr. They are packed with sufficient absorbents to cope with a spill up to the size shown. *Maintenance Spill Kits can be found on pages 756 - 757. Oil Spill Kits can be found on pages 758 - 759.*

**10ltr Kit - Holdall**

Kit contains:

- 10 x Absorbent pads
- 1 x Absorbent 1.2m sock
- 1 x 1kg Putty seal pre-mixed drum plug mix
- 2 x Hazardous waste disposal bags and ties
- 1 x Vinyl holdall
- Tested to **BS 7959-2:2000**

**10**  
Ltr



Nominal Capacity	Size HxWxD	Order Code
10ltr	46x39x12cm	<b>SOL-742</b> <b>-2100A</b>

**25ltr Kit - Caddy Bin**

Kit contains:

- 15 x Absorbent pads
- 1 x Absorbent 1.2m sock
- 2 x Absorbent pillows
- 4 x Hazardous waste disposal bags and ties
- 1 x Caddy bin
- Tested to **BS 7959-2:2000**

**25**  
Ltr



Nominal Capacity	Size HxWxD	Order Code
25ltr	43X26X27cm	<b>SOL-742</b> <b>-2115R</b>

**15ltr Kit - Carrier**

Kit contains:

- 12 x Absorbent pads
- 1 x Absorbent 1.2m sock
- 1 x Hazardous waste disposal bags and tie
- 1 x Clip top carrier
- Tested to **BS 7959-2:2000**

**15**  
Ltr



Nominal Capacity	Size HxWxD	Order Code
15ltr	59X70X54cm	<b>SOL-742</b> <b>-2105G</b>

**35ltr Kit - Cube Bag**

Kit contains:

- 15 x Absorbent pads
- 2 x Absorbent 3.0m socks
- 1 x Hazardous waste disposal bags and tie
- 1 x Cube bag
- Tested to **BS 7959-2:2000**

**35**  
Ltr



Nominal Capacity	Size HxWxD	Order Code
35ltr	33X35X19cm	<b>SOL-742</b> <b>-2120G</b>

**20ltr Kit - Holdall**

Kit contains:

- 13 x Absorbent pads
- 2 x Absorbent 1.2m socks
- 4 x Hazardous waste disposal bags and ties
- 1 x Vinyl holdall
- Tested to **BS 7959-2:2000**

**20**  
Ltr



Nominal Capacity	Size HxWxD	Order Code
20ltr	22x56x21cm	<b>SOL-742</b> <b>-2110L</b>

**50ltr Kit - Holdall**

For quick response to smaller spills.

Kit contains:

- 35 x Absorbent pads
- 3 x Absorbent 1.2m socks
- 2 x Absorbent pillows
- 5 x Hazardous waste disposal bags and ties
- 1 x Vinyl holdall
- Tested to **BS 7959-2:2000**

**50**  
Ltr

**Refill**  
Absorbents and bags only, as listed above.



Nominal Capacity	Size HxWxD	Order Code
50ltr	58x71x15cm	<b>SOL-742</b> <b>-2125J</b>
Refill	-	<b>-2500A</b>

SITE MAINTENANCE



### 120ltr Kit - Wheeled Bin Chemical

120  
Ltr

**Kit contains:**

- 75 x Absorbent pads
- 9 x Absorbent 1.2m socks
- 6 x Absorbent pillows
- 10 x Hazardous waste disposal bags and tie
- 1 x Wheeled bin
- Tested to **BS 7959-2:2000**

**Refill**

Absorbents and bags only, as listed above.



**Audit Covers**

Yellow, weatherproof PVC covers with elasticated cord to allow fitting over the top of wheeled bin spill kit. A4 sized clear pouch for inserting audit record sheet.



Nominal Capacity	Size HxWxD	Order Code
120ltr	95x47x54cm	<b>-2130K</b>
Refill	-	<b>-2502C</b>

### 90ltr Kit - Circular Bin

**Kit contains:**

- 48 x Absorbent pads
- 8 x Absorbent 1.2m socks
- 1 x 1kg ready drum compound plug
- 1 x Hazardous waste disposal bags and tie
- 1 x PE Circular bin
- Tested to **BS 7959-2:2000**

**Refill**  
Absorbents and bags only, as listed above.

new



Nominal Capacity	Size HxWxD	Order Code
90ltr	72x55x55cm	<b>-2200A</b>
Refill	-	<b>-2501B</b>

## SPILL CONTROL

### 240ltr Kit - Wheeled Bin

C

240  
Ltr

**Kit contains:**

- 200 x Absorbent pads
- 10 x Absorbent 1.2m socks
- 10 x Absorbent pillows
- 18 x Hazardous waste disposal bags and ties
- 1 x Wheeled bin
- Tested to **BS 7959-2:2000**

**Refill**

Absorbents and bags only, as listed above.



**Audit Covers**

Yellow, weatherproof PVC covers with elasticated cord to allow fitting over the top of wheeled bin spill kit. A4 sized clear pouch for inserting audit record sheet.



Nominal Capacity	Size HxWxD	Order Code
240ltr	106x60x74cm	<b>-2135T</b>
Refill	-	<b>-2504E</b>

### Metal Spill Centres

260  
Ltr

Our absorbent dispensing units ensure that absorbents are always readily available by providing a simple yet effective system for storing, dispensing and managing a variety of absorbents. Spill dispensing units have the added advantage of ensuring that emergency spill kits are not robbed and therefore depleted of product. It is also easy to overlook the importance of proper stock management.

Supplied in steel cabinet.

**Size:** 138H x 58W x 55Dcm.

**Kit contains:**

- 1 x Absorbent roll (50cm x 40cm)
- 100 x Absorbent pads
- 20 x Absorbent socks



Nominal Capacity	Order Code
260ltr	<b>-4907C</b>
Unstocked	<b>-9300A</b>

SITE MAINTENANCE

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

Our Sustainable absorbents are made from recycled fibres with an extra layer of meltblown polypropylene, they are Class A and retardant when the material is dry. Sustainable absorbents are not to be used on aggressive chemicals.

**M Maintenance**

**50ltr Kit - Holdall**

**Kit contains:**

- 30 x Absorbent pads
- 3 x Absorbent 1.2m socks
- 8 x Absorbent pillows
- 10 x Hazardous waste disposal bags and ties
- 1 x Vinyl holdall
- Tested to **BS 7959-2:2000**

50  
Ltr



Nominal Capacity	Size HxWxD	Order Code
50ltr	58x71x15cm	<b>SOL-742</b> <b>-2600A</b>

**0 Oil-Only**

**50ltr Kit - Holdall**

**Kit contains:**

- 30 x Absorbent pads
- 3 x Absorbent 1.2m socks
- 8 x Absorbent pillows
- 10 x Hazardous waste disposal bags and ties
- 1 x Vinyl holdall
- Tested to **BS 7959-2:2000**

50  
Ltr



Nominal Capacity	Size HxWxD	Order Code
50ltr	58x71x15cm	<b>SOL-742</b> <b>-2650A</b>

SITE MAINTENANCE

**120ltr Kit - Wheeled Bin**

**Kit contains:**

- 60 x Absorbent pads
- 4 x Absorbent 1.2m socks
- 8 x Absorbent pillows
- 10 x Hazardous waste disposal bags and ties
- 1 x Wheeled bin
- Tested to **BS 7959-2:2000**

120  
Ltr



Nominal Capacity	Size HxWxD	Order Code
120ltr	95x47x54cm	<b>SOL-742</b> <b>-2605G</b>

**120ltr Kit - Wheeled Bin**

**Kit contains:**

- 60 x Absorbent pads
- 4 x Absorbent 1.2m socks
- 8 x Absorbent pillows
- 10 x Hazardous waste disposal bags and ties
- 1 x Wheeled bin
- Tested to **BS 7959-2:2000**

120  
Ltr



Nominal Capacity	Size HxWxD	Order Code
120ltr	95x47x54cm	<b>SOL-742</b> <b>-2655F</b>

**240ltr Kit - Wheeled Bin**

**Kit contains:**

- 100 x Absorbent pads
- 20 x Absorbent 1.2m socks
- 1 x Floor sign
- 10 x Hazardous waste disposal bags and ties
- 1 x Wheeled bin
- Tested to **BS 7959-2:2000**

240  
Ltr



Nominal Capacity	Size HxWxD	Order Code
240ltr	106x60x74cm	<b>SOL-742</b> <b>-2610J</b>

**240ltr Kit - Wheeled Bin**

**Kit contains:**

- 100 x Absorbent pads
- 20 x Absorbent 1.2m socks
- 1 x Floor sign
- 10 x Hazardous waste disposal bags and ties
- 1 x Wheeled bin
- Tested to **BS 7959-2:2000**

240  
Ltr



Nominal Capacity	Size HxWxD	Order Code
240ltr	106x60x74cm	<b>SOL-742</b> <b>-2660K</b>

Maintenance Absorbent pads and rolls are an ideal solution to the regular maintenance and soaking up of small spills and leaks in the workplace, Black / Grey in colour, they absorb both water and oil based fluids. They are also an excellent item to supplement our Spill Kits and Spill Centres. Oil Absorbents can be found on page 764. Chemical Absorbents can be found on page 765.

**Pads**

- Tested to **BS 7959-2:2000**

**EXTENDED  
RANGE**


Size (cm)	Pack Qty	Pack Absorption	Order Code <b>SOL-742</b>
50 x 40	50	40ltr	<b>-0910P</b>
50 x 40	100	80ltr	<b>-0900A</b>
50 x 40	200	160ltr	<b>-0905H</b>

**PVC Backed Pads**

- Tested to **BS 7959-2:2000**

**new**


Size (cm)	Pack Qty	Pack Absorption	Order Code <b>SOL-742</b>
50 x 40	100	80ltr	<b>-0920Z</b>

**Pillows**

- Tested to **BS 7959-2:2000**



Size (cm)	Pack Qty	Pack Absorption	Order Code <b>SOL-742</b>
38 x 23	16	64ltr	<b>-1100A</b>

**Rolls**

- Tested to **BS 7959-2:2000**



Size (cm x m)	Pack Qty	Pack Absorption	Order Code <b>SOL-742</b>
38 x 40	1	60ltr	<b>-0840D</b>
50 x 40	1	80ltr	<b>-0825G</b>
80 x 40	1	126ltr	<b>-0830L</b>

**Socks**

Polypropylene with polypropylene sleeve

- Tested to **BS 7959-2:2000**



Size (cm x m)	Pack Qty	Pack Absorption	Order Code <b>SOL-742</b>
7.5 x 1.2	20	100ltr	<b>-1000A</b>
7.5 x 3	8	100ltr	<b>-1010H</b>

**Flat Socks**

- Lies flat to the ground increasing fluid contact point
- With special inner polymer which enables 100% fluid retention
- Tested to **BS 7959-2:2000**

**new**


Size (cm x m)	Pack Qty	Pack Absorption	Order Code <b>SOL-742</b>
7.5 x 1.2	20	100ltr	<b>-1200A</b>

**Eco Slot Box**

Perforated Sheets on a roll

- Tested to **BS 7959-2:2000**

**new**


Size (cm x m)	Pack Qty	Pack Absorption	Order Code <b>SOL-742</b>
38 x 22	1	44ltr	<b>-0800A</b>

**Eco Multi Roll Box**

- Tested to **BS 7959-2:2000**

**new**


Size (cm x m)	Pack Qty	Pack Absorption	Order Code <b>SOL-742</b>
40 x 15	1	36ltr	<b>-0820A</b>

**Drum Top Pads**

For 205ltr barrels these laminated drum tops Absorbent Pads are fast acting, highly absorbent and the most cost effective absorbent, retaining their strength even when wet.

**new**


Size (cm)	Pack Qty	Pack Absorption	Order Code <b>SOL-742</b>
56 x 56	5	5ltr	<b>-1150A</b>

**Heavy Duty Maintenance  
Absorbents**

Absorbent pads and rolls, ideal for large spills.

**Extra Pads**

- Tested to **BS 7959-2:2000**



Size (cm)	Pack Qty	Pack Absorption	Order Code <b>SOL-742</b>
50 x 40	100	120ltr	<b>-0915T</b>

**Extra Rolls**

- Tested to **BS 7959-2:2000**


**EXTENDED  
RANGE**

Size (cm x m)	Pack Qty	Pack Absorption	Order Code <b>SOL-742</b>
50 x 40	1	120ltr	<b>-0850F</b>
80 x 40	1	189ltr	<b>-0855K</b>





**Oil-Only Absorbents**

Many situations require a permanent supply of absorbents to be on hand. Solent Plus™ spill kits are a cost-effective answer to this requirement. Oil-Only Spill Kits range in capacity from 10ltr up to 1,000ltr. They are packed with sufficient absorbents to cope with a spill up to the size shown. Maintenance Absorbents can be found on page 763. Chemical Absorbents can be found on page 765.



**0**

**Eco Slot Box**

Perforated Sheets on a roll  
• Tested to **BS 7959-2:2000**



**new**

Size (cm x m)	Pack Qty	Pack Absorption	Order Code
38 x 22	1	44ltr	<b>SOL-742</b> <b>-1920C</b>

**Eco Multi Roll Box**

• Tested to **BS 7959-2:2000**



**new**

Size (cm x m)	Pack Qty	Pack Absorption	Order Code
40 x 15	1	36ltr	<b>SOL-742</b> <b>-1900A</b>



**Heavy Duty Oil-Only Absorbents**

Absorbent pads and rolls, ideal for large spill

**Extra Pads**

• Tested to **BS 7959-2:2000**



Size (cm)	Pack Qty	Pack Absorption	Order Code
50 x 40	100	120ltr	<b>SOL-742</b> <b>-1870A</b>

**Extra Rolls**

• Tested to **BS 7959-2:2000**

**EXTENDED RANGE**



Size (cm x m)	Pack Qty	Pack Absorption	Order Code
50 x 40	1	120ltr	<b>SOL-742</b> <b>-1875G</b>
80 x 40	1	189ltr	<b>SOL-742</b> <b>-1880K</b>

**Absorbent Pads**

• Tested to **BS 7959-2:2000**



Size (cm)	Pack Qty	Pack Absorption	Order Code
50 x 40	50	40ltr	<b>SOL-742</b> <b>-1960K</b>
50 x 40	100	80ltr	<b>SOL-742</b> <b>-1965P</b>
50 x 40	200	100ltr	<b>SOL-742</b> <b>-1670R</b>

**Absorbent Rolls**

• Tested to **BS 7959-2:2000**



Size (cm x m)	Pack Qty	Pack Absorption	Order Code
38 x 40	1	60ltr	<b>SOL-742</b> <b>-1910B</b>
50 x 40	1	80ltr	<b>SOL-742</b> <b>-1955F</b>
80 x 40	1	126ltr	<b>SOL-742</b> <b>-1675Z</b>

**Socks**

Polypropylene with polypropylene sleeve.

• Tested to **BS 7959-2:2000**



Size (cm x m)	Pack Qty	Pack Absorption	Order Code
7.5 x 1.2	20	100ltr	<b>SOL-742</b> <b>-1800A</b>
7.5 x 3	8	100ltr	<b>SOL-742</b> <b>-1805F</b>

**Booms**

A secured rope runs along one side to prevent twisting, can be easily connected together to form a longer protective barrier with rustproof end rings.

• Tested to **BS 7959-2:2000**



Size (cm x m)	Pack Qty	Pack Absorption	Order Code
13 x 3	4	120ltr	<b>SOL-742</b> <b>-1840A</b>
20 x 3	4	320ltr	<b>SOL-742</b> <b>-1845F</b>

**Pillows**

• Tested to **BS 7959-2:2000**



Size (cm)	Pack Qty	Pack Absorption	Order Code
38 x 23	16	64ltr	<b>SOL-742</b> <b>-1825A</b>

**SITE MAINTENANCE**

**new**

**PVC Backed Pads**

• Tested to **BS 7959-2:2000**



Size (cm)	Pack Qty	Pack Absorption	Order Code
50 x 40	100	80ltr	<b>SOL-742</b> <b>-1950A</b>


**Chemical Absorbents**
**C**

Many situations require a permanent supply of absorbents to be on hand. Solent Plus™ spill kits are a cost-effective answer to this requirement. Chemical Spill Kits range in capacity from 10ltr up to 1,000ltr. They are packed with sufficient absorbents to cope with a spill up to the size shown. *Maintenance Absorbents can be found on page 763. Oil Absorbents can be found on page 764.*


**Absorbent Pads**

- Tested to **BS 7959-2:2000**



Size (cm)	Pack Qty	Pack Absorption	Order Code SOL-742
50 x 40	50	40ltr	-2290K
50 x 40	100	80ltr	-2280A
50 x 40	200	160ltr	-2285G

**Socks**

- Polypropylene with polypropylene sleeve
- Tested to **BS 7959-2:2000**



Size (cm x m)	Pack Qty	Pack Absorption	Order Code SOL-742
7.5 x 1.2	20	100ltr	-2320A
7.5 x 3	8	100ltr	-2325G


**Heavy Duty Extra Pads**

- Tested to **BS 7959-2:2000**



Size (cm)	Pack Qty	Pack Absorption	Order Code SOL-742
50 x 40	100	120ltr	-2400A

**Heavy Duty Extra Rolls**

- Tested to **BS 7959-2:2000**



Size (cm)	Pack Qty	Pack Absorption	Order Code SOL-742
50 x 40	1	120ltr	-2405G

**Absorbent Rolls**

- Tested to **BS 7959-2:2000**



Size (cm x m)	Pack Qty	Pack Absorption	Order Code SOL-742
50 x 40	1	80ltr	-2295R
80 x 40	1	126ltr	-2298T

**Eco Slot Box**

- Perforated Sheets on a roll
- Tested to **BS 7959-2:2000**



Size (cm x m)	Pack Qty	Pack Absorption	Order Code SOL-742
38 x 22	1	44ltr	-2229E

**Eco Multi Roll Box**

- Tested to **BS 7959-2:2000**



Size (cm x m)	Pack Qty	Pack Absorption	Order Code SOL-742
40 x 15	1	36ltr	-2230F

**Pillows**

- Tested to **BS 7959-2:2000**



Size (cm)	Pack Qty	Pack Absorption	Order Code SOL-742
38 x 23	16	64ltr	-2350A

**SITE MAINTENANCE**
**PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR**

**M Maintenance**

Maintenance Sustainable absorbents are great for dealing with both oil and water as well as transmission fluid, hydraulic fluid, coolants, diesel fuel and many other fluids.

**Pads**

- Tested to BS 7959-2:2000



PACK OF  
**100**

Size (cm)	Pack Absorption	Order Code
50 x 40	120ltr	-2805G

**Rolls**

- Tested to BS 7959-2:2000



PACK OF  
**1**

Size (cm x m)	Pack Absorption	Order Code
37 x 40	130ltr	-2800A

**Socks**

- Tested to BS 7959-2:2000



PACK OF  
**20**

Size (cm x m)	Pack Absorption	Order Code
7.5 x 1.2	100ltr	-2810R

**0 Oil-Only**

Oil-Only Sustainable absorbents are great for dealing with oil as well as transmission fluid, hydraulic fluid, coolants, diesel fuel and many other fluids, but not water.

**Pads**

- Tested to BS 7959-2:2000



PACK OF  
**100**

Size (cm x m)	Pack Absorption	Order Code
50 x 40	120ltr	-2835G

**Rolls**

- Tested to BS 7959-2:2000



PACK OF  
**1**

Size (cm x m)	Pack Absorption	Order Code
37 x 40	115ltr	-2830A

**Socks**

- Tested to BS 7959-2:2000



PACK OF  
**20**

Size (cm x m)	Pack Absorption	Order Code
7.5 x 1.2	80ltr	-2840L

SITE MAINTENANCE

**SOLENT SPILL CONTROL Drain Protection**

**Drain Cover - Neoprene**

This neoprene drain mat offers effective drain protection, is lightweight, easy to use and has good chemical resistance.



Size (m)	Order Code
1 x 1	-3250A

**Drain Cover Carry Bag - Polyurethane**

Polyurethane Drain Cover in a vinyl weather resistant bag.

- Contents:**  
1x Polyurethane drain cover  
1x Drum plug compound mix to help seal the edges of the mat.



Size (cm)	Order Code
61 x 61	-3275X
91 x 91	-3280R

**Clay Absorbent Granules**

Industrial general purpose granules made from a naturally occurring mineral, Attapulgite, which can be used for absorbing most fluids including water, oil and fuels.

Non-toxic, chemically inert and fire retardant **BS 476 Part 7, Class 1** rated.

Performance - up to 12ltr per bag.



Bag Size	Order Code	
20ltr	-8250A	N/A

**Drain Cover - Polyurethane**

Re-usable drain cover, resistant to most corrosive liquids, fuels, solvents and oils. Suitable for temperatures between -40°C to 150°C.



Size (cm)	Order Code
46 x 46	-3260K
61 x 61	-3265T
91 x 91	-3270R

**Spill Barrier**

This barrier can provide an easy and quick containment for leaked fluid. Made from non-absorbent polyurethane, this barrier is quick to install and has a sticky bottom edge. Washable and resistant to oils and most chemicals.



Size (cm x m)	Order Code
6 x 3	-1705F

**Drum Plug**

Ready mixed chemically inert clay putty that forms a barrier to aqueous liquids. Can be applied directly over punctures and holes to stop the leak, enabling you to de-center the contents.



Size (kg)	Order Code
1	-2100A



### EDISON Combi Stretch Light

#### TCS060

Six LED stretch torch that can be used as either a torch or a lantern. Ultra bright energy-saving LEDs give a typical battery life of approximately 24 hours. Requires 4x AAA batteries (not included).

**Overall length:** 115mm.



Pull the housing open to illuminate a wider area or push to close for a focused beam of light



LED

Product Number	Weight	Order Code
TCS060	100g	EDI-904 -2700K

### Super Bright LED Rechargeable Spotlight

#### ELRW306

36 super bright LEDs. Push up telescopic design. Three light modes: 30 LED worklight - directional six LED torch - dual operation. Incorporated magnetic base. Shock, water and oil resistant. Rechargeable Li-ion battery. LED indicator and overcharge protection. Supplied with mains charger and in-car charger.

**Operating times:** 6 LED upto 25 hours, 30 LED up to five hours, 30+6 LED up to four hours.



Pull the housing open to illuminate a wider area or push to close for a focused beam of light



LED

Product Number	Weight	Order Code
ELRW306	530g	EDI-904 -2730K



### LED Torches

Six super bright white LEDs. 100,000 hour LED life. Battery life up to 50 hours (continuous). High strength aluminium alloy case. Corrosion-resistant anodised finish. Water and impact resistant. All joints sealed with 'O' rings.

**Batteries required:** 2x AA.  
**Length:** 175 mm.



LED

Never needs a replacement bulb

Model Number	Casing	Order Code
TAL010S	Aluminium	EDI-904 -2550K
TAL010B	Black	-2560K

### LED Torch Battery Sets

2x LED torches with six super bright white LEDs. 100,000 hour LED life. Never needs a replacement bulb.

**Contents:** Two LED torches plus 4 packs (1.6) of AA batteries.



LED

Torch Casing	Length (mm)	Order Code
Aluminium	175	EDI-904 -2922K
Black	175	-2923K

### Aluminium Soft Grip LED Torches

LED

Water and impact resistant anodised aluminium case with rubber grip. Ultra bright long life LEDs with optical lens to produce a clear white light. Positive push button operation. All joints sealed with 'O' rings.

**Lumens/Beam Distance:**

- TAS03M: 15/20
- TAS03S: 13/35
- TAS05L: 14/22
- TAS07L: 35/42



Lumens

Beam Distance



Model Number	Batteries Required	Length (mm)	Order Code
TAS03M	3x AAA	130	EDI-904 -2610K
TAS03S	2x AA	170	-2600K
TAS05L	2x C	180	-2620K
TAS07L	2x D	213	-2630K

SITE MAINTENANCE

### Professional Aluminium Flashlight

Positive push button control. Corrosion-resistant anodised finish. Extra bright, extra long-life bulbs. Powerful beam converts from spot to flood. Waterproof and shockproof with neoprene 'O' rings.

**Suitable for:** engineers, contractors, police and security services, fire and ambulance services.



Batteries Required	Length (mm)	Weight each	Order Code
7 x C	480	440g	EDI-904 -0400K

### Bulbs

To suit Edison pocket mini torches and security flashlights.



Description	To Suit Torch	Pack Qty	Order Code
<b>Krypton Bulb</b>			
2.4V/0.35A	EDI-904-2800K	1	-0300K
2.4V/0.4	EDI-904-0600K	1	-1600K
2.4V/0.75	235/232/	2	-0920K
3.6V/0.75	230/236	2	-0940K
3.6V/0.75	EDI-904-0300K	1	-0360K
<b>Push in</b>			
3.6V/0.75	EDI-904-0200K	1	-0380K
<b>Screw in</b>			
6.0V/0.75	EDI-904-0250K	1	-0600K
6.0V/0.75	EDI-904-0350K	1	-0600K
9.0V/0.75	EDI-904-0400K	1	-0900K

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

**GROUP 904 TORCHES**

**EDISON 10W CREE LED Aluminum Torch**

- Anodized aluminium body
- Adjustable beam focus
- 600 lumens
- IPx4

**Beam distance:** 140m.  
**Operating time:** 8hrs.

Requires 3 x C batteries (not included)



Product Number	Order Code
EAT010	-5020K

**Aluminum LED Pen Light**

- 40 lumens
- IPx4
- Requires 2 x AAA batteries (not included)

**Beam distance:** 20m.  
**Operating time:** 2hrs.



Product Number	Order Code
EPL005	-5040K

SITE MAINTENANCE

**12 LED Headband Torch**

- 35 lumens
- Beam distance: 20m
- Operating time: 8 hrs
- IPx4
- Requires: 3x AAA batteries (not included)

**4 Lighting modes:** 4 LEDs on, 8 LEDs on, 12 LEDs on, 12 LEDs flashing.



Product Number	Order Code
EHT012	-5060K

**Aluminium Rechargeable Head Torch**

Aluminium head and plastic body

- 120 lumens
- 1 x Li-Ion battery included
- Operating time: 2 hrs
- IPx4
- Includes USB cable for charging

**3 working modes:** 100% on, 50% on and flashing  
**Beam distance:** 115m.  
**Operating time:** 2 hrs.



Product Number	Order Code
ERH120	-5080K

**3W COB + 7LED Rechargeable Lamp**

- 2 lights - COB as lamp and 7 LED lights on the top
- Magnetic base and back
- 360° swivel hanging hooks
- IP20

**Operating time:** 2 - 2.5 hrs (high mode), 4 - 4.5 hrs (low mode), 10 hrs (top LEDs).

**Charge time:** 4 - 5 hrs.



Product Number	Order Code
ERW230	-1625E

**Under Bonnet COB LED Rechargeable Worklight**

- 36 COB LEDs
- Two power settings: 18/36 LEDs
- Detachable and extendable foam covered mounting bracket
- Strong magnets for hands-free applications
- Supplied with charger and 1x Li-ion rechargeable battery

**Bracket range:** 1210-1670mm  
**Overall lamp length:** 1070mm



Product Number	Order Code
EBW230	-1630H



### KENNEDY 24 LED Worklight

24 super bright LEDs. Magnetic base. Soft touch durable composite casing. 360° swivel hanging hook for hands-free applications. 3x AA batteries supplied. Lasts for 4 - 5 hours approx. IP20 moisture protection.

Length: 208mm.



LED

Product Number	Weight each	Order Code
LWL024	260g	<b>-5110K</b>

### 5W COB + 1 LED Rechargeable Worklight

Combined worklight and torch.

- 160 lumens
- Integrated magnet on the back
- Adjustable magnetic base
- USB charging cable
- IPx4
- 1 x Li-ion battery included

new



160 lm



3-4 hr



20m

Product Number	Weight each	Order Code
ERW005	250g	<b>-5120K</b>

### 18 SMD LED Lithium-Ion Rechargeable Worklight

- Rubberised finish
- 300 lumens
- 3.7 V 2200mAh Li-ion battery
- 360 degree swivel hanging hook
- Integrated magnet on back

2 lighting modes: 100% on and 30% on

new



300 lm



2 hr



30m

Product Number	Weight each	Order Code
DKWL2012U	280g	<b>-5140K</b>

## TORCHES

GROUP 904

### EDISON 60 LED Inspection Lights

60 super bright white LEDs

- LED usage life: 100,000 hrs
- 120 lumens
- Built-in lithium rechargeable batteries
- Complete with 360 degree swivel hanging hook
- IPx4

new



120 lm



3-4 hr



20m

Product Number	Weight each	Order Code
DKKH-8601	370g	<b>-5160K</b>

### 360 5W COB + 1 LED Inspection Worklight

Combined worklight and torch

- ABS plastic with rubberised finish
- 160 lumens
- Magnetic base
- IPx4
- Requires 3x AA batteries (not included)

new



160 lm



3-4 hr



20m

Product Number	Weight each	Order Code
DKTN1003	180g	<b>-5180K</b>

### 3W CREE LED Rubber Waterproof Torches

Durable TPE rubber

- 150 lumens
- IPx7
- Requires 2 x D batteries (not included)

Beam distance: 110m.

Operating time: 16hrs.

new



150 lm



16 hr



110m

Product Number	Weight each	Order Code
EWT003	300g	<b>-5200K</b>

SITE MAINTENANCE

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

**GROUP 904 TORCHES & BATTERIES**

**LED Rechargeable Spotlight**

**ELRS002**

90 lumens LED rechargeable spotlight. Super bright one watt LED light. Side LED tube light. Two position handle, to ensure comfortable and ergonomic access. Swivel handle. 4V 4Ah sealed lead acid battery. Supplied with AC/DC mains charger and 12V DC car plug adaptor for portable charging.

**Battery operation times (10 hours full charge):**

- Main spot light up to 6 hours.
- Side LED tube light up to 30 hours.



90 lm



6/30 hr



75m



90 LUMENS



Battery included

Product Number	Candle Power	Order Code
ELRS002	2.0M	EDI-904 -1070K



**Super Bright LED Rechargeable Spotlight**

**ELRS001**

Weatherproof. High and standard brightness mode. SOS distress signal. Emergency light/blinking light. Two position handle, to ensure comfortable and ergonomic access. Swivel stand. Battery level indicator. 6V 4Ah sealed lead acid battery. Supplied with AC/DC mains charger and 12V DC car plug adaptor.

**Battery operation times (18 hrs full charge):**

- Standard brightness mode up to 8 hours.
- High brightness mode up to 3 hours.
- SOS distress mode up to 20 hours.
- Emergency light up to 25 hours.
- Emergency blinking light up to 30 hours.



247 lm



3/30 hr



250m



247 LUMENS



LED



Product Number	Weight	Order Code
ELRS001	1.46kg	EDI-904 -1060K

**EDISON Waterproof SW LED Lantern**

Super bright and waterproof.

- 200 lumens
- Beam distance: 150m
- Operating time: 20 hrs
- IPx7
- Requires 6V or 4 x D batteries (not included)

**Beam distance:** 150m.



200 lm



20 hr



150m



new

Description	Order Code
Lantern	EDI-904 -5100K

**EDISON Alkaline Batteries**

A range of alkaline batteries that offer significantly longer life than zinc carbon batteries in high-drain appliances. Suitable for torches, radios, answerphones, toys, calculators, pagers, remote controls, smoke alarms and many other portable electrical appliances.

**Bulk Value Battery Multi Pack**



Contents	Order Code
5 Packs AA & 2 Packs AAA	EDI-904 -5000K



**ALKALINE**

Battery Size	Volt	Pack Qty	Order Code
AA	1.5V	4	-3020K
AAA	1.5V	4	-3040K
C	1.5V	2	-3080K
D	1.5V	2	-3100K
6LR61	9V	1	-3000K

**Ni-MH Rechargeable Battery**



**Ni-MH Rechargeable**

Size	mAh	Pack Qty	Order Code
9V	170	1	EDI-904 -4440K

**PJ996 6V Lantern Battery**

The Edison PJ996 zinc chloride battery is ideal for lanterns, torches and most traffic management lighting, i.e. road construction and maintenance.



**ZINC**

Battery Size	Volt	Order Code
PJ996	6V	EDI-904 -3500K

SITE MAINTENANCE

## KENNEDY Twisted Wire Tube Brushes

Twisted wire handle for hand use. For industrial maintenance, agricultural, workshop, machinery etc. For decarbonising and heavy duty cleaning use of tubes, struts, awkward places etc.



Type	Dia. (mm)	Brush Length	Overall Length	Weight	Order Code KEN-906
Steel	10	100mm	215mm	600g/50	-1030K
	15	105mm	215mm	325g/20	-1050K
	20	100mm	210mm	345g/20	-1060K
	25	100mm	215mm	275g/10	-1100K
	30	80mm	210mm	295g/10	-1120K



Type	Dia. (mm)	Brush Length	Overall Length	Weight	Order Code KEN-906
Brass	6	75mm	300mm		-1620K
	10	75mm	300mm		-1630K
	12	75mm	300mm		-1640K
	16	75mm	300mm		-1650K
	19	75mm	300mm		-1660K
	25	75mm	300mm		-1700K

### 7 Piece Set Contents:

Tube brushes: 1x 10, 15, 20, 25 and 30mm diameter.  
Nylon slimline brushes: 1x curved and 1x straight.

Weight each	Order Code KEN-906
200g	-9010K

### 6mm Plain Shank

For use in power tools.



Type	Dia. (mm)	Brush Length	Overall Length	Weight	Order Code KEN-906
Steel	15	60mm	100mm	200g/10	-1250K
	20	60mm	103mm	200g/10	-1260K
	25	60mm	120mm	230g/10	-1300K
	30	60mm	115mm	485g/20	-1320K
	35	60mm	110mm	275g/10	-1330K
Stainless Steel	15	60mm	100mm	200g/10	-1450K
	20	60mm	100mm	215g/10	-1460K
	25	70mm	120mm	460g/20	-1500K
Steel	30	65mm	120mm	500g/20	-1520K
	35	60mm	120mm	285g/10	-1530K

### 10 Piece Set

Contents	Weight each	Order Code KEN-906
1 each of above	550g	-9020K

### Slimline Brushes

Plain metal handles, with steel wire or nylon bristle filling. Suitable for heavy duty cleaning and decarbonising.

#### Straight Head



#### Curved Head

Type	Head Length	Weight per 20	Order Code KEN-906
<b>Straight Head</b>			
Steel	50mm	1.1kg	-1800K
Nylon	50mm	1.0kg	-1850K
<b>Curved Head</b>			
Steel	70mm	1.1kg	-1900K
Nylon	70mm	1.0kg	-1950K

## COTSWOLD Wire Scratch Brushes

A range of plastic handled scratch brushes with cast steel bristles.



\*With scraper.

Number of Rows	Order Code COT-906
1	-6100K
2	-6200K
3	-6300K
4	-6400K
4*	-6450K
5	-6500K

## KENNEDY Wire Scratch Brushes

Designed for cleaning all rough surfaces on a variety of materials to remove paint, dirt, rust and stubborn deposits. Hardwood stocks.

**Bristle type:** cast steel. For general-purpose work.



\* With scraper

Number of Rows	Weight each	Order Code KEN-906
2	85g	-6200K
3	115g	-6300K
4	130g	-6400K
4*	155g	-6450K

### Stainless Steel

Used predominantly in stainless steel welding processes, where the use of an ordinary wire scratch brush would create the risk of contamination of the weld.

**Bristle type:** stainless steel.



Number of Rows	Weight each	Order Code KEN-906
2	140g	-7200K
3	210g	-7300K
4	220g	-7400K

### Brass

These brass wire brushes are used in situations where there could be a potential fire or explosion hazard. Brass wire brushes will not cause a spark.

**Bristle type:** brass.



Number of Rows	Weight each	Order Code KEN-906
2	130g	-8200K
3	220g	-8300K
4	230g	-8400K

### Hand Tube Brushes

For manual use in cleaning tubes and removing soft deposits in condenser and heat exchanger equipment.



Dia.	Order Code KEN-906	Dia.	Order Code KEN-906
1/4"	-3020K	7/8"	-3070K
3/8"	-3030K	1"	-3080K
1/2"	-3040K	1 1/8"	-3090K
5/8"	-3050K	1 3/2"	-3100K
3/4"	-3060K		

**PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR**





**KENNEDY** 1,000kg  
Folding Mobile Crane




Ideal for home workshops or garages. Folding design for easy storage and transportation. Flow control valve for precise lowering and positioning. Overload safety valve. Hydraulic operation providing easy lifting. Heavy duty swivel hook with safety latch, four different jib options. Heavy duty castors.



Model number	.....FMC001.
Order Code	.....KEN-941-3670K.
Lifting capacity position (a)	.....1,000kg.
Lifting capacity position (b)	.....750kg.
Lifting capacity position (c)	.....500kg.
Lifting capacity position (d)	.....250kg.
Maximum lifting height at minimum jib extension	.....1868mm.
Maximum lifting height at maximum jib extension	.....2004mm.
Length of jib in position (a)	.....865mm.
Length of jib in position (b)	.....955mm.
Length of jib in position (c)	.....1045mm.
Length of jib in position (d)	.....1135mm.
Clearance height of legs	.....130mm.
Length of frame	.....1480mm.
Overall clearance height	.....1555mm.
Maximum width of frame	.....1000mm.
Distance between rear wheel centres	.....640mm.
Maximum Kook Height	.....2445mm.

**SITE MAINTENANCE**

1 tonne (metric ton or t) = 1000kg  
1 ton (imperial ton) = 2240lbs (1016kg)



Model Number	Weight each	Order Code	
FMC001	91kg	<b>KEN-941-3670K</b>	
Spares for above	Description	Weight each	Order Code
	Seal Repair Kit	9g	<b>-8200K</b>
	Replacement Ram		<b>-8800K</b>

## MECHANICAL LIFTING EQUIPMENT



### MATLOCK

#### Hand Chain Hoists

Quality made 2.5m and 3m chain hoists with a capacity ranging from 500 to 3000kg. Fitted with heat treated and ground, triple-spur geared shaft and pinion. Hooks fitted with robust safety latches and 360 degree rotation. All models include mechanical load brake for extra safety.

**EN 13157+A1:2009** and **EC Council Directive 2006/42/EC** Machinery compliant.

Capacity (1000kg)	0.5	1	2	3	5
Standard Lift (M)	2.5	2.5	3	3	3
Running Test Load (1000kg)	6.3	12.5	25	37.5	75
No. Columns of Load Chains	1	1	1	2	2
Load Chain Diameter (mm)	6	6	8	8	10



Capacity	Order Code
500kg	-4200K
1000kg	-4210K
2000kg	-4220K
3000kg	-4230K
5000kg	-4240K

#### Lever Hoists

750 to 3000kg range capacities. Fitted with heat treated and ground, triple-spur geared shaft and pinion.

Hooks fitted with robust safety latches and rotate 360 degrees. Includes mechanical overload brake for extra safety.

**EN 13157+A1:2009** and **EC Council Directive 2006/42/EC** Machinery compliant.

Capacity (1000kg)	0.75	1.5	3
Standard Lift (M)	1.5	1.5	1.5
Running Test Load (1000kg)	11.0	22.0	37.5
No. Columns of Load Chains	1	1	1
Load Chain Diameter (mm)	6	8	10



Capacity	Order Code
750kg	-6200K
1500kg	-6220K
3000kg	-6250K

#### Ratchet Cable Puller - 1300kg

Robustly constructed from galvanised steel with a powder coated body, hardened steel hooks with spring catches. It has a heavy-duty swivel on the anchoring hook, 3.6m of 5mm aircraft cable giving a 1.5m pull and a sprung ratchet pawl. Suitable for pulling: trees, roots, fencing wires, vehicles, machines, boats, trailers, caravans etc.



Capacity	Order Code
1300kg	MTL-941
	-2020K

#### Beam Clamps

1000 to 5000kg range capacities. Clamp jaw designed to reduce flange stress by distributing load away from beam edge. Easily mounted with threaded handle. Fits a wide range of flange widths and beams. **EN 13155:2003 + A2:2009** and **EC Council Directive 2006/42/EC** Machinery compliant.



Lifting Capacity	Flange Width	Weight each	Order Code
1000kg	75 - 220mm	4.8kg	-1010K
2000kg	75 - 220mm	5.3kg	-1020K
3000kg	80 - 320mm	11.1kg	-1030K
5000kg	80 - 320mm	11.6kg	-1050K

SITE MAINTENANCE

**PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR**



**MATLOCK** Webbing Slings

High strength to weight ratio, light to handle and easy to use. Shock absorbing construction and wide load bearing area produce a secure grip and eliminate damage to the load. All types are made from oil and acid resistant polyester, treated with a wear resistant impregnation. All sizes are colour coded to indicate 'SWL' (safe working load), rating and marked with traceability code. These ratings are for a straight line pull only. Other variations of pull are shown below along with the relevant 'SWL'.

**Flat Slings**

Flat Slings with reinforced eye at each end. Made to **BS EN 1492:1 - 2000**.



**SITE MAINTENANCE**

Working Length (M)	Width (mm)	'SWL' (kg)	Order Code MTL-942
<b>Simplex Type - Single Thickness</b>			
2	60	1,000	-5010K
	120	2,000	-5020K
	180	3,000	-5030K
3	60	1,000	-5110K
	120	2,000	-5120K
	180	3,000	-5130K
4	60	1,000	-5210K
	120	2,000	-5220K
	180	3,000	-5230K
<b>Duplex Type - Double Thickness</b>			
2	30	1,000	-5510K
	60	2,000	-5520K
	90	3,000	-5530K
	120	4,000	-5540K
	150	5,000	-5550K
	240	8,000	-5580K
	300	10,000	-5590K
3	30	1,000	-5610K
	60	2,000	-5620K
	90	3,000	-5630K
	120	4,000	-5640K
	150	5,000	-5650K
4	30	1,000	-5710K
	60	2,000	-5720K
	90	3,000	-5730K
	120	4,000	-5740K
	150	5,000	-5750K
6	300	10,000	-5790K
	30	1,000	-5810K
	60	2,000	-5820K
	90	3,000	-5830K
	120	4,000	-5840K
8	150	5,000	-5850K
	240	8,000	-5870K
	300	10,000	-5890K
	30	1,000	-5900K
	60	2,000	-5920K
10	120	4,000	-5960K
	150	6,000	-5970K
	240	8,000	-5980K
	300	10,000	-5990K
	30	1,000	-6020K
10	60	2,000	-6040K
	120	4,000	-6060K
	150	6,000	-6080K
	240	8,000	-6090K

**Safe Working Loads**




Straight Line	Choker	Basket	Basket 90°*	Basket 120°*
1,000kg	800kg	2,000kg	1,400kg	1,000kg
2,000kg	1,600kg	4,000kg	2,800kg	2,000kg
3,000kg	2,400kg	6,000kg	4,200kg	3,000kg
4,000kg	3,200kg	8,000kg	5,600kg	4,000kg
5,000kg	4,000kg	10,000kg	7,000kg	5,000kg

\*Angle between sling legs.

**Endless Round Slings**

Made to **BS EN 1492:2 - 2000**.



Working Length (M)	Width (mm)	'SWL' (kg)	Order Code MTL-942
0.5	45	1,000	-1960K
	50	2,000	-1970K
	60	3,000	-1980K
	70	4,000	-1990K
	80	5,000	-2000K
1	45	1,000	-2010K
	50	2,000	-2020K
	60	3,000	-2030K
	70	4,000	-2040K
	80	5,000	-2050K
1.5	45	1,000	-2060K
	50	2,000	-2070K
	60	3,000	-2080K
	70	4,000	-2090K
	80	5,000	-2100K
2.0	45	1,000	-2110K
	50	2,000	-2120K
	60	3,000	-2130K
	70	4,000	-2140K
	80	5,000	-2150K
2.5	45	1,000	-2160K
	50	2,000	-2170K
	60	3,000	-2180K
	70	4,000	-2190K
	80	5,000	-2200K
3.0	45	1,000	-2210K
	50	2,000	-2220K
	60	3,000	-2230K
	70	4,000	-2240K
	80	5,000	-2250K
10.0	80	-	-2290K

**Warrior™ Wear Sleeve**

**BDV1592**

Guards against wear and tear of straps on sharp load edges, thread the load strap through the wear sleeve and position on load edges.



Product Number	Length	Order Code
BDV1592	330mm	MTL-942 -6100K