



Plastic drums in 6 sizes,
from 10 to 125 litres

from £ 25.50

Drums in plastic with drain Tap

■ **Manufactured from food-safe, impact proof and shock proof polyethylene (PE)**

- Suitable for the safe storage of chemicals
- Resistant to many acids and alkalis
- With transparent material the fill level is easy to see from outside
- Fitted with locking cap, drain pipe (Ø 34 mm) and tap (NW 10 or 15) and screw lid

Folding leak spill pallets, reusable

See page **407**



Capacity [l]	10	15	30	50	80	125
Ø x H [mm]	240 x 310	300 x 340	330 x 460	330 x 680	480 x 620	480 x 840
Design	Opening 120 mm, 1 handle, outlet NW 10	Opening 120 mm, 1 handle, outlet NW 10	Opening 120 mm, 2 handles	Opening 120 mm, 2 handles, outlet NW 10	Opening 200 mm, 2 handles, outlet NW 15	Opening 200 mm, 2 handles, outlet NW 15
Order number	117-934-J9	117-935-J9	117-936-J9	144-873-J9	117-937-J9	117-939-J9
Price / Item(s)	£ 28.50	£ 38.50	£ 48.00	£ 69.50	£ 84.00	£ 113.00
Price / Item(s) From 5 Item(s)	£ 25.50	£ 34.50	£ 43.00	£ 62.50	£ 75.50	£ 102.00

Plastic dispensing jugs

For safe dispensing and filling of chemicals, oils, etc.

Set:
consisting of A 1 litre, 2 litre and 5 litre
dispensing jug

SET PRICE

£ 46.00

Order no. 148-143-J9

Capacity [l]	1	2	5
Order number	117-408-J9	117-409-J9	117-410-J9
Price / Item(s)	£ 16.30	£ 18.70	£ 23.00

Space saving tanks in plastic with drain Tap

■ **In food-safe polyethylene (PE)**

- Suitable for the safe storage of chemicals
- Resistant to many acids and alkalis (specific weight max.1 Kg/l)
- 2-part screw lid (Ø 200 mm) and dispensing tap NW18 included
- Dispensing nozzle Ø 34 mm
- Locking cap with seal
- Compact and stackable (when used with optional stacking frames)



from £ 82.00

Space-saving carboy
with stacking frame

Capacity [l]	60	100	150	200	300	500
External dimensions L x W x H [mm]	520 x 355 x 530	600 x 410 x 610	680 x 470 x 710	810 x 500 x 770	880 x 610 x 880	1050 x 700 x 1010
Order number	189-262-J9	117-940-J9	117-941-J9	117-942-J9	117-943-J9	117-944-J9
Price / Item(s)	£ 82.00	£ 116.00	£ 166.00	£ 183.00	£ 259.00	£ 405.00
ACCESSORIES	Stackable steel rack					
Order number	189-263-J9	117-945-J9	117-946-J9	117-947-J9	117-948-J9	117-949-J9
Price / Item(s)	£ 195.00	£ 199.00	£ 232.00	£ 242.00	£ 259.00	£ 353.00

Expert Hotline and Order line: **01952 700 572**

All items free delivery Delivery: **available from stock**

DENIOS

269

IBC 600 to 1000 litres

■ Accessible on 4 sides

- Container made from stress fracture resistant HDPE and UV stabilised for outdoor storage
- Cover with sturdy steel frames (galvanised inside and out) as additional transport protection
- Large plate for labels



£ 289.00
Order no. 157-201-J9

IBC with wooden pallet, standard version, 600 litre capacity.




£ 387.00
Order no. 157-458-J9

IBC with plastic pallet, standard version, 800 litre capacity.

	IBC 600 to 1000 litres				
Capacity [l]	600	800	800	1000	1000
External dimensions L x W [mm]	1200 x 800	1200 x 800	1200 x 1000	1200 x 1000	1200 x 1000
Design	Opening 150 mm	Opening 225 mm, valve can be changed	Opening 150 mm	Opening 150 mm	Opening 150 mm, valve can be changed with protection for the contents
Height, external [mm]	997	1160	989	1152	-
Order number Pallets: Wood	157-201-J9	157-452-J9	157-208-J9	157-458-J9	-
Price / Item(s)	£ 289.00	£ 344.00	£ 344.00	£ 368.00	-
Height, external [mm]	1013	1178	1000	1163	1163
Order number Pallets: Pe	157-206-J9	157-458-J9	157-213-J9	157-461-J9	217-281-J9
Price / Item(s)	£ 376.00	£ 387.00	£ 395.00	£ 426.00	£ 443.00

ACCESSORIES



Plastic IBC funnel

- Funnel for use with a conventional IBC
- For safely collecting and channelling liquids
- In high chemical resistant polyethylene (PE)
- Domed base - liquids run off
- Impact resistant
- Lightweight, easy to handle

£ 116.00 Order no. 218-986-J9

Ring spanner to open IBC screwed lids

See page **325**

IBC 600 to 1000 litres with UN approval

- With UN approval for storing and transporting dangerous fluids
- Container made from stress fracture resistant HDPE and UV stabilised for outdoor storage
- Cover with sturdy steel frames (galvanised inside and out) as additional transport protection
- Large plate for labels
- Accessible on 4 sides



IBC with plastic pallet, explosion protection version, 1000 litre capacity, Order no. 157-476-J9, £ 512.00



IBC type container with plastic pallet, UV protection design for hazardous materials, 1000-litre capacity, Order no. 217-282-J9, £ 483.00



Earthing cables for safety when dispensing See page **315**



IBC funnel in PE See page **327**

	IBC 600 to 1000 litres with UN approval					
	600	800	800	1000	1000	1000
Capacity [l]	600		800		1000	
External dimensions L x W [mm]	1200 x 800		1200 x 1000			
Design	Opening 150 mm	Opening 225 mm, valve can be changed	Opening 150 mm		Opening 150 mm, EX proof	Opening 150 mm, valve can be changed, protection for the contents
Height, external [mm]	1003	1166	1001	1164	1164	-
Order number Pallets: Wood	157-462-J9	157-472-J9	157-465-J9	157-475-J9	210-612-J9	-
Price / Item(s)	£ 357.00	£ 368.00	£ 387.00	£ 396.00	£ 449.00	-
Height, external [mm]	1013	1178	1000	1163	1163	1163
Order number Pallets: Pe	157-464-J9	157-474-J9	157-471-J9	117-828-J9	157-476-J9	217-282-J9
Price / Item(s)	£ 419.00	£ 445.00	£ 445.00	£ 482.00	£ 512.00	£ 483.00

Container for hazardous goods IBC-k

- With UN approval
- Hazardous goods container model IBC-k (on plastic pallet) for the safe transport of hazardous substances, with replaceable 2" ball valve (with Viton seal)
- Container in stress fracture resistant polyethylene (HDPE)
- UV stabilised, also suitable for outdoor storage
- Sturdy steel tube frame gives additional protection




Extension tap for IBC, Order no. 117-254-J9, £ 24.00



	Container for hazardous goods IBC-k	
	1000	1000
Capacity [l]	1000	
Design	Opening 150 mm with pressure release valve, drain valve can be changed	Opening 225 mm, drain valve can be changed
External dimensions L x W x H [mm]	1200 x 1000 x 1165	1200 x 1000 x 1165
Un-approved,	UN 31HA1/y...	
Order number	218-724-J9	195-347-J9
Price / Item(s)	£ 506.00	£ 483.00

IBC in stainless steel

- Approved for liquid hazardous substances in packaging groups II and III
- Storage of high value raw materials or aggressive chemicals
- Collect hazardous waste materials or residues for later disposal
- Suitable for active and passive storage as dispensing or collection containers
- Approval number UN 31A/Y/..
- The tank is in high quality stainless steel (1.4301)
- Accessible underneath by industrial trucks as well as movable using a crane and stackable
- The upper section has a manhole DN 400 with screwed lid (NBR seal) and 6 eye bolts, safety valve (preset to 0.4 Bar) and vent slits
- The bottom level has a ball valve with stainless steel locking cap for optimum emptying of residue



	IBC in stainless steel	
Capacity [l]	1000	1000
External dimensions L x W x H [mm]	1215 x 1015 x 1550	1150 x 1150 x 1160
Weight [kg]	214	160
Design	Can be stacked 5 high	Can be stacked 2 high (filled) or 3 high (empty)
Order number	137-266-J9	257-240-J9
Price / Item(s)	£ 3,195.00	£ 3,275.00

Spill pallets for IBCs in stainless steel

See page **51**



Drums in steel, 60 and 205 litres

- With UN approval
- With 3/4" and 2" tri-sure bung screwed connections
- Inner untreated and outer painted blue (RAL 5010)



Level indicator Model FS, for 60 and 205 litre drums with 3/4" bung hole, suitable for oils, antifreeze, diesel and heating oil.,
Order no. 137-715-J9, £ 48.00

Capacity [l]	60	217
Ø x H [mm]	395 x 570	585 x 882
Bung thread 1	G34	G34
Bung thread 2	G2	G2
Un-approved,	1A1/X1.6/250...	1A1/X1.6/250...
Order number	122-851-J9	117-976-J9
Price / Item(s)	£ 65.00	£ 104.00
Price / Item(s) From 4 Item(s)	£ 61.50	£ 99.00



60 litre steel drum,
Order no. 122-851-J9



205 litre steel drum,
Order no. 117-976-J9

Lidded drums in steel, 60 to 205 litres

- With UN approval
- Exterior painted



Capacity [l]	60	120	120	212	212	212	212
Ø x H [mm]	398 x 575	453 x 830	453 x 830	610 x 880	610 x 880	610 x 880	610 x 880
Bung thread 1	-	-	-	-	-	G34	G34
Bung thread 2	-	-	-	-	-	G2	G2
Inner surface	Painted	Raw	Painted	Raw	Painted	Raw	Painted
Un-approved,	1A2/X100/S...	1A2/X170/S...	1A2/X170/S...	1A2/X420/S...	1A2/X420/S...	1A2/X420/S...	1A2/X420/S...
UN approval	-	-	-	1A2/Y1.5/150/	-	1A2/Y1.5/150/	1A2/Y1.5/150/
Order number	217-273-J9	187-202-J9	187-203-J9	174-026-J9	174-029-J9	174-028-J9	174-030-J9
Price / Item(s)	£ 74.00	£ 86.50	£ 89.00	£ 113.00	£ 129.00	£ 115.00	£ 137.00
Price / Item(s) From 4 Item(s)	£ 70.50	£ 83.00	£ 84.50	£ 107.00	£ 123.00	£ 109.00	£ 129.00

Drum wedge in polyethylene for placing drums at an angle for optimum emptying



See page 327

ORDER ACCESSORIES AT THE SAME TIME

Stainless steel funnel for bung hole drums, 2" tri-sure



£ 177.00 Order no. 129-141-J9



Fill level indicator, for 2" and 3/4" bung holes, with a transparent protective cap

£ 38.50 Order no. 148-365-J9



Drum dolly DT 1 / 200, in steel for 205/220 litre drums

£ 66.50 Order no. 148-431-J9

Lidded drums in polyethylene (PE)

- With UN approval
- With a clamping Ring for protection against spillage or contamination of the stored liquid
- The large opening simplifies filling
- Made of polyethylene (PE) - highly resistant to chemicals and environmentally friendly

from £ 33.50

Drum lifters

See page
346



Detail: pressure release valve in the lid



£ 87.50

Order no. 210-451-J9

120 litre PE drum with pressure release valve in the lid

£ 48.00

Order no. 210-442-J9

60 litre drum with ventilation valve in lid and 2 carry handles

Capacity [l]	30	60	60	120	120	220
Ø x H [mm]	320 x 530	400 x 616	400 x 620	500 x 800	496 x 800	590 x 950
Design	2 carry handles	2 carry handles	Non-woven ventilation valve 2 carry handles	—	Ventex ventilation valve	—
Un-approved,	1H2/X61/S...	1H2/X100/S...	1H2/X90/S...	1H2/X225/S...	1H2/X170/S...	1H2/X320/S...
Order number	117-829-J9	117-830-J9	210-442-J9	117-840-J9	210-451-J9	117-831-J9
Price / Item(s)	£ 33.50	£ 45.00	£ 48.00	£ 81.50	£ 87.50	£ 109.00

L-ring polyethylene drum

- Residue emptying down to 100 ml at a 20° angle
- With bung threads
- Manufactured from environmentally friendly polyethylene (PE)

ACCESSORIES



Sealing cap 3/4" (pack = 25 pcs)
Order no. 174-151-J9
£ 18.70 / Pack



Sealing cap 2" (pack = 25 pcs)
Order no. 174-149-J9
£ 18.70 / Pack



L-ring drum 220 litre and 120 litre

Suitable for Ex Zones 1 and 2 when used with bulk materials in explosion groups IIA and IIB



Capacity [l]	120	220	220	220
Design	-	-	-	Conductive
Ø x H [mm]	495 x 745	580 x 970	580 x 935	590 x 935
Bung thread 1	3/4"	3/4"	2" coarse	2" coarse
Bung thread 2	2"	2"	2" TriSure	2" TriSure
Un-approved,	1H1/Y1.9/200...	1H1/X1.3/250...	1H1/X1.3/250...	1H1/Y1.6/200...
Order number	117-826-J9	117-827-J9	178-791-J9	174-005-J9
Price / Item(s)	£ 78.00	£ 94.00	£ 94.00	£ 122.00

Polyurethane drum bandages (PU)

- Fastens on easily and quickly**
- For steel and plastic drums
- Resistant to oil and many acids and alkali
- Nylon belt (4 m long) with a practical velcro fastener
- Bandage dimensions L x W (mm): 300 x 180
- In practical carry case



Drum bandage in practical carry case, dimensions W x D x H (mm): 380 x 300 x 90, Order no. 116-035-J9, £ 242.00



£ 242.00 Order no. 116-035-J9

Transparent polyethylene (PE) plastic canisters.

■ With UN approval for the transport of dangerous goods

- Made from food-safe and chemical resistant polyethylene (PE)
- Includes carry handle
- Designed to fit on a pallet, stackable

from £ 8.60



Capacity	5 litres	10 litres	10 litre easy to fully empty	20 litres	25 litres	30 litres	60 litres
External dimensions L x W x H (mm)	189 x 145 x 251	230 x 190 x 307	230 x 190 x 340	290 x 234 x 391	290 x 234 x 474	360 x 290 x 409	398 x 328 x 630
Un-approved, Lock	3H1/X1.9/250... No. 51 (55 mm)	3H1/X1.9/250... No. 51 (55 mm)	3H1/Y1.8/150... No. 61 (60 mm)	3H1/Y1.9/150... No. 61 (60 mm)	3H1/Y1.9/150... No. 61 (60 mm)	3H1/Y1.9/150... No. 61 (60 mm)	3H1/X1.9/250/... No. 71 (70 mm)
Order number	217-773-J9	217-774-J9	217-778-J9	217-775-J9	217-776-J9	217-777-J9	251-420-J9
Price / Item(s)	£ 9.60	£ 11.50	£ 14.80	£ 14.40	£ 15.40	£ 16.30	£ 33.50
Price / Item(s) From 5 Item(s)	£ 8.60	£ 10.40	£ 13.30	£ 13.00	£ 13.90	£ 14.70	£ 29.90

Plastic canisters in polyethylene (PE)

■ With UN approval for the transport of dangerous goods

- With carry handle, screw cap and PE seal
- Designed to fit on a pallet, stackable
- Manufactured from polyethylene (PE)

from £ 11.30



10 litre canister, Order no. 154-118-J9



60 litre canister, Order no. 117-824-J9

Capacity [l]	10	20	30	60
External dimensions L x W x H (mm)	230 x 200 x 310	288 x 258 x 380	380 x 280 x 400	400 x 350 x 640
Un-approved, Lock	3H1/X1.9/250... No. 51 (55 mm)	3H1/X1.9/250... No. 61 (60 mm)	3H1/X1.9/250... No. 61 (60 mm)	3H1/X1.9/250... No. 71 (70 mm)
Order number	154-118-J9	117-822-J9	117-823-J9	117-824-J9
Price / Item(s)	£ 12.50	£ 14.40	£ 16.80	£ 27.00
Price / Item(s) From 5 Item(s)	£ 11.30	£ 13.00	£ 15.10	£ 24.50

ORDER ACCESSORIES AT THE SAME TIME

Lid wrench



See page 325

DENSORB Safety Cabinet with Roll of absorbent material



See page 400

Anti-static canister for explosion-proof areas

- UN approved
- Ideal for solvents due to fluorised interior
- With transparent visible strip
- For EX zones 1 and 2 if gases or solvent vapours in explosion group II a and II B are present
- Design compatible with pallets, stackable

from £ 11.80



Capacity [l]	5	11	20
External dimensions L x W x H [mm]	189 x 158 x 251	245 x 195 x 328	294 x 245 x 400
Un-approved,	3H1/Y1.4/140/12	3H1/Y1.2/120/12	3H1/Y1.4/120/12
Lock	No. 50 (53 mm)	No. 61 (60 mm)	No. 61 (60 mm)
Order number	210-429-J9	210-430-J9	210-431-J9
Price / Item(s)	£ 13.10	£ 23.00	£ 28.50
Price / Item(s) From 5 Item(s)	£ 11.80	£ 20.50	£ 25.50

Stainless steel funnel

- For plastic canisters with a union nut
- Ideal for the measured filling of small amounts of fluids
- Corrosion free and resistant to aggressive media
- With overflow prevention
- Incl. Lid and flame barrier



from £ 174.00


For containers with thread H51, Order no. 187-010-J9, £ 174.00
 For containers with thread H61, Order no. 129-142-J9, £ 179.00
 For containers with thread H71, Order no. 137-515-J9, £ 183.00

Conductive canisters in polyethylene (PE)

- With UN approval for the transport of dangerous goods
- In antistatic design
- Suitable for flammable liquids
- Use in zones 0, 1, 2, 20, 21 and 22 is permitted if sufficient measures to avoid the risk of ignition from electrostatic discharge are taken, for example earthing containers. The container must be used subject to the "Technical rules for hazardous substances" (TRGS 727).
- With carry handle, screw cap and PE seal
- Manufactured from environmentally friendly polyethylene
- Designed to fit on a pallet, stackable

from £ 25.50

10 litre electrically conductive canister, Order no. 148-430-J9



60 litre electrically conductive canister, Order no. 129-121-J9

Capacity [l]	10	30	60
External dimensions L x W x H [mm]	235 x 195 x 345	375 x 270 x 425	396 x 332 x 630
Un-approved,	3H1/Y1.6/200...	3H1/Y1.2/150...	3H1/Y1.2/150...
Lock	No. 61 (60 mm)	No. 71 (70 mm)	No. 71 (70 mm)
Order number	148-430-J9	129-120-J9	129-121-J9
Price / Item(s)	£ 28.50	£ 41.50	£ 63.50
Price / Item(s) From 5 Item(s)	£ 25.50	£ 37.50	£ 57.00

Polyethylene canister with canister spout

- UN approval for transporting hazardous substances in packaging groups II and III
- Flexible outlet pipe with integral ventilation
- Outlet pipe is retained in the canister and is therefore safe from contamination and loss
- Locking cap secured against loss by strap
- Manufactured from sturdy, impact resistant plastic

The flexible drain pipe is safely retained in the canister



£ 48.00

Order no. 228-637-J9

Capacity [l]	20
External dimensions L x W x H [mm]	350 x 175 x 480
Weight [kg]	2
Un-approved,	3H1/Y/150/...
Order number	228-637-J9
Price / Item(s)	£ 48.00

Hazardous substance canister in steel with transport approval

- With UN approval
- With fluid resistant seals and internal paint- no build up of rust so the contents stay clean
- Wide ventilation opening for quick emptying
- Patented safety pin and bayonet lock for safe transport
- Optional accessories: discharge nozzles with practical holder for easy connection to the canister

from £ 33.00



Capacity [l]	10	20
External dimensions L x W x H [mm]	345 x 165 x 275	345 x 165 x 470
Weight [kg]	3,0	4,2
Un-approved,	3A1/Y/100/...	3A1/Y/100/...
Order number	218-954-J9	218-953-J9
Price / Item(s)	£ 36.50	£ 38.50
Price / Item(s) From 10 Item(s)	£ 33.00	£ 34.50

ORDER ACCESSORIES AT THE SAME TIME

Spouts

- With practical holder for easy connection to the canister



£ 21.50

Order no. 218-955-J9

Super-wide-necked drums in plastic

- Ideal for solid materials and pastes



from £ 10.60

Wide-neck drums model WH for safe storage of powder and compounds

- With un-x approval for the packaging groups I, II and III
- Resistant to many acids and alkalis
- The drums are air and watertight, stackable and sealed with a tamper-proof seal
- Quick fit screw lid with integrated seal
- Made of high-quality polyethylene (PE)
- Smooth surface for easy cleaning
- Barrel hoops prevent damage
- Suitable for food
- Temperature resistant from -20 ° to +80 °



from £ 34.50

Super-wide-neck drums model SWH in various sizes and colours

Wide-necked drums in plastic									
Capacity [l]	3,6	6,4	10,4	15,4	20,0	26,0	42,0	55,0	68,0
Ø x H [mm]	198 x 171	198 x 263	274 x 238	274 x 327	274 x 417	316 x 425	410 x 418	410 x 520	410 x 643
Design	Opening 136 mm	Opening 136 mm	Opening 204 mm	Opening 204 mm	Opening 203 mm	Opening 204 mm	Opening 282 mm 2 handles	Opening 282 mm 2 handles	Opening 282 mm 2 handles
Body colour	White	White	White	White	White	White	White	White	White
Lid colour	Red	Red	Red	Red	Red	Red	Red	Red	Red
Order number	179-655-J9	129-122-J9	179-656-J9	129-123-J9	129-124-J9	129-125-J9	179-657-J9	129-126-J9	129-128-J9
Price / Item(s)	£ 11.80	£ 14.00	£ 24.00	£ 25.50	£ 27.00	£ 33.50	£ 44.50	£ 46.50	£ 50.50
Price / Item(s) From 10 Item(s)	£ 10.60	£ 12.60	£ 21.50	£ 23.00	£ 24.50	£ 29.90	£ 39.90	£ 42.00	£ 45.50

Super-wide-necked drums in plastic							
Capacity [l]	26,0	34,0	39,0	55,0	64,0	75,0	110,0
Ø x H [mm]	338 x 358	338 x 449	338 x 505	410 x 495	410 x 573	410 x 680	455 x 787
Design	Opening 295 mm 2 handles	Opening 295 mm 2 handles	Opening 295 mm	Opening 354 mm 2 handles	Opening 354 mm 2 handles	Opening 354 mm 2 handles	Opening 392 mm 2 handles
Body colour	White	White	White	Brown	Brown	Brown	White
Lid colour	Red	Red	Red	Beige	Beige	Beige	Red
Order number	129-129-J9	129-130-J9	179-658-J9	129-131-J9	129-132-J9	179-659-J9	179-660-J9
Price / Item(s)	£ 38.50	£ 45.50	£ 44.50	£ 54.00	£ 57.50	£ 62.00	£ 78.00
Price / Item(s) From 10 Item(s)	£ 34.50	£ 41.00	£ 39.90	£ 48.50	£ 52.00	£ 56.00	£ 69.50

Conductive wide-necked and super-wide-necked drums

- Un-x approval for packaging groups I, II and III

- The safe solution to prevent static when handling solid and paste-like materials
- Resistance < 10⁹ Ω/ m²
- Resistant to many acids and alkali
- The drums are air and watertight, stackable and sealed with a tamper-proof seal
- Quick fit screw lid with integrated seal
- Made of high-quality polyethylene (PE)
- Smooth surface for easy cleaning
- Barrel hoops protect the drums for damage
- Temperature resistant from -20 ° to +80 °

from £ 74.00

Conductive drums in sizes 26 and 75 litres



Conductive wide-necked and super-wide-necked drums	
Capacity [l]	26,0 75,0
Ø x H [mm]	316 x 425 410 x 680
Design	Opening 204 mm Opening 354 mm 2 handles
Colour	Black Black
Order number	129-134-J9 129-136-J9
Price / Item(s)	£ 78.00 £ 174.00
Price / Item(s) From 10 Item(s)	£ 74.00 £ 165.00

Expert Hotline and Order line: **01952 700 572**

All items free delivery Delivery: **available from stock** **•DENIOS•** 279