

FALCON Lubriflex dispensing jugs

- Safe, clean and easy commercial dosing of liquids
- Long lasting, chemically resistant, UV stable container

- With sturdy handles for ergonomic use
- Includes 2 screw-on spouts in different sizes, 18 write-on adhesive labels in 9 signal colours and a multi-language safety sticker for identifying the contents in accordance with GHS regulations
- Available with 2, 5 or 10 litre volume



<p>All containers are supplied with multiple-language safety labels to mark the contents, with danger symbols according to GHS</p>		
<p>1L 2L 2.5L 5L 8L 10L 20L</p>		

NEW
from £ 74.00


FALCON dispensing jugs Lubriflex with volume of 2, 5 or 10 litres, each including 18 write-on adhesive labels in signal colours for clear marking



FALCON dispensing jugs Lubriflex with large opening for safe, easy filling

Capacity [l]	2	5	10
External dimensions W x D x H [mm]	140 x 413 x 316	173 x 413 x 416	260 x 413 x 523
Order number	243-460-J9	243-461-J9	243-462-J9
Price / Item(s)	£ 78.00	£ 82.00	£ 94.00
Price / Item(s) From 10 Item(s)	£ 74.00	£ 78.00	£ 89.50



FALCON dispensing jug Lubriflex with long outlet pipe - ensures safe, clean dispensing even in areas which are hard to reach



Spill trays for small containers for every application

From page **58**

Expert Hotline and Order line: **01952 700 572**

All items free delivery Delivery: **available from stock** **-DENIOS-** 281



Oil storage cans

- Safe, easy transport of liquids
- Sturdy, long lasting product
- Practical handle
- Ergonomic combination with spout and additional handle

from £ 40.50

Capacity [l]	3	5	10	15
Material	Tin plate	Tin plate	Tin plate	Sheet steel
External dimensions W x D x H [mm]	175 x 300 x 220	175 x 300 x 315	235 x 370 x 350	235 x 370 x 490
Order number	157-916-J9	157-917-J9	157-940-J9	157-948-J9
Price / Item(s)	£ 45.00	£ 53.00	£ 57.50	£ 78.00
Price / Item(s) From 5 Item(s)	£ 40.50	£ 47.50	£ 52.00	£ 69.50

Tin plate measuring jug

- Ideal for harsh industrial and workshop use
- Ideal for measuring and filling liquids

from £ 13.10

Design	With stiff spout			With flexible spout	
	0,5	1,0	2,0	1,0	2,0
Capacity [l]					
External dimensions W x D x H [mm]	75 x 180 x 230	90 x 200 x 275	115 x 220 x 315	90 x 360 x 270	115 x 380 x 320
Order number	157-957-J9	157-972-J9	157-976-J9	157-984-J9	157-988-J9
Price / Item(s)	£ 13.10	£ 14.00	£ 15.50	£ 25.00	£ 27.00



Steel measuring buckets

- Measuring cans are corrosion proof thanks to galvanised finish
- With funnel-like spout, carry and support handle and internal brass strip measuring scale
- Long life

from £ 84.50

Capacity [l]	5	10
Body dimensions W x D x H [mm]	280 x 280 x 325	280 x 360 x 530
Order number	157-989-J9	157-990-J9
Price / Item(s)	£ 94.00	£ 113.00
Price / Item(s) From 5 Item(s)	£ 84.50	£ 102.00

- For flammable and aggressive liquids
- Space saving design with high stability
- Comfortable handle with large moulded grip
- NBR seals
- Incl. marking label with warning symbols and notices
- Protective ring around the outside to protect from damage



All containers are supplied with multiple-language safety labels to mark the contents, with danger symbols according to GHS

FALCON safety storage and transport containers

- With UN approval
- Dispensing nozzle supplied as standard
- Opening Ø approx. 35 mm with ergonomic cap in aluminium



FALCON safety containers with fine dosing Tap

- Fine dosing tap in stainless steel
- Automatic ventilation when the fine dosing tap is operated for precision dosing
- The fine dosing tap with comfortable lever enables filling even into small openings
- The flame arrestor (standard) prevents flames passing through and igniting the container contents



Containers with fine dosing tap have a flame arrestor as standard



Material	Steel			Stainless steel		
	5	10	20	5	10	20
Capacity [l]	5	10	20	5	10	20
FALCON safety storage and transport containers with UN approval						
External dimensions L x W x H [mm]	408 x 244 x 114	408 x 244 x 186	508 x 308 x 216	408 x 244 x 114	408 x 244 x 186	508 x 308 x 216
Order number	235-289-J9	235-290-J9	235-292-J9	235-293-J9	235-296-J9	235-297-J9
Price / Item(s)	£ 52.00	£ 57.50	£ 61.50	£ 116.00	£ 138.00	£ 162.00
FALCON safety containers with fine dosing Tap						
External dimensions L x W x H [mm]	428 x 244 x 169	428 x 244 x 241	528 x 308 x 271	428 x 244 x 169	428 x 244 x 241	528 x 308 x 271
Order number	235-301-J9	235-302-J9	235-303-J9	235-304-J9	235-305-J9	235-306-J9
Price / Item(s)	£ 93.00	£ 99.00	£ 104.00	£ 158.00	£ 179.00	£ 204.00

Expert Hotline and Order line: **01952 700 572**

All items free delivery Delivery: **available from stock** **DENIOS**

- For flammable and aggressive substances
- Large opening (approx. 43.5 mm) with screwed closure in aluminium
- NBR seals
- Comfortable handle
- Especially stable and space saving design
- Incl. marking label with warning symbols and notices



Small volumes of flammable and aggressive substances can be safely dispensed and transported.

FALCON safety canister for flammable and aggressive substances

- With UN approval
- Dispensing nozzle supplied as standard
- A special funnel with an angled neck (item 129113) is available as an accessory for the canisters to ensure the canisters can be safely filled.
- The drain pipe is retained in the canister to keep it clean



DENSORB Varioform - a multiformat absorbent material, which can also be used as a cloth

See page **366**



Material	FALCON safety storage and transport canisters			
	Steel		Stainless steel	
Capacity [l]	10	20	10	20
External dimensions L x W x H [mm]	340 x 170 x 280	340 x 170 x 470	340 x 170 x 280	340 x 170 x 470
Order number	235-307-J9	235-308-J9	180-687-J9	180-688-J9
Price / Item(s)	£ 53.50	£ 67.00	£ 138.00	£ 183.00

i All containers are supplied with multiple-language safety labels to mark the contents, with danger symbols according to GHS



ACCESSORIES

Stainless steel funnel with an angled neck

£ 90.50

Order no. 129-113-J9



FALCON safety canisters with dispensing Tap

- Dispensing tap in stainless steel
- Ventilation valve for uniform, precision filling
- The dispensing tap with easy to use operating lever allows dispensing into smaller containers.
- Can be stored e.g. on a shelf with the filling tap fitted



Containers with dispensing tap can be stored on any shelf



from £ 87.50

Earthing cables for safety when dispensing

See page **315**



Material	FALCON safety canisters with dispensing Tap			
	Steel		Stainless steel	
Capacity [l]	10	20	10	20
External dimensions L x W x H [mm]	445 x 170 x 280	445 x 170 x 470	445 x 170 x 280	445 x 170 x 470
Order number	242-250-J9	242-251-J9	242-252-J9	242-253-J9
Price / Item(s)	£ 87.50	£ 104.00	£ 168.00	£ 212.00

Expert Hotline and Order line: **01952 822 241**

All items free delivery Delivery: **available from stock** 285

The optimum solution for your company - everything you need from DENIOS

- Can be customised to suit your requirements
- Safe handling of aggressive and flammable media at all times
- All with proven DENIOS quality



Impact protection

See page
492

i Let our specialists help you choose your individual professional solution. Telephone: 01952 822 241.

FALCON dispensing jugs Lubriflex ①

See page
280-281



Oil absorbents and DENSORB products ②

From page
354



FALCON immersion containers for parts cleaning ③

See page
505



Safe cleaning with FALCON spray containers and plunger cans ④

See page
506-507



Earthing cables for safety when dispensing ⑤

From page
315



FALCON safety containers with filling Tap ⑥

See page
285



Workplace matting ⑦

From page
442



Hazardous substance racking ⑧

From page
96



Spill trays for small containers for every application ⑨

From page
58



FALCON fine measuring jugs

- For the safe distribution and easy dosing of combustibile and aggressive fluids



- With screw-off fine dosing tap in stainless steel 1.4301, Inc. Ventilation and chemically-resistant PTFE seal
- Optimum protection against flashback with integral flame arrestor (removable, e.g. for cleaning)
- Ergonomic handle for safe handling
- Plastic protective Ring protects the sturdy jug body from damage
- Incl. safety sticker for marking the contents in accordance with GHS



FALCON storage and transport jugs

- For storing combustibile and aggressive liquids safely



- Also suitable for internal transport
- Screw cap (secured against loss) with overpressure valve and chemically-resistant PTFE seal
- Optimum protection against flashback with integral flame arrestor (removable, e.g. for cleaning)
- Ergonomic handle for safe handling
- Plastic protective Ring protects the sturdy jug body from damage
- Incl. safety sticker for marking the contents in accordance with GHS



Material	Steel			Stainless steel		
	1 l	2 l	5 l	1 l	2 l	5 l
Transport jug with screw CAP						
Ø x H [mm]	132 x 181	158 x 226	178 x 336	132 x 181	158 x 226	178 x 336
Order number	187-522-J9	187-523-J9	187-524-J9	203-965-J9	203-966-J9	203-967-J9
Price / Item(s)	£ 50.50	£ 59.50	£ 78.00	£ 135.00	£ 148.00	£ 177.00
Dispensing jug with fine dosage Tap						
Ø x H [mm]	132 x 215	158 x 260	178 x 370	132 x 215	158 x 260	178 x 370
Order number	188-951-J9	188-952-J9	188-953-J9	204-058-J9	204-059-J9	204-060-J9
Price / Item(s)	£ 84.00	£ 93.00	£ 99.00	£ 158.00	£ 168.00	£ 189.00

ACCESSORIES



Spill barrier Ring, Ø 400 mm to protect against leaking liquids, for example when undertaking filling procedures over work and laboratory benches etc.



Galvanized steel funnel



Fine dosing tap in stainless steel with breather

ACCESSORIES	Galvanized steel funnel for safety containers	Stainless steel funnel for safety containers	Barrier, 400 mm diameter	Fine dosing tap in stainless steel
Order number	187-536-J9	187-534-J9	130-516-J9	256-581-J9
Price / Item(s)	£ 27.50	£ 67.00	£ 195.00	£ 45.00

Expert Hotline and Order line: **01952 822 241**

All items free delivery Delivery: **available from stock** **-DENIOS-**

287

Stainless steel canister

- For dispensing, transporting and distributing flammable liquids
- With screw CAP or self closing fine dosing tap or nozzle
- Canister made from high quality stainless steel with a PTFE seal
- Incl. Flashback protection



5 litre Stainless Steel Jerrican with Fine measuring tap

£ 299.00
Order no. 117-341-J9

10 litre Stainless Steel Jerrican, with tap and ventilation

£ 386.00
Order no. 117-331-J9

20 litre Stainless Steel Jerrican, with screw cap and pressure release valve

£ 338.00
Order no. 117-340-J9

ACCESSORIES

Stainless steel funnel with an angled neck

A special funnel with an angled neck is available as an accessory for stainless steel canisters. This ensures the canisters can be safely filled.

£ 90.50 Order no. 129-113-J9



Design	Lid, overpressure valve			Lid, transport approved		
	5	10	20	5	10	20
Capacity [l]	5	10	20	5	10	20
External dimensions L x W x H [mm]	200 x 130 x 310	230 x 130 x 380	340 x 175 x 470	200 x 130 x 310	280 x 130 x 380	345 x 175 x 470
Order number	117-335-J9	117-338-J9	117-340-J9	117-351-J9	117-352-J9	117-353-J9
Price / Item(s)	£ 284.00	£ 289.00	£ 338.00	£ 259.00	£ 289.00	£ 329.00

Design	Fine Measuring tap			Tap, ventilation		
	5	10	20	5	10	20
Capacity [l]	5	10	20	5	10	20
External dimensions L x W x H [mm]	200 x 130 x 310	280 x 130 x 380	345 x 175 x 470	200 x 130 x 310	280 x 130 x 380	345 x 175 x 470
Order number	117-341-J9	117-342-J9	117-344-J9	117-327-J9	117-331-J9	117-332-J9
Price / Item(s)	£ 299.00	£ 365.00	£ 387.00	£ 354.00	£ 386.00	£ 416.00

Transport jugs in stainless steel

- For safely storing and transporting flammable liquids of all classifications
- Complies with transport regulations in accordance with GGVSE
- Screw cap (secured against loss)
- Removable perforated stainless steel flame arrester
- Made from high quality stainless steel 1.4571, Seal in PTFE



Transport jug, 5 litre

£ 195.00
Order no. 157-850-J9

Capacity [l]	1,0	2,5	5,0
External dimensions L x W x H [mm]	140 x 110 x 156	200 x 161 x 230	200 x 161 x 395
Order number	157-847-J9	157-848-J9	157-850-J9
Price / Item(s)	£ 152.00	£ 162.00	£ 195.00

Free-standing safety container in stainless steel

- Can be used for storing or dispensing
- With either a screw top, fine dosing tap or nozzle (with/without level indicator)

ACCESSORIES



Stainless steel funnel for a safety container

- A funnel is available to fit all safety containers. This ensures the containers can be safely filled.

Order no. 129-117-J9, £ 78.00

 <p>Safety container, 10 litres, with a screw CAP</p> <p>£ 259.00</p> <p>Order no. 119-587-J9</p>	 <p>Safety container, 10 litres, with a self-closing, fine measuring tap and ventilation</p> <p>£ 269.00</p> <p>Order no. 117-219-J9</p>	 <p>Safety jar, 25 litres, with self-closing tap and fill-level indicator</p> <p>£ 806.00</p> <p>Order no. 117-359-J9</p>	 <p>Safety container, 50 litres, with a self-closing Tap</p> <p>£ 626.00</p> <p>Order no. 117-349-J9</p>
--	---	---	---

Design	Screw lock			Measuring Tap	Tap			Tap and level indicator		
	10	25	50		10	25	50	10	25	50
Capacity [l]	10	25	50	10	10	25	50	10	25	50
Ø x H [mm]	260 x 330	315 x 540	365 x 600	260 x 340	260 x 330	315 x 540	365 x 600	260 x 330	315 x 540	365 x 600
Order number	119-587-J9	119-591-J9	117-346-J9	117-219-J9	117-223-J9	117-347-J9	117-349-J9	125-487-J9	117-359-J9	117-360-J9
Price / Item(s)	£ 259.00	£ 334.00	£ 416.00	£ 269.00	£ 459.00	£ 562.00	£ 626.00	£ 677.00	£ 806.00	£ 872.00

Stainless steel fuel cans

- Approved for safe transport of hazardous materials according to GGVS
- Type-approved according to ADR, RID and imdg-code
- Screw cap secured against loss
- With PTFE seal
- With flame arrestor
- Can also be used in-house as a tap container in combination with optional tap
- Separate ventilation for filling procedures



NEW
from **£ 296.00**

ACCESSORIES



1 1/2" stainless steel Tap, Order no. 117-328-J9, £ 94.00

Stainless steel storage mount for storing containers horizontally, Order no. 254-834-J9, £ 39.50



Capacity [l]	10	25
Ø x H [mm]	260 x 330	300 x 530
Un-approved,	1A1/X2/400..	1A1/X1.6/400..
Order number	256-779-J9	117-357-J9
Price / Item(s)	£ 296.00	£ 368.00

Expert Hotline and Order line: **01952 822 241**

All items free delivery Delivery: **available from stock** **-DENIOS-** 289



from £ 183.00

Transport container, 170 or 250 litre volume

Collection and transport containers for hazardous goods

- For hazardous solid materials in packaging categories II or III
- Suitable for used cleaning cloths, oil and chemical binders / granules etc
- Sturdy container in polyethylene with lid
- Airtight closure thanks to polyurethane seal and stable clips with safety pins
- Simple transport with solid rubber wheels with bearings and ergonomic handle
- Can be stacked two high
- With UN approval, no 1H2W/Y/S//BAM

Capacity [l]	170	250
External dimensions L x W x H [mm]	600 x 400 x 880	600 x 600 x 890
Un-approved,	D/bam 6576/1H2W	D/bam 6773/1H2W
Order number	151-338-J9	145-427-J9
Price / Item(s)	£ 183.00	£ 239.00

Transport container for hazardous materials

- Type tested and approved for transporting hazardous goods in packaging groups I, II and III
- With two rip-proof, carry straps on the sides
- The UN approved containers comply with the hazardous substances regulations (road) (GGVS), (rail) GGV and (sea) GGV, etc
- UN approval no. 4H2 / x. / S...Bam8421



from £ 123.00



Regulation compliant tension locks and tear resistant textile securing straps ensure that the container remains firmly closed during transportation

	Transport container for hazardous materials			
External dimensions L x W x H [mm]	400 x 300 x 336	600 x 400 x 293	600 x 400 x 340	600 x 400 x 440
Capacity [l]	26	47	55	75
Order number	117-928-J9	117-930-J9	117-931-J9	117-932-J9
Price / Item(s)	£ 129.00	£ 135.00	£ 144.00	£ 154.00
Price / Item(s) From 5 Item(s)	£ 123.00	£ 128.00	£ 137.00	£ 146.00

Plastic bucket with lid

- With UN approval
- Meets food regulations
- Easy open tab with tamper evident seal
- Inc. Carry handle
- Conical - can be stacked inside each other

from £ 6.70 / Item(s)


Design	Meets food regulations		Electrically conductive
Capacity [l]	5,5	11,0	11,0
Ø x H [mm]	237 x 208	293 x 245	268 x 268
Un-approved,	1H2/Y7/S/..	1H2/Y12/S/..	1H2/Y12/S/..
Pack contents	10 Item(s)	10 Item(s)	5 Item(s)
Order number	251-246-J9	251-248-J9	251-297-J9
Price / Pack	£ 67.00	£ 135.00	£ 138.00

Dissipative plastic bucket

- With UN approval
- Electrically conductive
- Manufactured from resistant polypropylene
- With metal handle

NEW

Plastic hobbock

- With UN approval
- Meets food regulations
- With ergonomic shell grips
- Manufactured from resistant polypropylene

NEW


Design	Meets food regulations	Electrically conductive
Capacity [l]	30,0	30,0
Ø x H [mm]	379 x 397	379 x 397
Un-approved,	1H2/Y45/S/..	1H2/Y37(Z45)/S/..
Order number	251-255-J9	251-298-J9
Price / Item(s)	£ 28.00	£ 61.50

Dissipative plastic hobbock

- With UN approval
- Electrically conductive
- With ergonomic shell grips
- Manufactured from resistant polypropylene

NEW

Multi-purpose hazardous materials containers

For transporting hazardous substances such as paint, spray cans etc. safely. UN certified for packaging groups II and III

- With snap-on lid and secure metal fasteners
- Stackable
- Manufactured from resistant polypropylene
- Colour: crimson

from £ 56.00

Reusable, crimson polypropylene containers for transporting hazardous materials, available in 5 different sizes

Hazardous materials transport containers with inverted lid and practical fasteners



	Multi-purpose hazardous materials containers				
External dimensions L x W x H [mm]	410 x 310 x 238	410 x 310 x 338	610 x 410 x 238	610 x 410 x 338	610 x 410 x 438
Capacity [l]	18	27	38	58	74
Order number	174-006-J9	174-007-J9	174-008-J9	174-009-J9	174-010-J9
Price / Item(s)	£ 59.00	£ 65.50	£ 69.50	£ 82.50	£ 88.50
Price / Item(s) From 5 Item(s)	£ 56.00	£ 62.50	£ 66.50	£ 78.50	£ 84.00

§

Suggestions and tips for handling hazardous substances based on country-specific and European legislation.

Resistance list for selecting manual drum pumps.

When selecting the right hand pump it's important to know the container size and type as well as the required pumping capacity together with the suitability of the pump for the medium to be dispensed. The pump must be resistant to the medium to be dispensed, in many areas health and safety and environmental regulations must also be observed e.g. explosion protection.

Here you'll find information on common liquids and their relevant chemical resistant pump sets.

Highly flammable media and solvents.

From page 293

see resistance list.



Acids and alkali

From page 295



For larger containers (> 60 L)



For smaller containers (< 60 L)

From page 297

Hand pumps for mineral oils can be found

From page 299

Important note

Plastic parts made from the raw materials are often subject to influences which are not able to be recognised in laboratory tests. The values given are therefore only recommendations. Claims may not be made based on this information. In case of doubt, we recommend that a test is carried out.

Example media	Stainless steel drum pump	FL 205 lever pump	Solvent pump	PP drum pump	PTFE drum pump	950 lever pump	PP piston pump	PP gas tight drum pump	> 60 litres				< 60 litres			
									OTAL-pump in PP *	OTAL-pump in PVC *	OTAL-pump in PVDF *	OTAL-pump in VZA *	Canister pump *	Transfer pump Red	Transfer pump Blue	Transfer pump Green
Recommended container size																
Catalogue page	293	293	294	295	295	296	296	297	297	297	297	298	298	298	298	
Acetone	⚡		○													
Acetonitrile	⚡		○													
Formic acid					○						●					
Ammonium hydroxide		●	●	●	●			○	●		●	●		●		
Benzene	⚡	○	●													
Chlorine water					○											
Acetic acid		●	●	○	●		●	●	●		●	●				
Ethanol	⚡		●	○												
Ethyl acetate			○													
Hydrofluoric acid					○											
Formaldehyde	●	●	●	●	●			○					●			
Glycol/Ethylene glycol	●	●	●	○	●	●	●	●	●		●	●	●	●	●	
Isopropanol	⚡		○													
Kerosene	⚡	○	●													
MEK Methyl ethyl ketone	⚡		○													
Methanol	⚡		○													
Naphtha	⚡	○	●		●											
Sodium chloride				●	○	●	●	●	●	●	●		●	●	●	
Sodium hypochlorite					○											
Sodium hydroxide		●		○	●				●	●			●			
Cellulose thinners	⚡	○	●													
Perchloroethylene					○											
Phosphoric acid				●	○			●	●	●	●		●		●	
Nitric acid 1 – 10 %	●	●	○	●				●	●	●	●				●	
Nitric acid 50 – 70 %					○						●					
Nitric acid 100 %					○											
Hydrochloric acid				○	●											
Sulphuric acid 1 – 80 %				○	●				●	●	●				●	
Sulphuric acid 95 – 100 %					○											
Turpentine	⚡	○	●	●												
Toluene	⚡	●	○													
Trichloroethylene					○											
Peroxide 1 – 30 %				○	●			●	●		●		●		●	
Peroxide 100 %					○											
Xylene	⚡	●	○													

* Stopper in PVC, not in direct contact with the medium

- Suitable for the given medium.
- Recommended for the given medium.
- ⚡ Highly flammable / earthing required

Not found the right medium? Or have a question? We'd be happy to help - just give us a call!

01952 700 572