

Drum dolly type DT 1 - DT 5.

- Practical transport of standing 60/205/220 litre drums made of steel or plastic
- Available with additional accessories - suitable for many applications

■ For 60 litre steel drums ①

- Includes towbar for easy, ergonomic transport
- With 4 sturdy hooks keep the drum in position



Steel drum dolly DT 1 / 60 for 60 litre drums, incl Drawbar

£ 54.00

Order no. 171-741-J9

■ For 205 litre steel drums and 220 litre plastic drums ②



Drum dolly DT 1 / 200, in steel for 205/220 litre drums

£ 66.50

Order no. 148-431-J9

■ Tipping drum dollies in steel ④

- For 205/220 litre drums
- Mechanical device with foot pedal for easy tilting of the drum, useful for e.g. Emptying the drum using a pump
- Steel construction with long lasting powder coating in RAL 5010 (blue)



£ 87.50

Order no. 189-634-J9

■ With oil-tight welded, closed spill tray ③

- Edge height 80 mm
- Powder-coated in blue (RAL 5010)



①

■ Stainless steel drum dollies ⑤

- For easy transport of 205 litre drums and stainless steel drums
- Especially suitable for the food and pharmaceutical industries
- Can be cleaned easily and quickly



②

③

④

■ The sturdy drum dolly for especially heavy steel drums ⑥

- Load capacity up to 500 kg
- Sturdy steel construction, powder coated in blue (RAL 5010)



⑤

⑥

Model	DT1 / 60	DT 1 / 200	DT 2	DT 3	DT 4	DT 5
Design	With handle	Standard	With oil-tight spill pallet	With tilting mechanism	Made of stainless steel	Especially for heavy drums
Overall load capacity [kg]	100	350	300	350	350	500
Ø internal [mm]	400	610	610	610	610	610
Height [mm]	135	125	185	145	165	165
Number of rollers	4	4	4	4	4	8
Ø roll [mm]	60	75	75	75	80	100
Order number	171-741-J9	148-431-J9	189-637-J9	189-634-J9	189-635-J9	189-636-J9
Price / Item(s)	£ 54.00	£ 66.50	£ 116.00	£ 87.50	£ 195.00	£ 94.00

Drum gripper

- Drum gripper for maximum safety when manually handling drums
- Also available in a version for use in EX zones

- The gripping mechanism includes a clamping device which is specially designed for steel ribbed drums, steel clamping Ring drum lids or 220 litre plastic L Ring drums
- Explosion-proof design: stainless steel, handle in galvanised steel



Drum cart for corrugated steel drums



Drum dolly for plastic l-ring drums

Suitable for	Steel drums	Drums with steel lids	Plastic l-ring drums
Normal version			
Weight: 7 kg			
Order number	115-247-J9	115-248-J9	115-249-J9
Price / Item(s)	£ 676.00	£ 672.00	£ 677.00
Explosion-proof design			
Weight: 9 kg			
Order number	133-762-J9	133-761-J9	133-717-J9
Price / Item(s)	£ 1,041.00	£ 1,059.00	£ 1,227.00



Drum dollies type DT6 for drum overpacks

- For the safe transport of 205 litre steel drums, salvage drums and drum overpacks

- Adjustable from Ø 680 to 840 mm
- In galvanised steel
- Easy to move on 4 swivel castors



from £ 163.00

i Also available in an electrically conductive version (when used in accordance with the intended use, suitable for potentially explosive areas)



Drum dolly with spill tray model DT7

- Spill tray in polyethylene (internal Ø 600 mm)
- Suitable for transporting 205/220 litre steel and plastic drums
- Steel under frame with 4 easy to manoeuvre, polypropylene castors (Ø 100 x 38 mm)



£ 242.00

Order no. 117-854-J9

Model	DT 6		DT 7
	Non-electrically conductive	Electrically conductive	With PE collection tray
Overall load capacity [kg]	450	450	450
Ø internal [mm]	840	840	600
Height [mm]	123	123	180
Order number	115-199-J9	127-147-J9	117-854-J9
Price / Item(s)	£ 163.00	£ 289.00	£ 242.00

Polyethylene drum dolly model Poly200



The integrated push handle in the apron gives the option to carry small items and provides an additional splashguard

- High quality drum dolly with drip tray
- Ideal for 205 litre steel drums and 220 litre plastic drums
- Liquid-tight, corrosion-resistant and very resistant to acids and alkalis
- In environmentally friendly, solid coloured polyethylene (PE)
- Integrated drip tray with 5 litre collection volume
- Easy transport with 4 polyamide swivel castors (Ø 80 mm)
- With profiled floor for good stability during transport
- Available in 3 versions

from £ 106.00

i Poly200 S is also available in a dissipative version (suitable for potentially explosive areas)



PE POLY200 S drum dolly, for the safe transportation of drums containing aggressive chemicals
Order no. 181-869-J9, £ 204.00

Model	Poly200 E	Poly200 D	Poly200 S
Design	Without tow handle	With tow handle	Integral handle
Overall load capacity [kg]	300		
Non-electrically conductive, blue			
Order number	181-868-J9	181-867-J9	181-869-J9
Price / Item(s)	£ 106.00	£ 163.00	£ 204.00
Electrically conductive, black			
Order number	-	-	181-870-J9
Price / Item(s)	-	-	£ 399.00



Drum CADDY with a combined handle and lever, for safely lifting the drum while the CADDY is pushed underneath and for easy transport

Steel Drum Caddy

- Drum caddy for quick positioning of a drum without additional aids
- Especially low to allow access underneath and lifting of the tilted drum
- Simple transportation of 205 litre steel drums
- The combined handle and lever allows the drum to be safely tipped and easily transported Load capacity: 250 kg

£ 194.00

Order no. 195-075-J9



A safety hook prevents the drum from slipping when it is tilted



Drum tipper trolley (includes handle)

■ Easy and safe one man operation

The drum tipper trolley is able to lift a standing 205 litre drum. The drum is brought over the roller curve from a vertical to a horizontal position using the handle. The drum can then be transported to its storage location. Then the dispensing operation can take place. The removable drip collection tray ensures that the surrounding area is protected from pollution.

- Dimensions W x D x H (mm): 665 x 925 x 600 (without handle)
- Load: 350 kg
- For long term storage on the drum tipper we recommend using our spill pallet FK 20, which the drum tipper will fit directly over. The spill pallet is included in the kit

Drum tipper trolley
(includes handle)

£ 232.00

Order no. 115-235-J9



Drum tipper model FKX with handle, drum support rollers and spill pallet

SET PRICE

£ 582.00

Order no. 115-239-J9



Spill pallet FK20 for safe storage, dimensions W x D x H (mm): 1640 x 430 x 340, containment volume: 200 litres, Order no. 115-237-J9, £ 319.00

ACCESSORIES

Drum support rollers, allowing the drum to turn easily



£ 67.00

Order no. 115-213-J9

Drip tray for safe dispensing, dimensions W x D x H (mm): 450 x 295 x 125



£ 61.50

Order no. 115-186-J9

Securing strap to secure the drum during transport




£ 35.00

Order no. 100-188-J9

Drum tipper trolley

- To hold and transport a standing 60 litre plastic carboy
- Can also be used for dispensing in a horizontal position
- External dimensions W x D x H (mm): 620 x 680 x 950
- The carboy tipper can be combined with the 60 litre plastic spill pallet in the kit to form a compact unit - ideal for regular filling processes

Drum tipper trolley, galvanized, Order no. 130-362-J9, £ 204.00



SET PRICE

£ 319.00

Order no. 130-506-J9

Carboy tipper model BK 2-60 hot dip galvanized, incl. PE spill pallet



- For safe, easy transport, even over longer distances
- For 205 litre steel and PE I-ring drums
- With fold out, spring action feet for safe, space saving use

Optimised, easy drum handling with much less effort!

Drum trolley type FKR-S2

- With long lasting powder-coating in blue (RAL 5010)
- Easy drum pick-up with strap and safety hooks
- Two support castors increase safety
- The drum trolley enables the easy loading of 205 litre drums onto spill pallets (max. Spill pallet height 260 mm)
- Solid rubber wheels or pneumatic tyres. Wheel Ø: 350 mm

from £ 252.00



Drum trolley FKR-S2, powder coated in RAL 5010, with 2 stabilising, rubber wheels, Order no. 164-364-J9, £ 252.00

Drum trolley type FKH

- Drum trolley with solid rubber tyres, for the safe transport and dispensing from 205 litre steel and plastic lidded drums
- For tipping and easy transport
- Easy, safe drum pick-up with safety hooks
- Can also be used as dispensing station
- Large solid rubber wheels, ideal for use on uneven floors

from £ 188.00



Also suitable as dispensing station

Drum trolley FKH with folding feet for stability, Order no. 164-355-J9

Model	Standard version		Conductive version		
	FKR-S2	FKH	FKR-S2	FKH	
Tyres	Solid rubber	Air	Solid rubber	Solid rubber EL	
Overall load capacity [kg]	300				
External dimensions W x D x H [mm]	730 x 545 x 1600	730 x 520 x 1600	730 x 570 x 1590	650 x 600 x 1415	
Order number powder coated	164-364-J9	164-362-J9	164-355-J9	180-863-J9	180-861-J9
Price / Item(s)	£ 252.00	£ 272.00	£ 188.00	£ 559.00	£ 458.00

Drum trolley FKZ for steel and plastic drums

- Solid rubber wheels or pneumatic tyres. Wheel Ø: 350 mm
- For the transport and filling of 60 to 220 litre steel and plastic drums
- With foot plate and belt for secure transportation and safe dispensing

from £ 173.00

Optimised, easy drum handling with much less effort!



The folding foot prevents the drum trolley tipping over by accident

Drum trolley FKZ, powder coated in RAL 5010, pneumatic wheels, Order no. 164-370-J9

Drum tipper trolley BK-60

- Suitable for 30 and 60 litre containers
- Guarantees safe transport (additional safety chains are optionally available)
- Wheel Ø: 200 mm

i With spill pallet (see accessories) suitable as dispensing station



Sump pallet PolySafe Euro type W2-60 for putting containers directly into, Order no. 129-038-J9, £ 132.00



Hot dip galvanised design, solid rubber tyres, (without safety chain) (pneumatic tyres see table)

£ 132.00

Order no. 115-243-J9

ORDER AT THE SAME TIME

Safety chain for 33 kg cylinder

- For transport safety of 33 kg gas cylinders

£ 11.90 Order no. 133-938-J9

Model	Standard version				Conductive version	
	FKZ		BK-60		FKZ	BK-60
Tyres	Solid rubber	Air	Solid rubber	Air	Solid rubber EL	
Overall load capacity (kg)	300		120		300	120
External dimensions W x D x H [mm]	730 x 565 x 1580		470 x 530 x 1160		695 x 650 x 1415	470 x 530 x 1160
Order number powder coated	164-371-J9	164-370-J9	164-368-J9	–	181-268-J9	181-316-J9
Price / Item(s)	£ 173.00	£ 182.00	£ 113.00	–	£ 453.00	£ 252.00
Order number Hot dip galvanised	–	–	115-243-J9	115-246-J9	–	181-315-J9
Price / Item(s)	–	–	£ 132.00	£ 135.00	–	£ 265.00

Drum transport and lifting trolley FTH 1

- For effortless placement of 50 to 205 litre steel bung hole drums on spill pallets
- Functions as both a drum trolley and a drum lifter
- Sturdy frame with stand, handles, wheels
- With height adjustable safety gripper to secure the drum to the frame
- Additional restraint system assists with locking onto the spill pallet during the gas spring assisted lifting process
- Suitable for use with a maximum height of 365mm
- 2 large rubber tyres (with ball bearings) Ø250mm

DENIOS
warranty **5**
years



2 additional hooks anchor the transport lifter to the spill pallet to ensure the drum is set down safely.



£ 416.00

Order no. 128-406-J9

Drum transport and lifting trolley FTH 1 for steel drums, load capacity 200 kg

Drum pallet truck type FHW for lifting drums

- For straightforward lifting, placing and transporting of a 200 litre steel drum on level ground
- Load capacity: 350 kg
- Simple single lever control for all functions
- The clamp opens when lowered and picks up the drum
- Clamp closes around the drum automatically when lifting
- Wheels manufactured from nylon
- Powder-coated in blue (RAL 5010)

- Combine the comfort of a pallet truck with the functionality of a drum transport and lifting trolley



£ 414.00

Order no. 158-052-J9

Drum pallet truck, load capacity 350 kg