



i For more versions of the transport trolley go to www.denios.co.uk

Transport and warehouse trolleys DENIOS base-line

Cost-effective, purpose-made transport equipment for safe transport, even for heavy and bulky goods

- Handy steel tube trolley with sheet steel base, safety handles and wheel guards
- Powder coated in blue
- Available in various versions, wheels with solid rubber (Ø 250 mm) or pneumatic tyres (Ø 260 mm)

base-line
by DENIOS



Warehouse trolleys model	TK 2	HK 3	TK 3	TKB 35
Features	–	Retaining bracket	Retaining bracket and clip-on runners	Support bracket
Overall load capacity [kg]	200	300	300	350
Shovel dimensions W x D [mm]	320 x 250	320 x 250	320 x 250	480 x 300
Order number Solid rubber	157-610-J9	171-780-J9	–	–
Price / Item(s)	£ 87.50	£ 94.00	–	–
Order number Air	157-611-J9	213-791-J9	157-615-J9	171-779-J9
Price / Item(s)	£ 94.00	£ 132.00	£ 144.00	£ 125.00



from **£ 212.00**

Stair-climbing truck Model SLB

Stair-climbing trucks fetra®

The professional truck for safe, energy-saving transport, step by step

- Ergonomic safety handles, handle and curved cross pieces for the easy transport of even round goods
- Sturdy design with sheet steel base and high quality powder coating (RAL 5007)
- TPE tyres with precision ball bearings - smooth running, low noise and easy to move
- 2 easy to manoeuvre, reliable 3-arm wheels, bearing hubs
- Wheel guard to protect the loaded goods from friction or getting wedged in the wheel, additional cross pieces for added load safety
- Model SLB: with extra large base

Made in Germany

fetra
••••



Stair-climbing truck model SK

Model	SL	SLB
Shovel dimensions W x D [mm]	320 x 250	480 x 300
Tyres	Tpe	
Overall load capacity [kg]	200	
Order number	216-551-J9	258-961-J9
Price / Item(s)	£ 212.00	£ 226.00

Transport trolleys DENIOS classic-line

The classic product for everyday use

- Ergonomic safety handles with crush protection
- Pneumatic tyres on steel rims with precision groove ball bearings for smooth running
- Protective panels at the sides
- Sturdy tubular steel or aluminium design
- Various designs for numerous applications

i For more versions of the transport trolley go to www.denios.co.uk



Warehouse trolley in steel, with removable plastic rails

In light aluminium



Sack truck for boxes, with additional handle

Sack truck, with especially wide base

classic-line
by DENIOS ■■



Warehouse trolleys in	Steel				Aluminium
		Handle	Clip-on runners, handle	Extra wide base	Clip-on runners, handle
Shovel dimensions W x D [mm]	320 x 250	320 x 250	320 x 250	400 x 150	320 x 250
Overall load capacity [kg]	200	250	250	250	200
Tyres	Air				
Order number	258-205-J9	258-207-J9	258-204-J9	258-206-J9	258-201-J9
Price / Item(s)	£ 104.00	£ 109.00	£ 155.00	£ 105.00	£ 164.00

Expert Hotline and Order line: **01952 700 572**

All items free delivery Delivery: **available from stock** **DENIOS** 457

General purpose plastic trolley DENIOS base-line

Versatile and lightweight trolley with handles and quiet, easy to manoeuvre wheels

- High resistance to acids and alkalis
- Shelves and handle in plastic (PP) with smooth surfaces - easy to clean
- Smooth running TPE swivel castors including 2 with brakes
- Version TOOL: easy open draws (an automatic lock prevents the draw being fully removed by accident)

Version PRO and TOOL:
Extreme temperature resistance
plastic surfaces -20° to +140°C!

from
£ 116.00
BEST price



ACCESSORIES



- ① Collection container for hanging at the side, h 200 mm, Order no. 180-045-J9, £ 26.50
- ② Waste container for hanging at the side, h 470 mm, Order no. 180-043-J9, £ 40.50
- ③ Rectangular containers fit inside, h 180 mm, Order no. 180-044-J9, £ 18.90

The right trolley for every job



base-line
by DENIOS

Version	Pro			Tool		Service
	Sides open	Enclosed on 3 sides	Enclosed on 3 sides	2 drawers	1 drawer	
Design	Sides open	Enclosed on 3 sides	Enclosed on 3 sides	2 drawers	1 drawer	Sides open
Number of levels	2	3	3	2	3	3
Overall load capacity [kg]	160	240	240	160	240	120
Platform dimensions W x D [mm]	450 x 680					350 x 480
External dimensions W x D x H [mm]	480 x 850 x 950	480 x 850 x 1000	480 x 850 x 1000	480 x 850 x 950	480 x 850 x 1000	370 x 650 x 900
Shell height [mm]	180 / 820 /	180 / 520 / 860	180 / 520 / 860	180 / 820 /	180 / 520 / 860	140 / 460 / 780
Ø wheel [mm]	100					75
Order number	180-037-J9	180-038-J9	180-041-J9	180-039-J9	180-040-J9	180-042-J9
Price / Item(s)	£ 116.00	£ 152.00	£ 174.00	£ 232.00	£ 195.00	£ 116.00

Steel transport trolley DENIOS base-line

Ideal for transporting small containers internally

- With adhesive anti-slip layer and all round guard strip, powder coated in blue
- Blue-grey smooth running solid rubber tyres, 2 swivel castors with brakes and 2 fixed castors



Alu transport trolley DENIOS base-line

With lightweight, aluminium platform

- The collapsible handle saves storage space
- Platform with anti-slip surface and corner protectors



i DENIOS base-line - cost-effective, reliable transport trolley with useful features, universal use in many operational areas

base-line by DENIOS

Material	Steel				Aluminium
	①	②	③	④	⑤
Platform dimensions W x D [mm]	480 x 740	610 x 910	480 x 740		470 x 645
Number of levels	1	1	2	3	1
Features	1 folding handle		2 handles		1 folding handle
Overall load capacity [kg]	150	250	120	120	150
External dimensions W x D x H [mm]	480 x 740 x 860	610 x 910 x 860	480 x 740 x 860	480 x 740 x 860	470 x 750 x 980
Ø wheel [mm]	100	125	100	100	100
Weight [kg]	15	20	21	25	10
Order number	157-604-J9	157-605-J9	157-606-J9	157-607-J9	164-407-J9
Price / Item(s)	£ 86.00	£ 128.00	£ 135.00	£ 154.00	£ 123.00

Expert Hotline and Order line: **01952 700 572**

All items free delivery Delivery: **available from stock** **DENIOS**

459

DENIOS classic-line transport equipment

classic-line
by DENIOS ■■■

Reliable, everyday transport equipment at a fair price and with smart accessories e.g.:

- Sturdy design, impact and scratch resistant powder coating
- Smooth TPE tyres with ball bearings, 2 swivel and 2 fixed castors with foot guard
- **ErgoStop central brake** - the pedal is quick and easy to operate, even when wearing safety shoes, works on both swivel castors at the same time.



Folding handle with simple foot operation - perfect for transport or when there is a space restriction



Compact, light duty trolley with fixed handle

Light duty platform trolley DENIOS classic-line

Optimum price & performance

- Compact transport trolley for universal use
- Sturdy, ergonomic handle
- Anti-slip, sealed loading surfaces - available in 2 dimensions
- With either fixed or folding handle



from
£ 156.00

Heavy duty platform trolley DENIOS classic-line

With a high load capacity for industrial use

- Ideally suited to easy transport of heavy goods
- Sturdy, ergonomic handle
- Anti-slip, sealed loading surfaces - available in 4 dimensions

classic-line
by DENIOS ■■■

Model	Light duty platform trolley			
	450 x 850	600 x 1000	450 x 720	600 x 900
Design	Fixed handle		Folding handle	
Overall load capacity [kg]	200		150	250
Wheel diameter [mm]	125			160
Order number	258-199-J9	258-200-J9	258-202-J9	258-203-J9
Price / Item(s)	£ 123.00	£ 146.00	£ 159.00	£ 189.00

Model	Heavy duty platform trolleys			
	500 x 880	600 x 1030	700 x 1030	800 x 1230
Design	Fixed handle			
Overall load capacity [kg]	400		500	
Wheel diameter [mm]	160		200	
Order number	258-213-J9	258-214-J9	258-212-J9	258-215-J9
Price / Item(s)	£ 156.00	£ 165.00	£ 169.00	£ 185.00

Additional products from the classic-line transport range can be found in our online shop!
denios.shop/gb-DENIOS-classic-line

from
£ 178.00

Light duty workshop trolley DENIOS classic-line

The professional product for internal transport

- Anti-slip, sealed loading surfaces with edge
- Available with 2 or 3 shelves, each in 2 dimensions
- Either with space-saving straight or ergonomic high transport handle



The straight handle makes transport easy, even for bulky loads




Especially comfortable to hold thanks to high handle

Heavy duty workshop trolley DENIOS classic-line

Load capacity up to 500 kg - for industrial use

- Ergonomic handle for easy transport
- Anti-slip, sealed loading surfaces
- Available in 4 loading surface dimensions

ErgoStop central brake:
Safe, quick braking in any wheel position.



classic-line

by DENIOS ■■

Model	Light duty workshop trolleys			
	2		3	
Number of levels				
Platform dimensions W x D [mm]	490 x 835	590 x 985	490 x 835	590 x 985
Overall load capacity/shelf [kg]	250 / 80			
Wheel diameter [mm]	125			
Order number High handle	258-174-J9	258-175-J9	258-187-J9	258-186-J9
Price / Item(s)	£ 178.00	£ 199.00	£ 236.00	£ 262.00
Order number Straight handle	258-209-J9	258-208-J9	258-211-J9	258-210-J9
Price / Item(s)	£ 182.00	£ 206.00	£ 238.00	£ 264.00

Model	Heavy duty workshop trolleys			
	2			
Number of levels				
Platform dimensions W x D [mm]	500 x 850	600 x 1000	700 x 1000	800 x 1200
Overall load capacity/shelf [kg]	400 / 200	500 / 200		
Wheel diameter [mm]	160	200		
Order number	258-196-J9	258-197-J9	258-198-J9	258-195-J9
Price / Item(s)	£ 252.00	£ 256.00	£ 262.00	£ 279.00

Expert Hotline and Order line: **01952 700 572**

All items free delivery Delivery: **available from stock** **DENIOS** 461

- Sturdy precision tubular steel design
- High quality loading surface in wooden board with beech finish
- Impact and scratch resistant powder coating
- Smooth TPE tyres with ball bearings. 2 swivel castors with brakes and 2 fixed castors



Workshop and tiered trolley fetra®

The universal aid for safe transport

- With ergonomic high handle
- Storage surfaces available in various sizes
- Available as a platform trolley or with 2 or 3 shelves, either without an edge or fitted in the frame, with 12 mm edge



ACCESSORIES

Polyamide wheels

- Long lasting roller bearing, chemical resistant
- Ø 125 x 38 mm Order no. 216-561-J9, £ 30.50
- Ø 200 x 50 mm Order no. 213-829-J9, £ 38.50

4 swivel castors TPE

- Instead of 2 fixed wheels, 2 castors Order no. 213-828-J9, £ 12.50

i Additional cost when ordering all transport trolleys with TPE tyres at the same time

from **£ 135.00**



Design	Platform trolleys		Shelves without edge		With shelf and edge	
	450 x 850	600 x 1000	500 x 850	600 x 1000	500 x 850	600 x 1000
Platform dimensions W x D [mm]	450 x 850	600 x 1000	500 x 850	600 x 1000	500 x 850	600 x 1000
Overall load capacity [kg]*	250		200		300	
External dimensions W x D x H [mm]	450 x 1100 x 910	600 x 1180 x 1020	500 x 1030 x 1020	600 x 1180 x 1020	500 x 980 x 1030	600 x 1130 x 1030
Wheel diameter [mm]	125					
Order number Number of levels: 1	213-789-J9	213-793-J9	-	-	-	-
Price / Item(s)	£ 135.00	£ 154.00	-	-	-	-
Order number Number of levels: 2	-	-	213-788-J9	213-794-J9	224-868-J9	224-869-J9
Price / Item(s)	-	-	£ 189.00	£ 217.00	£ 197.00	£ 219.00
Order number Number of levels: 3	-	-	213-795-J9	213-796-J9	224-870-J9	224-871-J9
Price / Item(s)	-	-	£ 232.00	£ 269.00	£ 252.00	£ 283.00

*All load capacities: for an evenly distributed load on the loading area

Transport trolley fetra®

The internal transport professionals - load capacity to 600 kg

- With handle set at a comfortable working height, available either as a platform trolley or a panelled trolley with a wooden or mesh wall



from **£ 166.00**

Heavy duty workshop trolley fetra®

For internal transport or use as a mobile workbench - load capacity to 600 kg

- Either with 2 or 3 shelves in various sizes
- Load capacity 300 kg: shelves fitted in steel frame, with 12 mm edge

i Additional sizes or trolley in ESD design on request or see www.denios.co.uk



from **£ 205.00**

fetra
.....

Model	Transport trolleys		
	500 x 850	700 x 1000	800 x 1200
Platform dimensions W x D [mm]	500	600	600
Overall load capacity [kg]	160	200	200
Ø wheel [mm]	213-819-J9	213-820-J9	213-821-J9
Order number With handle	£ 166.00	£ 174.00	£ 212.00
Price / Item(s)	213-822-J9	213-823-J9	213-824-J9
Order number With wooden panel	£ 187.00	£ 199.00	£ 229.00
Price / Item(s)	213-825-J9	213-826-J9	213-827-J9
Order number With grid panel	£ 182.00	£ 195.00	£ 225.00
Price / Item(s)			

Model	Heavy duty workshop trolleys			
	500 x 850	600 x 1000	700 x 1000	800 x 1200
Platform dimensions W x D [mm]	300		600	
Overall load capacity [kg]	125		200	
Ø wheel [mm]	259-046-J9	259-047-J9	213-797-J9	213-798-J9
Order number Number of levels: 2	£ 205.00	£ 232.00	£ 294.00	£ 309.00
Price / Item(s)	259-052-J9	259-057-J9	213-799-J9	213-800-J9
Order number Number of levels: 3	£ 269.00	£ 296.00	£ 412.00	£ 448.00
Price / Item(s)				


Expert Hotline and Order line: **01952 700 572**

All items free delivery Delivery: **available from stock** **DENIOS** 463

Workshop trolley DENIOS classic-line, with steel spill trays

With watertight spill pallet for safe working

- Sturdy tubular steel design, impact and scratch resistant powder coating
- With oil-tight steel spill tray, edge height 40 mm, with either 2 or 3 shelves
- Smooth running TPE tyres with groove ball bearings, 2 swivel and 2 fixed castors with foot guard, ErgoStop central braking
- Ergonomic working height, sturdy handle for easy transport
- Optional design with grid and drain tap or with removable spill pallet



classic-line
by DENIOS



Model	Workshop trolley with steel spill trays				
	2		3		3
Number of spill pallets					
Platform dimensions W x D (mm)	495 x 845	695 x 995	595 x 995	595 x 995	495 x 845
Additional equipment	-	-	Grid, drain tap	Removable spill pallet	-
Overall load capacity/shelf (kg)	400 / 100		250 / 80		500 / 100
Wheel diameter (mm)	160	200	125		160
Order number	258-220-J9	258-221-J9	258-226-J9	258-876-J9	258-222-J9
Price / Item(s)	£ 236.00	£ 292.00	£ 363.00	£ 373.00	£ 299.00

Workshop trolley fetra® with steel spill trays

Multipurpose workshop trolley for the safe transport of containers with hazardous substances

- Sturdy steel design with high quality powder coating RAL 5007
- With oil-tight steel spill tray, edge height 40 mm
- Easy, smooth running TPE tyres with precision groove ball bearings ensure good manoeuvrability
- 2 swivel and 2 fixed castors, swivel castor with locking brake meeting EN 1757-3
- In various versions and sizes, with 2 or 3 spill trays



i The workshop trolley with grid has 2 spill trays. The upper spill tray is especially large. The grid cover makes this transport trolley suitable for transporting dripping containers, for example after a cleaning process.

fetra
••••

Model	Workshop trolley with steel spill trays				
	2			3	
Number of spill pallets					
Spill pallet dimensions W x D [mm]	500 x 850	500 x 850	700 x 1000	500 x 850	700 x 1000
Additional equipment	–	Grid, drain tap	–	–	–
Sump capacity [l]	17	60	24	17	24
Overall load capacity [kg]	300	300	400	400	400
External dimensions W x D x H [mm]	509 x 1047 x 860	600 x 1130 x 1030	710 x 1200 x 910	509 x 1047 x 860	710 x 1200 x 910
Wheel diameter [mm]	160	125	200	160	200
Order number	213-801-J9	216-562-J9	216-564-J9	213-802-J9	216-565-J9
Price / Item(s)	£ 256.00	£ 387.00	£ 309.00	£ 374.00	£ 408.00

ACCESSORIES

4 swivel castors TPE

- Instead of 2 fixed wheels, 2 castors
- Long lasting roller bearing, chemical resistant
- Additional cost when ordering all transport trolleys with TPE tyres at the same time



Order no. 213-828-J9, £ 12.50

Workshop trolley DENIOS classic-line, with plastic spill trays

Ideal for transporting e.g. hazardous substances in small containers

- Workshop trolley in steel with 2 removable spill trays in chemical-resistant polyethylene
- 2 handles and 2 swivel castors and fixed castors in polypropylene (Ø 100 mm), for easy, safe manoeuvring

classic-line
by DENIOS ■■

Model	Workshop trolley with plastic spill trays
Containment volume [L]	2 x 30
External dimensions W x D x H [mm]*	1041 x 660 x 920
Overall load capacity [kg]	170
Grid	without
Order number	115-214-J9
Price / Item(s)	£ 338.00

*Overall height including handle



Expert Hotline and Order line: **01952 700 572**

All items free delivery Delivery: **available from stock** **DENIOS** 465

Transport trolley in plastic DENIOS classic-line

With the transport trolley, transport your containers to any dispensing location with ease

- Ideal for transporting canisters and other small containers
- Handle for optimum handling and safe transport
- 2 smooth-running solid rubber wheels (200 mm)
- Also available as a complete practical set with swivel basket insert for canisters up to 30 litres - for use as a mobile dispensing station



Transport trolley in plastic, incl. tension strap for the practical transport of smaller containers



Transport trolley incl. swivel basket for practical dispensing (tray optional)



Detail: The sturdy swivel basket can be adapted to fit canisters from 15 to 30 litres as standard.

classic-line by DENIOS

	Transport trolley in plastic DENIOS classic-line	
Design	With tension strap	With tension strap and swivel basket
External dimensions W x D x H [mm]	600 x 470 x 1000	600 x 630 x 1000
Overall load capacity [kg]	50	
Order number	250-279-J9	250-957-J9
Price / Item(s)	£ 189.00	£ 322.00

ACCESSORIES



Plastic trays for easy insertion into the transport trolley - a practical surface for setting down utensils, cleaning cloths or other small objects

£ 18.10 Order no. 250-263-J9

Bunded drum trolleys

- For the safe in-house transport of 60 litre drums and small containers
- Made of environmentally-friendly polyethylene (PE), highly resistant to oils, acids, alkalis and other aggressive substances
- Easy to clean
- 4 easy to manoeuvre castors, handle available as an option



Model	FSR 6.2			FSR EURO-LR		
Sump capacity	79			72	70	
External dimensions W x D x H [mm]	645 x 795 x 315		645 x 795 x 340	525 x 725 x 330		
Grid	without	galvanized	plastic	without	galvanized	plastic
Order number	129-161-J9	129-162-J9	129-163-J9	130-229-J9	130-230-J9	130-231-J9
Price / Item(s)	£ 207.00	£ 234.00	£ 254.00	£ 186.00	£ 215.00	£ 225.00
ACCESSORIES	Handle					
Order number	130-627-J9			129-164-J9		
Price / Item(s)	£ 53.00			£ 62.00		



Transport trolley DENIOS classic-line, with plastic spill pallet

Compact size: easy, safe manoeuvring even in confined spaces and passages

- Sturdy steel trolley with removable spill pallet in chemical-resistant polyethylene
- Ideal for transporting e.g. hazardous substances in small containers
- With handle and 2 fixed and 2 swivel castors, easy to manoeuvre, in polypropylene (Ø 100 mm)
- Either without or with grid in galvanised steel or plastic

classic-line

by DENIOS ■■

Model	Transport trolley with plastic spill tray		
Containment volume [L]	1 x 30		
External dimensions W x D x H [mm]*	1110 x 602 x 1074		
Overall load capacity [kg]	150		
Grid	without	galvanized	plastic
Order number	114-837-J9	114-839-J9	114-841-J9
Price / Item(s)	£ 223.00	£ 259.00	£ 306.00

*Overall height including handle

Expert Hotline and Order line: 01952 700 572

All items free delivery Delivery: available from stock **DENIOS** 467



High quality transport equipment with premium fittings, e.g.



- Sturdy tubular steel design, for long term use
- Impact and scratch resistant powder coating RAL 5007
- Smooth, quiet-running TPE tyres with precision groove ball bearings
- 2 swivel and 2 fixed castors, swivel castors with brakes meeting EN 1757-3
- "Made in Germany" quality product

Dolly fetra®, 4 wheels

The "grippy" professional dolly for use across the whole company

- Easy to use with just one hand - even bulky loads up to 250 kg are simple to manoeuvre
- Handle screws off
- 1 or 2 loading surfaces within the frame in wood with beech finish

Chassis fetra®, up to 1200 kg load capacity

Easy to manoeuvre chassis for Euro pallets or mesh boxes

- Sturdy angle-steel construction with 4 corner braces
- Height of load (mm): 270 and 650
- Tyre choice: TPE, polyamide or solid rubber, depending on load capacity
- Accessories: push-in towing handle for use with tugger trains (must be ordered with the chassis!)



Chassis, loading height 270 mm and TPE tyres (towing handle - see accessories)

Chassis, loading height 650 mm, items are stored at an ergonomic height for removal



Model	Dollies	
Number of levels	1	2
Platform dimensions W x D (mm)	500 x 600	450 x 600
Overall load capacity (kg)*	250	
Height of loading areas (mm)	195 / /	195 / 770 /
Ø wheel (mm)	125	
Order number	213-804-J9	213-805-J9
Price / Item(s)	£ 142.00	£ 216.00

*All load capacities: for an evenly distributed load on the loading area

Model	Pallet chassis		
	750	1000	1200
Overall load capacity (kg)	750	1000	1200
Tyres	Tpe	Polyamide	Solid rubber - semi-elastic
External dimensions W x D (mm)	800 x 1210		
Order number Loading height: 270 mm	213-833-J9	213-834-J9	213-835-J9
Price / Item(s)	£ 188.00	£ 212.00	£ 252.00
Order number Loading height: 650 mm	213-830-J9	213-831-J9	213-832-J9
Price / Item(s)	£ 278.00	£ 317.00	£ 357.00
ACCESSORIES	Towing handle with connector		
Order number	226-151-J9		
Price / Item(s)	£ 159.00		

Board trolley fetra®, for tubular frames

Safe, easy transport of various boards and loads up to 600 kg

- Up to 7 tubular frames can be fitted, frame spacing 90 mm
- Loading surface is anti-slip screen-printed shelf with watertight coating - available in 2 dimensions
- 300, 600 and 900 mm high tubular frames available as accessories



from **£ 309.00**



Wire box trolley fetra®

Top mesh trolley for optimum protection and easy checking of transported goods

- Mesh cover on 4 sides, 50x50 mm
- Flap on one of the long sides makes it easy to load and unload
- High quality loading surface in wood with beech finish
- In 2 sizes and optionally available with 2-part folding lid



from **£ 435.00**



Wire box trolley with front flap and lid

fetra®
....

Model	Board trolleys	
Platform dimensions W x D [mm]	800 x 1200	800 x 1600
Overall load capacity [kg]	600	
External dimensions W x D x H [mm]	800 x 1320 x 295	800 x 1720 x 295
Order number Trolley without hoop	213-846-J9	213-847-J9
Price / Item(s)	£ 309.00	£ 387.00
ACCESSORIES	Round bars	
Order number Height: 300	213-848-J9	213-849-J9
Price / Item(s)	£ 25.00	£ 27.50
Order number Height: 600	213-850-J9	213-851-J9
Price / Item(s)	£ 27.50	£ 29.00
Order number Height: 900	213-852-J9	213-853-J9
Price / Item(s)	£ 28.50	£ 31.50

Model	Wire box trolley			
Platform dimensions W x D [mm]	700 x 1000	800 x 1200	700 x 1000	800 x 1200
Design	With front flap		With front flap and lid	
Overall load capacity [kg]	600			
Loading height [mm]	700		806	
External dimensions W x D [mm]	725 x 1060	825 x 1260	725 x 1130	825 x 1330
Order number	213-842-J9	213-843-J9	213-844-J9	213-845-J9
Price / Item(s)	£ 435.00	£ 474.00	£ 597.00	£ 629.00

Expert Hotline and Order line: **01952 700 572**

All items free delivery Delivery: **available from stock** **DENIOS** 469