۸۵	MATEF	RIAL SAFETY DATA SHEET	Page :1		
KOYA	F	P-552 PLASTICISING	Revised edition no : 01		
	ACCEL	ERATOR AND HARDENER	Effective Date: 28-6-2014		
1 Identification of the Product and the company					
Chemical Name Type of product chemical family Producer		: Plasticising Accelerator and Hardener : N/A : <b>TLC-KOYA CHEMICALS MANUFACTURING SDN BHD</b> No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia. Tel: 607-8675798 Fax: 607-8675799 Website: www.koyachemicals.com Email: admin@koyachemicals.com			
Emergency phone nr		: See producer			
2 Hazard Ider	ntification				
Skin Contact Eye Contact Inhalation		<ul> <li>: Irritation upon contact with skin</li> <li>: Irritation when contact with eyes.</li> <li>: When solutions of this product are swallowed, it can cause irritation to the mouth, esophagus and stomach.</li> </ul>			
Ingestion		: Amount ingested incidental to industrial handling are not likely to cause injury, however, ingestion of large amounts may cause injury.			
3 Composition / Information on Ingredients					
		: Sodium Nitrite 12.5%			
4 First Aid Me	asures				

Eye Contact	: Flush with cool running water, lifting the upper and lower eyelids occasionally until discomfort is relieved.
Skin Contact	: Not expected to present a significant skin hazard under anticipated condition of normal use.
Ingestion	: Not expected to present a significant ingestion hazard under snticipated conditions of normal use.
Inhalation	: Treatment base on judgment of physician in response to reaction of patient.

### 5 Fire-Fighting Measures

Fire Hazard	: Product is water based and in wet form, its fire hazard is low. The dried
	product is combustible, decomposition products can be toxic.
Extinguishing media	: Water, powder, CO2, sandall extinguishing media are suitable.
	Protective clothing and seld-contained breathing equipment should be
	available for firemen.
	To prevent environmental damage, if possible collect water used to
	extinguish the fire in containers.



## MATERIAL SAFETY DATA SHEET P-552 PLASTICISING

Page :2

Revised edition no : 01

ACCELERATOR AND HARDENER

#### 6 Accidental Release Measures

Personal protection	: Wear PVC-gloves and goggles to contain spillage.
Environment precautions	Avoid repeated skin contact. : Prevent the product contaminating soil and groundwater. Prevent the
Environment precaditoris	product enetring sewers and waterways. Cfr. Section 12.
Cleaning / recovery	: Large spillages : contain and pump into containers.
	Small spillages : absorb on sand, earthand collect into containers for disposal. Disposal should always comply with local, national or EEC regulations. Cfr. Section 13.
7 Handling and Storage	
Handling	: Good industrial and personal hygiene practice should be followed. No eating and drinking in the workplace. Ensure adequate ventilation.
Storage	: Storage temperature : between +5 and +40°C. Protect from frost and direct sunlight.
	Drums and bottles : material is plastic or steel.
	Bulk tanks : stainless steel, plastic coated materials Clean bulk tanks periodically to prevent accumulation of bacteria.
Specific use	: Use the best available methods of handling our Product whereby the
	employees enjoy maximum safety and whereby the environment is minimally affected.
3 Exposure Controls / Personal Protect	ction
Exposure limit values	: No danger in normal ambient conditions.
	There are no specific limiting values for professional exposure.
	There are no biological limiting values.
	User should determine the conditions for safe use of the product. Cfr. Section 7 "Handling and Storage".
Exposure controls:	
- Occupational exposure controls	: Respiratory protection : not applicable
	Hand protection : waterproof PVC-gloves (CE)
	Eye protection : goggles or safety glasses (CE)
	Skin protection : N/A
- Environmental exposure controls	Avoid repeated skin contact. : The product must not be discharge directly into drains or waterways without
- Environmental exposure controls	treatment.
Physical and Chemical Properties	
Appearance	: Clear Liquid
Odour	: Mild
Colour	: Dark
Drying time	: 30 - 60 min
Flash Point	: None



### MATERIAL SAFETY DATA SHEET P-552 PLASTICISING ACCELERATOR AND HARDENER

Page :3

Revised edition no : 01

Effective Date: 28-6-2014

#### 10 Stability and Reactivity

Conditions to avoid	<ul> <li>Stable under the recommended storage conditions. Cfr. Section 7 "Storage". Bacterial degradation can occur if the Product is stored for an unuasually long period or is stored under unsuitable conditions.</li> <li>N/D</li> <li>N/D</li> </ul>	
Materials to avoid Hazardous decomposition products		
1 Toxicological Information		
On product	: Low toxicity is indicated by available data. Under normal industrial conditions, there is no indication that the Product can be considered as a health risk. Skin contact should be avoided to prevent possible long-term or short-term sensitation.	
2 Ecological Information		
Ecotoxicity	: The Product is soluble with water and as such could cover considerable distances if spilled into waterways. Even a small spillage will whiten the appearance of water. Water for sewage treatment, that has been contaminated. with small quantities of the product, will not affect the biomass. High concentrations may be harmful to fish and micro organisms.	
Mobility	: Not established.	
Persistence and Degradability	: There is only a slow environmental degradation of the Product.	
Bioaccumulative potential	: There is seemingly no tendency for bioaccumulation.	
Other adverse effects	: Unknown	

#### 13 Disposal Considerations

- The following advice only applies to the product as supplied.

- Combination with other materials may well indicate another route of disposal. If in doubt, contact local HIGHLAND INDUSTRIAL SUPPLY SDN BHD or local authorities.

- Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor.

- Care should in any case be taken to ensure compliance with national and local regulations.

- This product is not suitable for disposal by either landfill or via municipal sewers, drains, and natural streams,

rivers or seas, they will effect the relationaship between livings things, plants and their environment.



# MATERIAL SAFETY DATA SHEET P-552 PLASTICISING

Page :3

Revised edition no : 01

ACCELERATOR AND HARDENER

Effective Date: 28-6-2014

#### 14 Transport Information

general Information	: This Product is not regulated for road/rail & sea transport.	
15 Regulatory Information		
Classification qand labeling	: Classification / symbol - not regulated.	
Governing directive	: Occupational Safety and Health (Classification, Packaging and Labeling of Hazardous Chemicals) Regulations 1997.	
Safety advice	<ul> <li>May contain information in excess of requirements under applicable laws.</li> <li>S23 Do not breathe gas/fumes/vapor/spray</li> <li>S24 Avoid contact with skin</li> <li>S33 Take precautionary measures against static discharges.</li> <li>S62 If swallowed, do not induce vomiting: seek medical advice imediately and show this container or label.</li> </ul>	
16 Other information		
Further information Print date	: None : 28-6-2014	

N/A - Not Applicable N/D - Not Determined

All recommendations for the use of our products, whether given by us in writing, orally, or to be implied from data or test results obtained by us, are based on the current state of our knowledge at the time such reommendations are made. When additional information is obtained, these recommendations may be updated. They may also be influenced by circumstances outside our control. Notwithstanding such recommendations, the user is responsible to determine that the product as supplied by us, is suitable for the process or purpose he intends to use it. The user of the product is solely for compliance with all laws and regulation applying to the use of the product. Since we cannot control the application, use or processing of the products, we do not accept responsibility therefore. The user shall ensure that the intended use of the products will not infringe in any party's intellectual property rights.