


Hex key


LONG HEX S2 HRC 58-62



YATO	Ø(mm)	a(mm)	b(mm)	torque(Nm)	
YT-5840	1.5	14	62	1.10	12/240/960
YT-5841	2.0	16	75	2.31	12/240/960
YT-5842	2.5	18	85	5.17	12/240/960
YT-5843	3.0	20	90	8.48	12/240/960
YT-5844	4.0	25	100	21.37	6/120/480
YT-5845	5.0	28	115	42.03	6/120/480
YT-5846	6.0	32	135	74.15	6/120/480
YT-5847	7.0	34	140	119.04	6/120/480
YT-5848	8.0	36	150	163.92	6/120/480
YT-5849	10.0	40	170	327.83	6/120/480
YT-57261	12.0	44	209	370.15	3/18/72
YT-57262	14.0	54.5	233	590.26	2/12/48
YT-57263	16.0	58.5	240	880.37	2/12/48
YT-57264	17.0	61.5	246	980.42	1/6/24
YT-57265	18.0	64.5	261	1158.63	1/6/24
YT-57266	19.0	68.5	276	1360.72	1/6/24
YT-57267	22.0	78	330	2110.51	1/1/12
YT-57268	24.0	88	370	2750.79	1/1/12
YT-57269	27.0	97.5	410	3910.11	1/1/6

Hex key

HEX S2 HRC 58-62



- using S2 material, torque increasing 20% than CrV material
- chamfered end to be easy for insert

YATO	Ø(mm)	a(mm)	b(mm)	torque(Nm)	
YT-57250	1.5	14	45	1.10	12/240/960
YT-57251	2.0	16	50	2.31	12/240/960
YT-57252	2.5	18	56	5.17	12/240/960
YT-57253	3.0	20	63	8.48	12/240/960
YT-57254	4.0	25	70	21.37	6/120/480
YT-57255	5.0	28	80	42.03	6/120/480
YT-57256	6.0	32	90	74.15	6/120/240
YT-57257	7.0	34	95	119.04	6/120/240
YT-57258	8.0	36	100	163.92	6/120/240
YT-57259	10.0	40	112	327.83	6/120/240

Hex key

STANDARD WITH BALL S2 HRC 58-62




- using S2 material, torque increasing 20% than CrV material
- ball-end to be easy for insert

YATO	Ø(mm)	a(mm)	b(mm)	torque(Nm)	
YT-58731	1.5	14	45	1.10	12/240/960
YT-58732	2.0	16	50	2.31	12/240/960
YT-58733	2.5	18	56	5.17	12/240/960
YT-58734	3.0	20	63	8.48	12/240/960
YT-58735	4.0	25	70	21.37	6/120/480
YT-58736	5.0	28	80	42.03	6/120/480
YT-58737	6.0	32	90	74.15	6/120/240
YT-58738	7.0	34	95	119.04	6/120/240
YT-58739	8.0	36	100	163.92	6/120/240
YT-58740	10.0	40	112	327.83	6/120/240

Hex key


LONG HEX WITH BALL S2 HRC 58-62



- using S2 material, torque increasing 20% than CrV material
- ball-end to be easy for insert

YATO	Ø(mm)	a(mm)	b(mm)	torque(Nm)	
YT-58800	1.5	14	77	1.10	12/240/960
YT-58801	2.0	16	82	2.31	12/240/960
YT-58802	2.5	18	89	5.17	12/240/960
YT-58803	3.0	20	90	8.48	12/240/960
YT-58804	4.0	25	104	21.37	6/120/480
YT-58805	5.0	28	116	42.03	6/120/480
YT-58807	6.0	32	138	74.15	6/120/240
YT-58808	7.0	34	148	119.04	6/120/240
YT-58809	8.0	36	158	163.92	6/120/240
YT-58810	10.0	40	167	327.83	6/120/240


Hex key



- using S2 material, torque increasing 20% than CrV material
- chamfered end to be easy for insert

YATO	Ø (mm)	a (mm)	b (mm)	torque (Nm)	Box
YT-58811	1.5	14	90	1.10	12/240/960
YT-58812	2.0	16	100	2.31	12/240/960
YT-58813	2.5	18	112	5.17	12/240/960
YT-58814	3.0	20	126	8.48	12/240/960
YT-58815	4.0	25	140	21.37	6/120/480
YT-58816	5.0	28	160	42.03	6/120/480
YT-58817	6.0	32	180	74.15	6/60/120
YT-58818	7.0	34	190	119.04	6/60/120
YT-58819	8.0	36	200	163.92	6/60/120
YT-58820	10.0	40	224	327.83	6/60/120

Hex key



YATO	Ø	a (mm)	b (mm)	torque (Nm)	Box
YT-5851	1/16"	13	89	1.30	12/240/960
YT-5852	5/64"	15	99	2.61	12/240/960
YT-5853	3/32"	17	111	4.60	12/240/960
YT-5854	7/64"	18	119	7.33	12/240/960
YT-5855	1/8"	19	125	10.69	12/240/960
YT-5856	9/64"	21	136	15.54	12/240/960
YT-5857	5/32"	24	139	23.05	6/60/120
YT-5858	3/16"	27	159	40.00	6/60/120
YT-5859	7/32"	30	170	57.62	6/60/120
YT-5860	1/4"	31	179	92.53	6/60/120
YT-5861	5/16"	35	199	183.60	6/60/120
YT-5862	3/8"	39	223	315.79	6/60/120


Hex key




- using S2 material, torque increasing 20% than CrV material
- chamfered end to be easy for insert

YATO	Ø (mm)	a (mm)	b (mm)	Box
YT-58821	1.5	14	45	6/48
	2.0	16	50	
	2.5	18	56	
	3.0	20	63	
	4.0	25	70	
	5.0	28	80	
	6.0	32	90	
	8.0	36	100	
	10.0	40	112	

Hex key




Hex key



- using S2 material, torque increasing 20% than CrV material
- with positioning hole in the end

YATO	Ø (mm)	a (mm)	b (mm)	torque (Nm)	Box
YT-58180	T6	13	70	0.6	12/240/960
YT-58181	T7	14	74	1.2	12/240/960
YT-58182	T8	15	78	1.8	12/240/960
YT-58183	T9	16	82	2.4	12/240/960
YT-58184	T10	17	86	3.2	12/240/960
YT-58185	T15	18	90	5.4	6/120/480
YT-58186	T20	19	95	8.9	6/120/480
YT-58187	T25	20	100	13.5	6/120/480
YT-58188	T27	21	105	19.1	6/120/480
YT-58189	T30	24	114	26.4	6/120/240
YT-58190	T40	26	124	46.0	6/120/240
YT-58191	T45	29	133	73.3	6/120/240
YT-58192	T50	32	152	112.5	6/120/240
YT-58193	T55	35	171	185.5	6/36/144
YT-58194	T60	38	190	321.8	3/18/72

Hex key




- using S2 material, torque increasing 20% than CrV material
- ball-end to be easy for insert

YATO	Ø (mm)	a (mm)	b (mm)	Box
YT-58825	1.5	14	45	6/48
	2.0	16	50	
	2.5	18	56	
	3.0	20	63	
	4.0	25	70	
	5.0	28	80	
	6.0	32	90	
	8.0	36	100	
	10.0	40	112	

Hex key

9 PCS LONG HEX S2 HRC 58-62




- using S2 material, torque increasing 20% than CrV material
- chamfered end to be easy for insert

YATO	Ø (mm)	a (mm)	b (mm)	
YT-5877	1.5	14	77	6/36
	2.0	16	82	
	2.5	18	89	
	3.0	20	99	
	4.0	25	104	
	5.0	28	116	
	6.0	32	138	
	8.0	36	158	
	10.0	40	167	

Hex key

9 PCS LONG HEX S2 HRC 58-62



- using S2 material, torque increasing 20% than CrV material
- chamfered end to be easy for insert

YATO	Ø (mm)	a (mm)	b (mm)	
YT-58822	1.5	14	90	6/36
	2.0	16	100	
	2.5	18	112	
	3.0	20	126	
	4.0	25	140	
	5.0	28	160	
	6.0	32	180	
	8.0	36	200	
	10.0	40	224	

Hex key

12 PCS LONG HEX S2 HRC 58-62 S.A.E. 25%




- using S2 material, torque increasing 20% than CrV material
- ball-end to be easy for insert

YATO	Ø (mm)	a (mm)	b (mm)	
YT-5875	1/16" (1.6 mm)	13	89	6/36
	5/64" (2.0 mm)	15	99	
	3/32" (2.4 mm)	17	111	
	7/64" (2.8 mm)	18	119	
	1/8" (3.2 mm)	19	125	
	9/64" (3.6 mm)	21	136	
	5/32" (4.0 mm)	24	139	
	3/16" (4.8 mm)	27	159	
	7/32" (5.6 mm)	30	170	
	1/4" (6.3 mm)	31	179	
	5/16" (7.9 mm)	35	199	
	3/8" (9.5 mm)	39	223	

Hex key

9 PCS LONG HEX WITH BALL S2 HRC 58-62 25%




- using S2 material, torque increasing 20% than CrV material
- ball-end to be easy for insert

YATO	Ø (mm)	a (mm)	b (mm)	
YT-58823	1.5	14	77	6/36
	2.0	16	82	
	2.5	18	89	
	3.0	20	99	
	4.0	25	104	
	5.0	28	116	
	6.0	32	138	
	8.0	36	158	
	10.0	40	167	

Hex key

9 PCS LONG HEX WITH BALL S2 HRC 58-62 25%




- using S2 material, torque increasing 20% than CrV material
- ball-end to be easy for insert

YATO	Ø (mm)	a (mm)	b (mm)	
YT-5878	1.5	14	90	6/36
	2.0	16	100	
	2.5	18	112	
	3.0	20	126	
	4.0	25	140	
	5.0	28	160	
	6.0	32	180	
	8.0	36	200	
	10.0	40	224	

Hex key

9 PCS LONG HEX WITH BALL S2 HRC 58-62 LONG HEX




- using S2 material, torque increasing 20% than CrV material
- with positioning hole in the end

YATO	Ø (mm)	a (mm)	b (mm)	
YT-58827	T10	17	86	6/36
	T15	18	90	
	T20	19	95	
	T25	20	100	
	T27	21	105	
	T30	24	114	
	T40	26	124	
	T45	29	133	
	T50	32	152	

Hex key

7 PCS LONG HEX S2 HRC 58-62




- using S2 material, torque increasing 20% than CrV material
- chamfered end to be easy for insert

YATO	Ø (mm)	a (mm)	b (mm)	PCS
YT-58826	1.5	14	77	10/36
	2.0	16	82	
	2.5	18	89	
	3.0	20	99	
	4.0	25	104	
	5.0	28	116	
	6.0	32	138	

Hex key

7 PCS LONG HEX WITH BALL S2 HRC 58-62



- using S2 material, torque increasing 20% than CrV material
- ball-end to be easy for insert

YATO	Ø (mm)	a (mm)	b (mm)	PCS
YT-58824	1.5	14	77	6/36
	2.0	16	82	
	2.5	18	89	
	3.0	20	99	
	4.0	25	104	
	5.0	28	116	
	6.0	32	138	

Hex key set

8 PCS HEX S2 HRC 58-62



- using S2 material, torque increasing 20% than CrV material
- 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 8.0mm

YATO	YT-58830	6/36
------	----------	------

Hex key set

9 PCS HEX S2 HRC 58-62



- using S2 material, torque increasing 20% than CrV material
- 1/4", 7/32", 3/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32"

YATO	YT-58831	6/36
------	----------	------

Hex key set

9 PCS TORX TORX TORX S2 HRC 58-62



- using S2 material, torque increasing 20% than CrV material
- T9, T10, T15, T20, T25, T27, T30, T40

YATO	YT-58832	6/36
------	----------	------

Hex key


STANDARD HEX CrV 6150 HRC 52-55



YATO	Ø (mm)	a (mm)	b (mm)	PCS
YT-5730	1.5	13	45	12
YT-5731	2.0	15	50	12
YT-5732	2.5	17	56	12
YT-5733	3.0	19	63	12
YT-5734	4.0	23	70	6
YT-5735	5.0	27	80	6
YT-5736	6.0	29	90	6
YT-5737	7.0	34	95	6
YT-5738	8.0	35	100	6
YT-5739	10.0	36	112	6

Hex key

STANDARD HEX WITH BALL CrV 6150 HRC 52-55




YATO	Ø (mm)	a (mm)	b (mm)	PCS
YT-5785	1.5	13	45	12
YT-5786	2.0	15	49	12
YT-5787	2.5	17	56	12
YT-5788	3.0	19	62	12
YT-5789	4.0	23	70	6
YT-5790	5.0	26	77	6
YT-5791	6.0	30	91	6
YT-5792	7.0	32	95	6
YT-5793	8.0	34	98	6
YT-5794	10.0	37	111	6

Hex key

HEX CrV 6150 HRC 52-55

PONCH




YATO	Ø (mm)	a (mm)	b (mm)	PCS packing	Image
YT-5740	1.5	13	61	12	20/80
YT-5741	2.0	15	75	12	20/80
YT-5742	2.5	17	84	12	20/80
YT-5743	3.0	18	88	12	20/80
YT-5744	4.0	23	115	6	20/80
YT-5745	5.0	26	115	6	20/80
YT-57451	5.5	28	130	6	20/80
YT-5746	6.0	31	132	6	20/40
YT-5747	7.0	32	139	6	20/40
YT-5748	8.0	33	150	6	20/40
YT-5749	10.0	37	170	6	20/40
YT-5750	12.0	41	185	3	10/20
YT-5751	14.0	52	238	3	10/20
YT-5752	16.0	55	235	3	10
YT-5753	17.0	60	250	1	10
YT-5754	18.0	65	250	1	10
YT-5755	19.0	68	280	1	10
YT-5756	22.0	78	329	1	10
YT-57561	24.0	90	370	1	2
YT-57563	27.0	100	410	1	2
YT-57565	30.0	112	430	1	2
YT-57566	32.0	125	450	1	2
YT-57568	36.0	140	470	1	2

Hex key

HEX CrV 6150 HRC 52-55

PONCH




YATO	Ø (mm)	a (mm)	b (mm)	PCS packing	Image
YT-5760	1.5	14	81	12	20/80
YT-5761	2.0	16	99	12	20/80
YT-5762	2.5	17	110	12	20/80
YT-5763	3.0	19	124	12	20/80
YT-5764	4.0	23	137	6	20/80
YT-5765	5.0	26	158	6	20/80
YT-5766	6.0	30	177	6	10/20
YT-5767	7.0	32	186	6	10/20
YT-5768	8.0	34	197	6	10/20
YT-5769	10.0	38	221	6	10/20

Hex key

HEX CrV 6150 HRC 52-55 S.A.E. 25

PONCH




YATO	Ø (mm)	a (mm)	b (mm)	PCS packing	Image
YT-5770	1/16"	14.0	90	12	20/80
YT-5771	5/64"	16.0	100	12	20/80
YT-5772	3/32"	17.0	110	12	20/80
YT-5773	7/64"	18.0	116	12	20/80
YT-5774	1/8"	19.0	123	12	20/80
YT-5775	9/64"	20.0	130	12	20/80
YT-5776	5/32"	21.0	137	6	10/20
YT-5777	3/16"	24.0	151	6	10/20
YT-5778	7/32"	26.0	165	6	10/20
YT-5779	1/4"	28.0	183	6	10/20
YT-5780	5/16"	32.0	202	6	10/20
YT-5781	3/8"	35.0	233	6	10/20

Hex key

HEX CrV 6150 HRC 52-55 25

PONCH




YATO	Ø (mm)	a (mm)	b (mm)	PCS packing	Image
YT-5795	1.5	13	62	12	20/80
YT-5796	2.0	15	75	12	20/80
YT-5797	2.5	17	85	12	20/80
YT-5798	3.0	19	89	12	20/80
YT-5799	4.0	23	99	6	120/480
YT-5800	5.0	26	115	6	20/80
YT-58001	5.5	28	134	6	20/80
YT-5801	6.0	29	135	6	120/240
YT-5802	7.0	33	140	6	20/40
YT-5803	8.0	34	150	6	20/40
YT-5804	10.0	36	172	6	20/40
YT-58141	12.0	45	190	1	30/60
YT-58142	14.0	56	215	1	30/60
YT-58144	17.0	63	245	1	1/10

Hex key

HEX CrV 6150 HRC 52-55 25

PONCH




YATO	Ø (mm)	a (mm)	b (mm)	PCS packing	Image
YT-5805	1.5	14	89	12	20/80
YT-5806	2.0	15	99	12	20/80
YT-5807	2.5	18	110	12	20/80
YT-5808	3.0	20	124	12	20/80
YT-5809	4.0	24	138	6	20/80
YT-5810	5.0	26	158	6	20/80
YT-5811	6.0	30	179	6	10/20
YT-5812	7.0	31	187	6	10/20
YT-5813	8.0	34	198	6	10/20
YT-5814	10.0	38	220	6	10/20

Hex key

HEX CrV 6150 HRC 52-55

PONCH



YATO	Ø (mm)	a (mm)	b (mm)	PCS packing	Image
*YT-5820	T6	16	69	12	20/80
*YT-5822	T8	16	77	12	20/80
*YT-5823	T9	16	81	12	20/80
YT-5824	T10	17	86	12	20/80
YT-5825	T15	18	89	6	20/80
YT-5826	T20	19	96	6	20/80
YT-5827	T25	20	102	6	120/480
YT-5828	T27	22	104	6	20/80
YT-5829	T30	24	114	6	20/80
YT-5830	T40	26	127	6	20/80
YT-5831	T45	27	135	6	20/40
YT-5832	T50	32	155	6	20/40
YT-5833	T55	35	164	6	20/40

Hex key set

10 PCS HEX CrV 6150 HRC 52-55

NEW



YATO	Ø (mm)	a (mm)	b (mm)	Box
YT-58200	3.0	18	88	8
	4.0	23	115	
	5.0	26	115	
	5.5	28	130	
	6.0	31	132	
	8.0	33	150	
	10.0	37	170	
	12.0	41	185	
	14.0	52	238	
	17.0	60	250	

Hex key set

10 PCS HEX CrV 6150 HRC 52-55

NEW



YATO	Ø (mm)	a (mm)	b (mm)	Box
YT-58202	1.5	13	61	8
	2.0	15	75	
	2.5	17	84	
	3.0	18	88	
	4.0	23	115	
	5.0	26	115	
	6.0	31	132	
	8.0	33	150	
	10.0	37	170	
	12.0	41	185	

Hex key set

11 PCS HEX CrV 6150 HRC 52-55

NEW



YATO	Ø (mm)	a (mm)	b (mm)	Box
YT-58204	1.5	13	61	8
	2.0	15	75	
	2.5	17	84	
	3.0	18	88	
	4.0	23	115	
	5.0	26	115	
	6.0	31	132	
	8.0	33	150	
	10.0	37	170	
	12.0	41	185	
	14.0	52	238	

Hex key set

10 PCS HEX CrV 6150 HRC 52-55

NEW



YATO	Ø (mm)	a (mm)	b (mm)	Box
YT-58201	3.0	19	89	8
	4.0	23	99	
	5.0	26	115	
	5.5	28	134	
	6.0	29	135	
	8.0	34	150	
	10.0	36	172	
	12.0	45	190	
	14.0	56	215	
	17.0	63	245	

Hex key set

10 PCS HEX CrV 6150 HRC 52-55

NEW



YATO	Ø (mm)	a (mm)	b (mm)	Box
YT-58203	1.5	13	62	8
	2.0	15	75	
	2.5	17	85	
	3.0	19	89	
	4.0	23	99	
	5.0	26	115	
	6.0	29	135	
	8.0	34	150	
	10.0	36	172	
	12.0	45	190	

Hex key set

11 PCS HEX CrV 6150 HRC 52-55

NEW





YATO	Ø (mm)	a (mm)	b (mm)	Box
YT-58205	1.5	13	62	8
	2.0	15	75	
	2.5	17	85	
	3.0	19	89	
	4.0	23	99	
	5.0	26	115	
	6.0	29	135	
	8.0	34	150	
	10.0	36	172	
	12.0	45	190	
	14.0	56	215	

Hex key set

12 PCS  CrV 6150 HRC 52-55







YATO 	Ø (mm)	a (mm)	b (mm)	
YT-58206	1.5	13	61	8
	2.0	15	75	
	2.5	17	84	
	3.0	18	88	
	4.0	23	115	
	5.0	26	115	
	6.0	31	132	
	7.0	32	139	
	8.0	33	150	
	10.0	37	170	
	12.0	41	185	
	14.0	52	238	

Hex key set

13 PCS  CrV 6150 HRC 52-55







YATO 	Ø (mm)	a (mm)	b (mm)	
YT-58208	1.5	13	61	8
	2.0	15	75	
	2.5	17	84	
	3.0	18	88	
	4.0	23	115	
	5.0	26	115	
	6.0	31	132	
	8.0	33	150	
	10.0	37	170	
	12.0	41	185	
	14.0	52	238	
	17.0	60	250	
	19.0	68	280	

Hex key set

14 PCS  CrV 6150 HRC 52-55 







YATO 	Ø (mm)	a (mm)	b (mm)	
YT-58210	1.5	13	62	8
	2.0	15	75	
	2.5	17	85	
	3.0	19	89	
	4.0	23	99	
	5.0	26	115	
	5.5	28	130	
	6.0	29	135	
	7.0	33	140	
	8.0	34	150	
	10.0	36	172	
	12.0	45	190	
	14.0	56	215	
	17.0	63	245	

Hex key set

12 PCS  CrV 6150 HRC 52-55 







YATO 	Ø (mm)	a (mm)	b (mm)	
YT-58207	1.5	13	62	8
	2.0	15	75	
	2.5	17	85	
	3.0	19	89	
	4.0	23	99	
	5.0	26	115	
	6.0	29	135	
	7.0	33	140	
	8.0	34	150	
	10.0	36	172	
	12.0	45	190	
	14.0	56	215	

Hex key set

14 PCS  CrV 6150 HRC 52-55







YATO 	Ø (mm)	a (mm)	b (mm)	
YT-58209	1.5	13	61	8
	2.0	15	75	
	2.5	17	84	
	3.0	18	88	
	4.0	23	115	
	5.0	26	115	
	5.5	28	130	
	6.0	31	132	
	7.0	32	139	
	8.0	33	150	
	10.0	37	170	
	12.0	41	185	
	14.0	52	238	
	17.0	60	250	

Hex key set

15 PCS  CrV 6150 HRC 52-55





YATO 	Ø (mm)	a (mm)	b (mm)	
YT-58211	1.5	13	61	8
	2.0	15	75	
	2.5	17	84	
	3.0	18	88	
	4.0	23	115	
	5.0	26	115	
	5.5	28	130	
	6.0	31	132	
	7.0	32	139	
	8.0	33	150	
	10.0	37	170	
	12.0	41	185	
	14.0	52	238	
	17.0	60	250	
	19.0	68	280	

Hex key set

12 PCS LONG HEX HRC 52-55 S.A.E. CrV 6150

PLASTIC HANGER & SLIDING CARD



YATO	Ø (mm)	a (mm)	b (mm)	
YT-5835	1/16"	14.0	74	6/36
	5/64"	16.0	79	
	3/32"	17.0	83	
	7/64"	18.0	88	
	1/8"	19.0	93	
	9/64"	20.0	99	
	5/32"	21.0	105	
	3/16"	24.0	112	
	7/32"	26.0	122	
	1/4"	28.0	132	
	5/16"	32.0	151	
	3/8"	35.0	170	

Hex key set

12 PCS LONG HEX WITH BALL HRC 52-55 S.A.E. CrV 6150

PLASTIC HANGER & SLIDING CARD



YATO	Ø (mm)	a (mm)	b (mm)	
YT-5837	1/16"	14.0	74	6/36
	5/64"	16.0	79	
	3/32"	17.0	83	
	7/64"	18.0	88	
	1/8"	19.0	93	
	9/64"	20.0	99	
	5/32"	21.0	105	
	3/16"	24.0	113	
	7/32"	25.0	122	
	1/4"	28.0	132	
	5/16"	32.0	150	
	3/8"	35.0	170	

Hex key set

HEX CrV 6150 HRC 52-55

PLASTIC HANGER & SLIDING CARD



9 PCS

YATO	Ø (mm)	a (mm)	b (mm)	
YT-0500	1.5	15	74	6/36
	2.0	16	81	
	2.5	18	88	
	3.0	21	95	
	4.0	23	109	
	5.0	28	121	
	6.0	31	135	
	8.0	35	157	
	10.0	39	174	

Hex key set

12 PCS EXTRA LONG HEX HRC 52-55 S.A.E. CrV 6150

PLASTIC HANGER & SLIDING CARD



YATO	Ø (mm)	a (mm)	b (mm)	
YT-5836	1/16"	14.0	91	6/36
	5/64"	16.0	100	
	3/32"	17.0	110	
	7/64"	18.0	116	
	1/8"	19.0	123	
	9/64"	20.0	130	
	5/32"	21.0	132	
	3/16"	24.0	150	
	7/32"	25.0	165	
	1/4"	28.0	185	
	5/16"	32.0	200	
	3/8"	35.0	233	

Hex key set

12 PCS EXTRA LONG WITH BALL HRC 52-55 S.A.E. CrV 6150

PLASTIC HANGER & SLIDING CARD



YATO	Ø (mm)	a (mm)	b (mm)	
YT-5838	1/16"	14.0	91	6/36
	5/64"	16.0	100	
	3/32"	17.0	110	
	7/64"	18.0	116	
	1/8"	19.0	123	
	9/64"	20.0	130	
	5/32"	21.0	132	
	3/16"	24.0	150	
	7/32"	26.0	165	
	1/4"	28.0	185	
	5/16"	32.0	200	
	3/8"	35.0	233	

YATO	Ø (mm)	a (mm)	b (mm)	
YT-0501	1.5	15	90	6/36
	2.0	16	96	
	2.5	18	112	
	3.0	21	125	
	4.0	23	142	
	5.0	28	157	
	6.0	31	180	
	8.0	35	201	
	10.0	39	225	

YATO	Ø (mm)	a (mm)	b (mm)	
YT-0502	2.0	16	81	6/36
	2.5	18	88	
	3.0	21	95	
	4.0	23	109	
	5.0	28	121	
	6.0	31	135	
	7.0	33	145	
	8.0	35	157	
	10.0	39	174	

10 PCS

YATO	Ø (mm)	a (mm)	b (mm)	
YT-0508	2.0	16	81	6/36
	2.5	18	88	
	3.0	21	95	
	4.0	23	109	
	5.0	28	121	
	6.0	31	135	
	7.0	33	145	
	8.0	35	157	
	10.0	39	174	
	12.0	42	180	

Hex key set



PLASTIC HANGER & SLIDING CARD



9 PCS

YATO	Ø (mm)	a (mm)	b (mm)	
YT-0505	1.5	15	74	6/36
	2.0	16	81	
	2.5	18	88	
	3.0	21	95	
	4.0	23	109	
	5.0	28	121	
	6.0	31	135	
	8.0	35	157	
10.0	39	174		

YATO	Ø (mm)	a (mm)	b (mm)	
YT-0506	1.5	15	90	6/36
	2.0	16	96	
	2.5	18	112	
	3.0	21	125	
	4.0	23	142	
	5.0	28	157	
	6.0	31	180	
	8.0	35	201	
10.0	39	225		

Hex key set



PLASTIC HANGER & SLIDING CARD



9 PCS



YATO	Ø (mm)	a (mm)	b (mm)		
YT-0507	2.0	16	81	6/36	
	2.5	18	88		
	3.0	21	95		
	4.0	23	109		
	5.0	28	121		
	6.0	31	135		
	7.0	33	145		
	8.0	35	157		
	10.0	39	174		

TORX key set



YATO	Ø (mm)	a (mm)	b (mm)		
YT-0511	T10	15	72	6/36	
	T15	16	79		
	T20	17	86		
	T25	21	94		
	T27	24	107		
	T30	27	122		
	T40	32	133		
	T45	36	155		
	T50	38	174		
	YT-0512	T10	15		78
T15		16	95		
T20		19	109		
T25		23	124		
T27		26	143		
T30		27	153		
T40		32	180		
T45		36	200		
T50		41	222		


Hex key set



PLASTIC HANGER & SLIDING CARD




10 PCS



YATO	Ø (mm)	a (mm)	b (mm)		
YT-0509	2.0	16	81	6/36	
	2.5	18	88		
	3.0	21	95		
	4.0	23	109		
	5.0	28	121		
	6.0	31	135		
	7.0	33	145		
	8.0	35	157		
	10.0	39	174		
	12.0	42	180		


Hex key set



YATO	Ø (mm)	a (mm)	b (mm)	
YT-0519	3.0	20	125	1/5
	4.0	25	140	
	5.0	28	160	
	5.5	30	170	
	6.0	32	180	
	8.0	35	200	
	10.0	42	220	
	12.0	49	250	
	14.0	57	285	
	17.0	65	320	

T-handle hex key


HEX S2 HRC 58-62



YATO	Ø (mm)	a (mm)	b (mm)	PCS packing	
YT-05571	2.5	51	139	12	12/240
YT-05572	3.0	51	139	12	12/240
YT-05574	4.0	51	179	12	12/240
YT-05576	5.0	62.3	190	12	12/144
YT-05577	6.0	62.3	220	12	12/144
YT-05578	7.0	62.3	220	12	12/144
YT-05579	8.0	72.5	257	12	12/96
YT-05581	10.0	72.5	257	12	12/96

T-handle hex key with ball


HEX S2 HRC 58-62



YATO	Ø (mm)	a (mm)	b (mm)	PCS packing	
YT-05585	2.5	51	139	12	12/240
YT-05586	3.0	51	139	12	12/240
YT-05588	4.0	51	179	12	12/240
YT-05590	5.0	62.3	190	12	12/144
YT-05591	6.0	62.3	220	12	12/144
YT-05592	7.0	62.3	220	12	12/144
YT-05593	8.0	72.5	257	12	12/96
YT-05594	10.0	72.5	257	12	12/96

T-handle TORX key

S2 HRC 58-62



YATO	Ø (mm)	a (mm)	b (mm)	PCS packing	
YT-05601	T8	51	139	12	12/240
YT-05602	T9	51	139	12	12/240
YT-05603	T10	51	139	12	12/240
YT-05604	T15	51	139	12	12/240
YT-05605	T20	51	169	12	12/240
YT-05606	T25	51	169	12	12/240
YT-05607	T27	62.3	190	12	12/144
YT-05608	T30	62.3	220	12	12/144
YT-05609	T40	62.3	220	12	12/144
YT-05610	T45	72.5	257	12	12/96
YT-05611	T50	72.5	257	12	12/96

T-handle hex key set

HEX S2 HRC 58-62



YATO	Ø (mm)	a (mm)	b (mm)	PCS packing	
YT-05583	2.5	51	139	6/12/24	
	3.0	51	139		
	4.0	51	179		
	5.0	62.3	190		
	6.0	62.3	220		
	7.0	62.3	220		
	8.0	72.5	257		
	10.0	72.5	257		

T-handle hex key with ball set

HEX S2 HRC 58-62



YATO	Ø (mm)	a (mm)	b (mm)	PCS packing	
YT-05597	2.5	51	139	6/12/24	
	3.0	51	139		
	4.0	51	179		
	5.0	62.3	190		
	6.0	62.3	220		
	7.0	62.3	220		
	8.0	72.5	257		
	10.0	72.5	257		

T-handle TORX key set


S2 HRC 58-62



YATO	Ø (mm)	a (mm)	b (mm)	PCS packing	
YT-05615	T10	51	139	6/12/24	
	T15	51	139		
	T20	51	169		
	T25	51	169		
	T27	62.3	190		
	T30	62.3	220		
	T40	62.3	220		
	T45	72.5	257		
	T50	72.5	257		

Hex with ball with handle

SVC M55 HRC 55-59



- Handle with TPV material, can be used go-through screwdriver
- shaft hardness :HRC 55-59
- Head with magnetic

YATO	Ø (mm)	L1 (mm)	L2 (mm)	PCS packing	
YT-1531	2.5	75	175	12	240
YT-1533	4.0	100	205	12	240
YT-1534	5.0	100	205	12	240
YT-1537	8.0	150	278	6	120
YT-1539	10.0	150	278	6	120

T-handle hex key

HEX S2 HRC 58-62



YATO	Ø (mm)	a (mm)	b (mm)	PCS packing	
YT-5734-T	4	10	100	12	12/240
YT-5735-T	5	10	145	12	12/144