



# TOOL STORAGE




Fig. 4

<b>OVERVIEW</b>	<b>6-7</b>
<b>EPIQ™ SERIES</b>	<b>8-22</b>
<b>MASTERS SERIES</b>	<b>23-31</b>
<b>CLASSIC SERIES</b>	<b>32-40</b>
<b>HERITAGE SERIES</b>	<b>41-47</b>
<b>MOBILE SOLUTIONS</b>	<b>48-65</b>
<b>CENTRIQ™</b>	<b>66-71</b>
<b>ACCESSORIES</b>	<b>72-100</b>



*“When you’re working on a job, you visualize the tool you need for a specific fastener. And right there it is, right when you need it, in your Snap-on toolbox.”*

*Dean  
Zeigler Nissan*



108  
**02**

102

120

118

104

112

110

114

116

# TOOL STORAGE DESIGNED FOR WHAT THE FUTURE HOLDS.



**KCP1422**  
55" 10-Drawer Classic Series Roll Cab  
with Workcenter

As tools have advanced, so have the ways to store them. Snap-on® tool storage units deliver unsurpassed efficiency and organization. Lights to make it easier to see inside the drawers. Convenient charging for power tools and other devices. Endless options for bulk storage overhead and in lockers that ensure security and keep your most frequently used tools instantly available. We also stay ahead of the curve with unique paint colors and trim options that make personalization easy. This is tool storage designed with the future in mind.

# EPIQ™ SERIES: QUICK REFERENCE CHART

TOOL STORAGE



KEVN68TA7PWZ



KEVP68TA3BLS

Roll Cabs	Specifications		KEVN68TA	KEVP68TA	
Capacity	Approx Cubic Inches (cm <sup>3</sup> )		129,514 (2,122,354)	129,514 (2,122,354)	
	Approx Square Inches (cm <sup>2</sup> )		21,733 (140,213)	21,733 (140,213)	
Footprint	Width, inches (mm)		134 (3,404)	134 (3,404)	
	Depth, inches (mm)		30 (762) / 34 (864)	30 (762) / 34 (864)	
	Height, inches (mm)		75 (1,905)	75 (1,905)	
Drawers	Drawer Banks		2	2	
	Drawer Count		10 (in roll cab)	10 (in roll cab)	
	Widest Drawer, inches (mm) [qty]		62 (1,575) [3]	62 (1,575) [3]	
	Slides, lb (kg) [ball bearing] (per pair)		227 (103)	227 (103)	
	Double Slide (included)		Yes (4)	Yes (4)	
Weight	Net Weight, lb (kg)		2,373 (1,076)	2,373 (1,076)	
	Shipping Weight, lb (kg)		2,373 (1,076)	2,373 (1,076)	
EPIQ™ Configurations	UL/cUL listed		Yes	Yes	
	Roll Cab		68" Roll Cab	68" Roll Cab	
	WorkCenter		68" Workcenter	68" Workcenter	
	Left Locker		Non-Power Locker	Power Locker	
	Right Locker		Non-Power Locker	Non-Power Locker	
	Included Work Surface	Stainless Work Surface		KEVN68TA1	KEVP68TA1
		Stainless LED PowerTop™		KEVN68TA2	KEVP68TA2
		Bedliner Work Surface		KEVN68TA7	KEVP68TA7
		Bedliner LED PowerTop™		KEVN68TA3	KEVP68TA3
	Wheels & Fenders	Chrome		KEVN68TA1	KEVP68TA1
				KEVN68TA2	KEVP68TA2
		Black		KEVN68TA7	KEVP68TA7
				KEVN68TA3	KEVP68TA3

### Regular Finish Paint Options:



### Trim Options:



### Accent Options:

Available in Chrome or Backout accents.  
 Driven by Part Number suffix.  
 1. Stainless Work Surface  
 2. Stainless LED PowerTop  
 7. Bedliner Work Surface  
 3. Bedliner LED PowerTop

### Clear Coat Finish Options



### Two-Tone Finish Options:

Combine your favorite (regular finish) drawer paint and trim color with a black case for a two-tone look that's truly one of a kind!



KEXN724A0PU



KEXN603C0PJJ



KEXN725D0PWZ



KEXP724A0PCM



KEXP603A0PB0

Roll Cabs	Specifications	KEXN725D	KEXP725D	KEXN724A	KEXP724A	KEXN603C	KEXP603A
Capacity	Approx Cubic Inches (cm <sup>3</sup> )	91,627 (1,500,850)	93,655 (1,534,069)	94,791 (1,553,346)	95,107 (1,558,525)	77,672 (1,272,816)	79,789 (1,307,507)
	Approx Square Inches (cm <sup>2</sup> )	25,340 (163,443)	22,247 (143,494)	23,249 (149,993)	22,722 (146,593)	22,690 (146,386)	19,490 (125,742)
	Load Capacity, lb (kg)	16,000 (7,257)	16,000 (7,257)	16,000 (7,257)	16,000 (7,257)	16,000 (7,257)	16,000 (7,257)
Footprint	Width, inches (mm)	144 (3,658)	144 (3,658)	144 (3,658)	144 (3,658)	120 (3,048)	120 (3,048)
	Depth, inches (mm)	30 (762)	30 (762)	30 (762)	30 (762)	30 (762)	30 (762)
	Height, inches (mm)	46-7/8 (1,191)	46-7/8 (1,191)	46-7/8 (1,191)	46-7/8 (1,191)	46-7/8 (1,191)	46-7/8 (1,191)
Drawers	Drawer Banks	5	5	4	4	3	3
	Drawer Count	27	26	23	22	20	16
	Widest Drawer, inches (mm) [qty]	54 (1,372) [6]	54 (1,372) [6]	54-1/16 (1,373) [10]	54-1/2 (1,373) [10]	54 (1,372) [11]	54 (1,372) [10]
	Slides, lb (kg) [ball bearing] (per pair)	227 (103)	227 (103)	227 (103)	227 (103)	227 (103)	227 (103)
	Double Slide (included)	Yes (7)	Yes (7)	Yes (10)	Yes (10)	Yes (8)	Yes (9)
Weight	Net Weight, lb (kg)	1,955 (887)	1,955 (887)	1,955 (887)	1,955 (887)	1,438 (652)	1,970 (894)
	Shipping Weight, lb (kg)	1,955 (887)	1,955 (887)	1,955 (887)	1,955 (887)	1,468 (666)	1,990 (903)
EPIQ™ Configurations	PowerDrawer Unit	No	Yes	No	Yes	No	Yes
	Non-directional Rubber Top	KEXN725D0	KEXP725D0	KEXN724A0	KEXP725C0	KEXN603C0	KEXN603B0
	Stainless Work Surface	KEXN725D1	KEXP725D1	KEXN724A1	KEXP724A1	KEXN603C1	KEXP603C1
	Stainless PowerTop Bedliner Work Surface Bedliner PowerTop	KEXN725D2 KEXN725D7 KEXN725D3	KEXP725D2 KEXP725D7 KEXP725D3	KEXN724A2 KEXN725A7 KEXN725A3	KEXP724A2 KEXP724A7 KEXP72A43	KEXN603C2 KEXN603C7 KEXN603C3	KEXP603C2 KEXP603C7 KEXP603C3
Optional Add-ons	Drawer Section	KESN843A0 KESN602A0	KESN843A0 KESN602A0	KESN843A0 KESN602A0	KESN843A0 KESN602A0	(2) KESN602A0	(2) KESN602A0
	End Cabinet Power End Cabinet	KEEN361A0 KEEP361A0	KEEN361A0 KEEP361A0	KEEN361A0 KEEP361A0	KEEN361A0 KEEP361A0	KEEN361A0 KEEP361A0	KEEN361A0 KEEP361A0
	Locker	KELN301DL KELN301DR	KELN301DL KELN301DR	KELN301DL KELN301DR	KELN301DL KELN301DR	KELN301DL KELN301DR	KELN301DL KELN301DR
	WorkCenter	KEWN840C0 KEWN600C0	KEWN840C0 KEWN600C0	KEWN840C0 KEWN600C0	KEWN840C0 KEWN600C0	(2) KEWN600C0	(2) KEWN600C0
	Power Locker	KELP301CL KELP301CR	KELP301CL KELP301CR	KELP301CL KELP301CR	KELP301CL KELP301CR	KELP301CL KELP301CR	KELP301CL KELP301CR
	Overhead	KEHN840B0 KEHN600B0	KEHN840B0 KEHN600B0	KEHN840B0 KEHN600B0	KEHN840B0 KEHN600B0	(2) KEHN600B0	(2) KEHN600B0
	Stainless Work Surface Stainless LED PowerTop Bedliner Work Surface Bedliner LED PowerTop	Choose combination of 60" and 84" tops. See p.89 for part numbers.	Choose combination of 60" and 84" tops. See p.89 for part numbers.	Choose combination of 60" and 84" tops. See p.89 for part numbers.	Choose combination of 60" and 84" tops. See p.89 for part numbers.	Choose combination of (2) 60" tops. See p.89 for part numbers.	Choose combination of (2) 60" tops. See p.89 for part numbers.
	Hardwood Top	KWSN3012AWT	KWSN3012AWT	KWSN3012AWT	KWSN3012AWT	KWSN3010AWT	KWSN3010AWT



• Read and follow Instructions and Safety Messages in the Manual accompanying the product.  
• Read Safety Precautions on pages W1-W4

# EPIQ™ SERIES: QUICK REFERENCE CHART

TOOL STORAGE



KERN842C0PJK



KERP842C0PJJ



KETN843C0PBO



KETP843C2ZEI

Roll Cabs	Specifications	KERN842C	KERP842C	KETN843C	KETP843C
Capacity	Approx Cubic Inches (cm <sup>3</sup> )	55,550 (910,301)	55,729 (913,235)	54,378 (891,095)	54,630 (895,225)
	Approx Square Inches (cm <sup>2</sup> )	13,769 (88,832)	13,243 (85,438)	12,733 (82,148)	11,357 (73,271)
	Load Capacity, lb (kg)	8,000 (3,629)	8,000 (3,629)	8,000 (3,629)	8,000 (3,629)
Footprint	Width, inches (mm)	84 (2,134)	84 (2,134)	84 (2,134)	84 (2,134)
	Depth, inches (mm)	30 (762)	30 (762)	30 (762)	30 (762)
	Height, inches (mm)	46-7/8 (1,191)	46-7/8 (1,191)	46-7/8 (1,191)	46-7/8 (1,191)
Drawers	Drawer Banks	2	2	3	3
	Drawer Count	13	12	16	15
	Widest Drawer, inches (mm) [qty]	54 (1,372) [7]	54 (1,372) [7]	54 (1,372) [3]	54 (1,372) [3]
	Slides, lb (kg) [ball bearing] (per pair)	227 (103)	227 (103)	227 (103)	227 (103)
	Double Slide (included)	Yes (6)	Yes (5)	Yes (3)	Yes (3)
Weight	Net Weight, lb (kg)	1,165 (528)	1,165 (528)	1,165 (528)	1,165 (528)
	Shipping Weight, lb (kg)	1,195 (542)	1,195 (542)	1,195 (542)	1,195 (542)
EPIQ™ Configurations	PowerDrawer Unit	No	Yes	No	Yes
	Non-directional Rubber Top	KERN842C0	KERP842C0	KETN843C0	KETP843C0
	Stainless Work Surface	KERN842C1	KERP842C1	KETN843C1	KETP843C1
	Stainless LED PowerTop™ Bedliner Work Surface Bedliner LED PowerTop™	KERN842C2 KERN842C7 KERN842C3	KERP842C2 KERP842C7 KERP842C3	KETN843C2 KETN843C7 KETN843C3	KETP843C2 KETP843C7 KETP843C3
Optional Add-ons	Drawer Section	KESN842A0	KESN842A0	KESN843A0	KESN843A0
	End Cabinet Power End Cabinet	KEEN361A0 KEEP361A0	KEEN361A0 KEEP361A0	KEEN361A0 KEEP361A0	KEEN361A0 KEEP361A0
	Locker	KELN301DL KELN301DR	KELN301DL KELN301DR	KELN301DL KELN301DR	KELN301DL KELN301DR
	WorkCenter	KEWN840C0	KEWN840C0	KEWN840C0	KEWN840C0
	Power Locker	KELP301CL KELP301CR	KELP301CL KELP301CR	KELP301CL KELP301CR	KELP301CL KELP301CR
	Overhead	KEHN840B0	KEHN840B0	KEHN840B0	KEHN840B0
	Stainless Work Surface	KWSN3084BST	KWSN3084BST	KWSN3084BST	KWSN3084BST
	Stainless LED PowerTop™	KWSP3084DST	KWSP3084DST	KWSP3084DST	KWSP3084DST
	Bedliner Work Surface	KWSN3084ABL	KWSN3084ABL	KWSN3084ABL	KWSN3084ABL
	Bedliner LED PowerTop™	KWSP3084CBL	KWSP3084CBL	KWSP3084CBL	KWSP3084CBL
	Hardwood Top	KWSN3084AWT	KWSN3084AWT	KWSN3084AWT	KWSN3084AWT

### Regular Finish Paint Options:



### Trim Options:



### Clear Coat Finish Options



### Accent Options:

Available in Chrome or Backout accents.  
Driven by Part Number suffix.

1. Stainless Work Surface
2. Stainless LED PowerTop
7. Bedliner Work Surface
3. Bedliner LED PowerTop

### Two-Tone Finish Options:

Combine your favorite (regular finish) drawer paint and trim color with a black case for a two-tone look that's truly one of a kind!



# EPIQ™ SERIES: QUICK REFERENCE CHART

TOOL STORAGE



KETP682A0BCD



KETN682C0ZEV



KERN681A0BCR



KETN602C0PRJ

Roll Cabs	Specifications	KETP682A	KETN682C*	KERN681A	KETN602C*
Capacity	Approx Cubic Inches (cm <sup>3</sup> )	45,512 (745,808)	45,147 (739,831)	45,821 (750,872)	39,119 (641,045)
	Approx Square Inches (cm <sup>2</sup> )	10,521 (67,877)	11,046 (71,264)	12,082 (77,948)	9,490 (61,225)
	Load Capacity, lb (kg)	8,000 (3,629)	8,000 (3,629)	8,000 (3,629)	8,000 (3,629)
Footprint	Width, inches (mm)	68 (1,727)	68 (1,727)	68 (1,727)	60 (1,524)
	Depth, inches (mm)	30 (762)	30 (762)	30 (762)	30 (762)
	Height, inches (mm)	46-7/8 (1,191)	46-7/8 (1,191)	46-7/8 (1,191)	46-7/8 (1,191)
Drawers	Drawer Banks	2	2	1	2
	Drawer Count	9	10	7	10
	Widest Drawer, inches (mm) [qty]	62 (1,575) [2]	62 (1,575) [3]	62 (1,575) [7]	54 (1,372) (3)
	Slides, lb (kg) [ball bearing] (per pair)	227 (103)	227 (103)	227 (103)	227 (103)
	Double Slide (included)	Yes (4)	Yes (4)	Yes (5)	Yes (4)
Weight	Net Weight, lb (kg)	946 (429)	946 (429)	946 (429)	774 (351)
	Shipping Weight, lb (kg)	1,006 (456)	1,006 (456)	1,006 (456)	880 (399)
EPIQ™ Configurations	PowerDrawer Unit	Yes	No	No	No
	Non-directional Rubber Top	KETP682A0	KETN682C0	KERN681A0	KETN602C0
	Stainless Work Surface	KETP682A1	KETN682C1	KERN681A1	KETN602C1
	Stainless PowerTop™	KETP682A2	KETN682C2	KERN681A2	KETN602C2
Optional Add-ons	Bedliner Work Surface	KETP682A7	KETN682C7	KERN681A7	KETN602C7
	Bedliner PowerTop™	KETP682A3	KETN682C3	KERN681A3	KETN602C3
Optional Add-ons	Drawer Section	KESN682A0	KESN682A0	KESN682A0	KESN602A0
	End Cabinet	KEEN361A0	KEEN361A0	KEEN361A0	KEEN361A0
	Power End Cabinet	KEEP361A0	KEEP361A0	KEEP361A0	KEEP361A0
	Locker	KELN301CL KELN301CR	KELN301CL KELN301CR	KELN301CL KELN301CR	KELN301CL KELN301CR
	WorkCenter	KEWN680C0	KEWN680C0	KEWN680C0	KEWN600C0
	Power Locker	KELP301BL KELP301BR	KELP301BL KELP301BR	KELP301BL KELP301BR	KELP301BL KELP301BR
	Overhead	KEHN680C0	KEHN680C0	KEHN680C0	KEHN600B0
	Stainless Work Surface	KWSN3068BST	KWSN3068BST	KWSN3068BST	KWSN3060BST
	Stainless LED PowerTop™	KWSP3068DST	KWSP3068DST	KWSP3068DST	KWSP3060DST
	Bedliner Work Surface	KWSN3068ABL	KWSN3068ABL	KWSN3068ABL	KWSN3060ABL
	BedLiner LED PowerTop™	KWSN3068CBL	KWSP3068CBL	KWSN3068CBL	KWSP3060CBL
	Hardwood Top	KWSN3068AWT	KWSN3068AWT	KWSN3068AWT	KWSN3060AWT

**ECKO** \*Remote Lock Series

Images may be shown without actual warning labels.



- Read and follow Instructions and Safety Messages in the Manual accompanying the product.
- Read Safety Precautions on pages W1-W4

# EPIQ™ SERIES: QUICK REFERENCE CHART

TOOL STORAGE



KEVN68TA7BLU



KEVP68TA3PZR

## KEVN68TA Series (EUV)

Cubic Inches (cm <sup>3</sup> )	Square Inches (cm <sup>2</sup> )	Net Weight, lb (kg)		
129,514 (2,122,354)	21,733 (140,213)	2,373 (1,076)		
	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
<b>Specifications</b>	18	134 (3,404)	30 (762)/34 (864)	75 (1,905)
<b>Drawers in Roll Cab</b>	1	62-1/16 (1,576)	27-15/16 (710)	4-7/8 (124)
	1	62-1/16 (1,576)	27-15/16 (710)	3-13/16 (97)
	1	62-1/16 (1,576)	27-15/16 (710)	2-11/16 (68)
	1	38-1/16 (967)	26-7/8 (683)	1-11/16 (43)
	2	38-1/16 (967)	27-15/16 (710)	3-15/16 (100)
	1	38-1/16 (967)	27-15/16 (710)	6-3/16 (157)
	1	19-5/8 (498)	26-7/8 (683)	1-11/16 (43)
	1	19-5/8 (498)	27-15/16 (710)	3-15/16 (100)
	1	19-5/8 (498)	27-15/16 (710)	10-5/8 (270)
<b>Locker Drawers</b>	6	24-1/8 (613)	26-5/8 (676)	4 (102)
	2	24-1/8 (613)	23-7/8 (594)	4 (102)
<b>Locker Shelves</b>	2	25-1/2 (648)	24 (610)	Adjust
<b>Can Tray</b>	2	17-7/8 (454)	3-3/16 (81)	4 (102)
<b>WorkCenter</b>	Dimensions	68 (1,727)	30 (762)	25-1/2 (648)

### Optional Add-ons

68" Workcenter Overhead Cabinet	KEHN680CO
30" Locker Overhead Cabinet	KEHN300AO

## KEVP68TA Series EUV

Cubic Inches (cm <sup>3</sup> )	Square Inches (cm <sup>2</sup> )	Net Weight, lb (kg)		
129,514 (2,122,354)	21,090 (136,065)	2,373 (1,076)		
	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
<b>Specifications</b>	17	134 (3,404)	30 (762)/34 (864)	75 (1,905)
<b>Drawers in Roll Cab</b>	1	62-1/16 (1,576)	27-15/16 (710)	4-7/8 (124)
	1	62-1/16 (1,576)	27-15/16 (710)	3-13/16 (97)
	1	62-1/16 (1,576)	27-15/16 (710)	2-11/16 (68)
	1	38-1/16 (967)	26-7/8 (683)	1-11/16 (43)
	2	38-1/16 (967)	27-15/16 (710)	3-15/16 (100)
	1	38-1/16 (967)	27-15/16 (710)	6-3/16 (157)
	1	19-5/8 (498)	26-7/8 (683)	1-11/16 (43)
	1	19-5/8 (498)	27-15/16 (710)	3-15/16 (100)
	1	19-5/8 (498)	27-15/16 (710)	10-5/8 (270)
<b>Locker Drawers</b>	4	24-1/8 (613)	26-5/8 (676)	4 (102)
	1	24-1/8 (613)	26-5/8 (676)	8 (203)
	2	24-1/8 (613)	23-7/8 (594)	4 (102)
<b>Locker Shelves</b>	2	25-1/2 (648)	24 (610)	Adjust
<b>Can Tray</b>	2	17-7/8 (454)	3-3/16 (81)	4 (102)
<b>WorkCenter Dimensions</b>		68 (1,727)	30 (762)	25-1/2 (648)

### Optional Add-ons

68" Workcenter Overhead Cabinet	KEHN680CO
30" Locker Overhead Cabinet	KEHN300AO

### Regular Finish Paint Options:



### Trim Options:



### Clear Coat Finish Options



### Accent Options:

Available in Chrome or Backout accents. Driven by Part Number suffix.

1. Stainless Work Surface
2. Stainless LED PowerTop
7. Bedliner Work Surface
3. Bedliner LED PowerTop

### Two-Tone Finish Options:

Combine your favorite (regular finish) drawer paint and trim color with a black case for a two-tone look that's truly one of a kind!





KEXN725D0PDG



KEXP725D0PB0



KEXN724A0PJK



KEXP724A0PCM

## EPIQ™ Series Roll Cab Drawer Sizes

Width		Depth		Height		KEXN725D	KEXP725D	KEXN724A	KEXP724A
inches	mm	inches	mm	inches	mm	Drawers	Drawers	Drawers	Drawers
19-5/8	498	26-7/8	683	1-11/16	43	4	3	3	2
19-5/8	498	27-15/16	710	3-15/16	100	5	5	3	3
19-5/8	498	27-15/16	710	6	152	2	2	1	1
19-5/8	498	27-15/16	710	8-3/8	213	—	—	—	—
19-5/8	498	27-15/16	710	10-5/8	270	2	1	2	1
19-5/8	498	27-15/16	710	12-13/16	325	—	1	—	1
30-1/16	764	26-7/8	683	1-11/16	43	2	2	1	1
30-1/16	764	27-15/16	710	3-15/16	100	4	4	2	2
30-1/16	764	27-15/16	710	6	152	2	2	1	1
30-1/16	764	27-15/16	710	8 3/8	213	—	—	—	—
30-1/16	764	27-15/16	710	10-5/8	270	—	—	—	—
38-1/16	967	26-7/8	683	1-11/16	43	—	—	—	—
38-1/16	967	27-15/16	710	3-15/16	100	—	—	—	—
38-1/16	967	27-15/16	710	6	152	—	—	—	—
38-1/16	967	27-15/16	710	8 3/8	213	—	—	—	—
38-1/16	967	27-15/16	710	10-5/8	270	—	—	—	—
54-1/16	1,373	26-7/8	710	1-11/16	43	—	—	1	1
54-1/16	1,373	27-15/16	710	2-11/16	68	2	2	2	2
54-1/16	1,373	27-15/16	710	3-15/16	100	2	2	4	4
54-1/16	1,373	27-15/16	710	4-7/8	124	2	2	2	2
54-1/16	1,373	27-15/16	710	6	152	—	—	1	1
62-1/16	1,576	26-7/8	710	1-11/16	43	—	—	—	—
62-1/16	1,576	27-15/16	710	2-11/16	68	—	—	—	—
62-1/16	1,576	27-15/16	710	3-15/16	100	—	—	—	—
62-1/16	1,576	27-15/16	710	4-7/8	124	—	—	—	—
62-1/16	1,576	27-15/16	710	6	152	—	—	—	—
<b>Total Drawer Count</b>						<b>27</b>	<b>26</b>	<b>23</b>	<b>22</b>

Tools shown in tool storage not included.



- Read and follow Instructions and Safety Messages in the Manual accompanying the product.
- Read Safety Precautions on pages W1-W4

# EPIQ™ SERIES: ROLL CABS

TOOL STORAGE



**KEXN603C0PC**



Includes PowerDrawer with (5) Outlets and (2) USBs (tools not included)



Includes 2" SpeedDrawer with organizer



**KEXP603A0PB0**

## EPIQ™ Series Roll Cab Drawer Sizes


Width		Depth		Height		KEXN603C	KEXP603A
inches	mm	inches	mm	inches	mm	Drawers	Drawers
19-5/8	498	26-7/8	683	1-11/16	43	3	1
19-5/8	498	27-15/16	710	3-15/16	100	—	—
19-5/8	498	27-15/16	710	6	152	—	—
19-5/8	498	27-15/16	710	8-3/8	213	—	—
19-5/8	498	27-15/16	710	10-5/8	270	1	—
19-5/8	498	27-15/16	710	12-13/16	325	—	1
30-1/16	764	26-7/8	683	1-11/16	43	3	1
30-1/16	764	27-15/16	710	3-15/16	100	1	2
30-1/16	764	27-15/16	710	6	152	1	1
30-1/16	764	27-15/16	710	8 3/8	213	—	—
30-1/16	764	27-15/16	710	10-5/8	270	—	—
38-1/16	967	26-7/8	683	1-11/16	43	—	—
38-1/16	967	27-15/16	710	3-15/16	100	—	—
38-1/16	967	27-15/16	710	6	152	—	—
38-1/16	967	27-15/16	710	8 3/8	213	—	—
38-1/16	967	27-15/16	710	10-5/8	270	—	—
54-1/16	1,373	26-7/8	710	1-11/16	43	3	1
54-1/16	1,373	27-15/16	710	2-11/16	68	2	2
54-1/16	1,373	27-15/16	710	3-15/16	100	3	4
54-1/16	1,373	27-15/16	710	4-7/8	124	2	2
54-1/16	1,373	27-15/16	710	6	152	1	1
62-1/16	1,576	26-7/8	710	1-11/16	43	—	—
62-1/16	1,576	27-15/16	710	2-11/16	68	—	—
62-1/16	1,576	27-15/16	710	3-15/16	100	—	—
62-1/16	1,576	27-15/16	710	4-7/8	124	—	—
62-1/16	1,576	27-15/16	710	6	152	—	—
<b>Total Drawer Count</b>						<b>20</b>	<b>16</b>

Tools shown in tool storage not included.

### Regular Finish Paint Options:



### Trim Options:



### Accent Options:

Available in Chrome or Backout accents.  
 Driven by Part Number suffix.  
 1. Stainless Work Surface  
 2. Stainless LED PowerTop  
 7. Bedliner Work Surface  
 3. Bedliner LED PowerTop

### Clear Coat Finish Options



### Two-Tone Finish Options:

Combine your favorite (regular finish) drawer paint and trim color with a black case for a two-tone look that's truly one of a kind!



KERN842C0PJK



KERP842C0PJJ

EPIQ™ Series Roll Cab Drawer Sizes

Width		Depth		Height		KERN842C	KERP842C
inches	mm	inches	mm	inches	mm	Drawers	Drawers
19-5/8	498	26-7/8	683	1-11/16	43	2	1
19-5/8	498	27-15/16	710	3-15/16	100	2	2
19-5/8	498	27-15/16	710	6	152	1	1
19-5/8	498	27-15/16	710	8-3/8	213	—	—
19-5/8	498	27-15/16	710	10-5/8	270	1	—
19-5/8	498	27-15/16	710	12-13/16	325	—	1
30-1/16	764	26-7/8	683	1-11/16	43	—	—
30-1/16	764	27-15/16	710	3-15/16	100	—	—
30-1/16	764	27-15/16	710	6	152	—	—
30-1/16	764	27-15/16	710	8 3/8	213	—	—
30-1/16	764	27-15/16	710	10-5/8	270	—	—
38-1/16	967	26-7/8	683	1-11/16	43	—	—
38-1/16	967	27-15/16	710	3-15/16	100	—	—
38-1/16	967	27-15/16	710	6	152	—	—
38-1/16	967	27-15/16	710	8 3/8	213	—	—
38-1/16	967	27-15/16	710	10-5/8	270	—	—
54-1/16	1,373	26-7/8	710	1-11/16	43	1	1
54-1/16	1,373	27-15/16	710	2-11/16	68	1	1
54-1/16	1,373	27-15/16	710	3-15/16	100	3	3
54-1/16	1,373	27-15/16	710	4-7/8	124	1	1
54-1/16	1,373	27-15/16	710	6	152	1	1
62-1/16	1,576	26-7/8	710	1-11/16	43	—	—
62-1/16	1,576	27-15/16	710	2-11/16	68	—	—
62-1/16	1,576	27-15/16	710	3-15/16	100	—	—
62-1/16	1,576	27-15/16	710	4-7/8	124	—	—
62-1/16	1,576	27-15/16	710	6	152	—	—
<b>Total Drawer Count</b>						<b>13</b>	<b>12</b>

Tools shown in tool storage not included.



• Read and follow Instructions and Safety Messages in the Manual accompanying the product.  
 • Read Safety Precautions on pages W1-W4

# EPIQ™ SERIES: ROLL CABS

TOOL STORAGE



## EPIQ™ Series Roll Cab Drawer Sizes

Width		Depth		Height		KETN843C	KETP843C
inches	mm	inches	mm	inches	mm	Drawers	Drawers
19-5/8	498	26-7/8	683	1-11/16	43	3	2
19-5/8	498	27-15/16	710	3-15/16	100	3	3
19-5/8	498	27-15/16	710	6	152	1	1
19-5/8	498	27-15/16	710	8-3/8	213	—	—
19-5/8	498	27-15/16	710	10-5/8	270	2	1
19-5/8	498	27-15/16	710	12-13/16	325	—	1
30-1/16	764	26-7/8	683	1-11/16	43	1	1
30-1/16	764	27-15/16	710	3-15/16	100	2	2
30-1/16	764	27-15/16	710	6	152	1	1
30-1/16	764	27-15/16	710	8 3/8	213	—	—
30-1/16	764	27-15/16	710	10-5/8	270	—	—
38-1/16	967	26-7/8	683	1-11/16	43	—	—
38-1/16	967	27-15/16	710	3-15/16	100	—	—
38-1/16	967	27-15/16	710	6	152	—	—
38-1/16	967	27-15/16	710	8 3/8	213	—	—
38-1/16	967	27-15/16	710	10-5/8	270	—	—
54-1/16	1,373	26-7/8	710	1-11/16	43	—	—
54-1/16	1,373	27-15/16	710	2-11/16	68	1	1
54-1/16	1,373	27-15/16	710	3-15/16	100	1	1
54-1/16	1,373	27-15/16	710	4-7/8	124	1	1
54-1/16	1,373	27-15/16	710	6	152	—	—
62-1/16	1,576	26-7/8	710	1-11/16	43	—	—
62-1/16	1,576	27-15/16	710	2-11/16	68	—	—
62-1/16	1,576	27-15/16	710	3-15/16	100	—	—
62-1/16	1,576	27-15/16	710	4-7/8	124	—	—
62-1/16	1,576	27-15/16	710	6	152	—	—
<b>Total Drawer Count</b>						<b>16</b>	<b>15</b>

Tools shown in tool storage not included.

### Regular Finish Paint Options:



### Trim Options:



### Accent Options:

Available in Chrome or Backout accents.  
Driven by Part Number suffix.

1. Stainless Work Surface
2. Stainless LED PowerTop
7. Bedliner Work Surface
3. Bedliner LED PowerTop

### Clear Coat Finish Options



### Two-Tone Finish Options:

Combine your favorite (regular finish) drawer paint and trim color with a black case for a two-tone look that's truly one of a kind!



KETN682COPZR



KERN681A7PJJ



KETP682A0ZFX



KETN602C0PB0

## EPIQ™ Series Roll Cab Drawer Sizes

Width		Depth		Height		KETN682C	KERN681A	KETP682A	KETN602C
inches	mm	inches	mm	inches	mm	Drawers	Drawers	Drawers	Drawers
19-5/8	498	26-7/8	683	1-11/16	43	1	—	—	1
19-5/8	498	27-15/16	710	3-15/16	100	1	—	1	1
19-5/8	498	27-15/16	710	6	152	—	—	—	—
19-5/8	498	27-15/16	710	8-3/8	213	—	—	—	—
19-5/8	498	27-15/16	710	10-5/8	270	1	—	—	1
19-5/8	498	27-15/16	710	12-13/16	325	—	—	1	—
30-1/16	764	26-7/8	683	1-11/16	43	—	—	—	1
30-1/16	764	27-15/16	710	3-15/16	100	—	—	—	2
30-1/16	764	27-15/16	710	6	152	—	—	—	1
30-1/16	764	27-15/16	710	8 3/8	213	—	—	—	—
30-1/16	764	27-15/16	710	10-5/8	270	—	—	—	—
38-1/16	967	26-7/8	683	1-11/16	43	1	—	1	—
38-1/16	967	27-15/16	710	3-15/16	100	2	—	2	—
38-1/16	967	27-15/16	710	6	152	1	—	1	—
38-1/16	967	27-15/16	710	8 3/8	213	—	—	—	—
38-1/16	967	27-15/16	710	10-5/8	270	—	—	—	—
54-1/16	1,373	26-7/8	710	1-11/16	43	—	—	—	—
54-1/16	1,373	27-15/16	710	2-11/16	68	—	—	—	1
54-1/16	1,373	27-15/16	710	3-15/16	100	—	—	—	1
54-1/16	1,373	27-15/16	710	4-7/8	124	—	—	—	1
54-1/16	1,373	27-15/16	710	6	152	—	—	—	—
62-1/16	1,576	26-7/8	710	1-11/16	43	—	1	—	—
62-1/16	1,576	27-15/16	710	2-11/16	68	1	3	1	—
62-1/16	1,576	27-15/16	710	3-15/16	100	1	1	1	—
62-1/16	1,576	27-15/16	710	4-7/8	124	1	1	1	—
62-1/16	1,576	27-15/16	710	6	152	—	1	—	—
<b>Total Drawer Count</b>						<b>10</b>	<b>7</b>	<b>9</b>	<b>10</b>

Tools shown in tool storage not included.



- Read and follow Instructions and Safety Messages in the Manual accompanying the product.
- Read Safety Precautions on pages W1-W4

# EPIQ™ SERIES: DRAWER SECTIONS

TOOL STORAGE



**KESN361A0PB0**

## KESN361 EPIQ™ Series Drawer Sections

Cubic Inches (cm <sup>3</sup> )	Square Inches (cm <sup>2</sup> )	Net Weight, lb (kg)		
15,974 (261,767)	4,982 (32,142)	400 (181)		
Specifications	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
	6	36 (914)	30 (762)	27-1/2 (698)
<b>Drawers</b>	2	30-1/16 (764)	26-7/8 (683)	1-11/16 (43)
	4	30-1/16 (764)	27-15/16 (710)	3-15/16 (100)



**KESN602A0PC**

## KESN602 EPIQ™ Series Drawer Sections

Cubic Inches (cm <sup>3</sup> )	Square Inches (cm <sup>2</sup> )	Net Weight, lb (kg)		
26,370 (431,941)	8,223 (53,038)	525 (238)		
Specifications	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
	12	60 (1,524)	30 (762)	27-1/2 (698)
<b>Drawers</b>	2	19-5/8 (498)	26-7/8 (683)	1-11/16 (43)
	4	19-5/8 (498)	27-15/16 (710)	3-15/16 (100)
	2	30-1/16 (764)	26-7/8 (683)	1-11/16 (43)
	4	30-1/16 (764)	27-15/16 (710)	3-15/16 (100)

### Regular Finish Paint Options:



### Trim Options:



### Clear Coat Finish Options



### Accent Options:

Available in Chrome or Backout accents.  
 Driven by Part Number suffix.  
 1. Stainless Work Surface  
 2. Stainless LED PowerTop  
 7. Bedliner Work Surface  
 3. Bedliner LED PowerTop

### Two-Tone Finish Options:

Combine your favorite (regular finish) drawer paint and trim color with a black case for a two-tone look that's truly one of a kind!



**KESN682A0PJK**

## KESN682 EPIQ™ Series Drawer Sections

Cubic Inches (cm <sup>3</sup> )	Square Inches (cm <sup>2</sup> )	Net Weight, lb (kg)		
30,616 (501,490)	9,547 (61,578)	600 (272)		
Specifications	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
	12	68 (1,727)	30 (762)	27-1/2 (698)
	2	19-5/8 (498)	26-7/8 (683)	1-11/16 (43)
	4	19-5/8 (498)	27-15/16 (710)	3-15/16 (100)
	2	38-1/16 (967)	26-7/8 (683)	1-11/16 (43)
	4	38-1/16 (967)	27-15/16 (710)	3-15/16 (100)



**KESN842A0PU**

## KESN842 EPIQ™ Series Drawer Sections

Cubic Inches (cm <sup>3</sup> )	Square Inches (cm <sup>2</sup> )	Net Weight, lb (kg)		
38,368 (628,738)	12,200 (78,709)	750 (340)		
Specifications	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
	12	84 (2,134)	30 (762)	27-1/2 (698)
	2	19-5/8 (498)	26-7/8 (683)	1-11/16 (43)
	4	19-5/8 (498)	27-15/16 (710)	3-15/16 (100)
	2	54-1/16 (1,373)	26-7/8 (683)	1-11/16 (43)
	4	54-1/16 (1,373)	27-15/16 (710)	3-15/16 (100)



**KESN843A0PDG**

## KESN843 EPIQ™ Series Drawer Sections

Cubic Inches (cm <sup>3</sup> )	Square Inches (cm <sup>2</sup> )	Net Weight, lb (kg)		
36,785 (602,538)	11,471 (73,988)	750 (340)		
Specifications	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
	18	84 (2,134)	30 (762)	27-1/2 (698)
	4	19-5/8 (498)	26-7/8 (683)	1-11/16 (43)
	8	19-5/8 (498)	27-15/16 (710)	3-15/16 (100)
	2	30-1/16 (764)	26-7/8 (683)	1-11/16 (43)
	4	30-1/16 (764)	27-15/16 (710)	3-15/16 (100)



• Read and follow Instructions and Safety Messages in the Manual accompanying the product.  
• Read Safety Precautions on pages W1-W4

## EPIQ™ SERIES: WORKCENTER



**KEWN840COPBO**

### EPIQ™ Series WorkCenters

Require stainless steel, bed liner or butcher block work surface to use.

	Overall			Inside			Cubic inches (cm <sup>3</sup> )	Square inches (cm <sup>2</sup> )	Net Weight lb (kg)
	Width inches (mm)	Depth inches (mm)	Height inches (mm)	Width inches (mm)	Depth inches (mm)	Height inches (mm)			
<b>KEWN840CO</b>	84 (2,134)	30 (762)	25-1/2 (647)	80-9/16 (2,046)	26-5/8 (676)	25 (625)	38,924 (637,850)	5,130 (33,090)	355 (161)
<b>KEWN680CO</b>	68 (1,727)	30 (762)	25-1/2 (647)	64-9/16 (1,640)	26-5/8 (676)	25 (625)	31,196 (510,991)	4,303 (27,757)	300 (136)
<b>KEWN600CO</b>	60 (1,524)	30 (762)	25-1/2 (647)	56-9/16 (1,437)	26-5/8 (676)	25 (625)	27,332 (447,698)	3,890 (25,091)	275 (125)
<b>KEWN360AO</b>	36 (914)	30 (762)	25-1/2 (647)	32-9/16 (813)	26-5/8 (676)	25 (625)	16,400 (268,748)	2,334 (15,058)	225 (102)

## EPIQ™ SERIES: OVERHEAD CABINETS



**KEHN300AOPBO**

### EPIQ™ Series Overhead Cabinets

	Overall			Inside			Cubic inches (cm <sup>3</sup> )	Square inches (cm <sup>2</sup> )	Net Weight, lb (kg)
	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)			
<b>KEHN840BO</b>	84 (2,134)	30 (762)	20-7/8 (530)	80-1/4 (2,038)	28-3/16 (716)	13-5/8 (346)	30,888 (506,163)	2,263 (14,559)	320 (145)
<b>KEHN680CO</b>	68 (1,727)	30 (762)	20-7/8 (530)	64-1/4 (1,632)	28-3/16 (716)	13-5/8 (346)	24,733 (405,301)	1,812 (11,690)	275 (125)
<b>KEHN600BO</b>	60 (1,524)	30 (762)	20-7/8 (530)	56-1/4 (1,429)	28-3/16 (716)	13-5/8 (346)	21,656 (354,878)	1,587 (10,238)	260 (118)
<b>KEHN360AO</b>	36 (914)	30 (762)	20-7/8 (530)	32-5/8 (796)	28-3/16 (716)	13-5/8 (346)	14,000 (229,419)	920 (5,935)	175 (79)
<b>KEHN300AO</b>	30 (762)	30 (762)	20-7/8 (530)	26-5/8 (660)	28-3/16 (716)	13-5/8 (346)	13,010 (213,195)	733-45/64 (4,733)	130 (59)

#### Regular Finish Paint Options:



#### Trim Options:



#### Clear Coat Finish Options



#### Accent Options:

Available in Chrome or Backout accents.

Driven by Part Number suffix.

1. Stainless Work Surface
2. Stainless LED PowerTop
7. Bedliner Work Surface
3. Bedliner LED PowerTop

#### Two-Tone Finish Options:

Combine your favorite (regular finish) drawer paint and trim color with a black case for a two-tone look that's truly one of a kind!



**KELN301 EPIQ™ Series Lockers**

Require attachment to an EPIQ™ Roll Cab or side cabinet.  
Cannot be used as a standalone unit

Cubic inches (cm³)	Square Inches (cm²)	Load Capacity, lb (kg)		Net Weight, lb (kg)
32,835 (537,837)	4,310 (27,800)	4,000 (1,814)		2,373 (1,076)
	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
<b>Pull-out Upper Bins</b>	2	24-1/8 (613)	26-5/8 (676)	4 (102)
<b>Pull-out Lower Bins</b>	4	24-1/8 (613)	23-7/8 (594)	4 (102)
<b>Locker Shelves</b>	1	25-1/2 (648)	24 (610)	Adjust
<b>Can Tray</b>	2	17-7/8 (454)	3-3/16 (81)	4 (102)
<b>KELN301DL</b>	EPIQ™ Series Left Side Locker			
<b>KELN301DR</b>	EPIQ™ Series Right Side Locker			
<b>KELE301CL<sup>B</sup></b>	EPIQ™ Series Left Side Locker Cabinet with ECKO Remote Lock			
<b>KELN301CR<sup>B</sup></b>	EPIQ™ Series Right Side Locker Cabinet with ECKO Remote Lock			

**Optional Add-ons**

30" Locker Overhead Cabinet	<b>KEHN300A0</b>
-----------------------------	------------------


**KELN301DLP80**
**KELP301 EPIQ™ Series Power Lockers**

Require attachment to an EPIQ™ Roll Cab or side cabinet.  
Cannot be used as a standalone unit

Cubic Inches (cm³)	Square Inches (cm²)	Load Capacity lb (kg)		Net Weight, lb (kg)
32,835 (537,837)	4,310 (27,800)	4,000 (1,814)		2,373 (1,076)
	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
<b>Pull-out Upper Bins</b>	2	24-1/8 (613)	26-5/8 (676)	4 (102)
<b>Pull-out Lower Bins</b>	3	24-1/8 (613)	23-7/8 (594)	4 (102)
<b>Power Drawer Bin</b>	1	24-1/8 (613)	23-7/8 (594)	10 (254)
<b>Locker Shelves</b>	1	25-1/2 (648)	24 (610)	Adjust
<b>Can Tray</b>	2	17-7/8 (454)	3-3/16 (81)	4 (102)
<b>KELP301CL</b>	EPIQ™ Series Left Side Power Locker			
<b>KELP301CR</b>	EPIQ™ Series Right Side Power Locker			
<b>KELR301CL<sup>B</sup></b>	EPIQ™ Series Left Side Power Locker Cabinet with ECKO Remote Lock			
<b>KELR301CR<sup>B</sup></b>	EPIQ™ Series Right Side Power Locker Cabinet with ECKO Remote Lock			

**Optional Add-ons**

30" Locker Overhead Cabinet	<b>KEHN300A0</b>
-----------------------------	------------------


**KELP301CLP80**

(power tools and chargers not included)



- Read and follow Instructions and Safety Messages in the Manual accompanying the product.
- Read Safety Precautions on pages W1-W4



**KEEN361A0PB0**

## KEEN361 EPIQ™ Series End Cabinets

- 36" End Cabinet requires attachment to an EPIQ™ roll cab
- Cannot be used as a stand alone unit

Cubic inches (cm <sup>3</sup> )	Square inches (cm <sup>2</sup> )	Net Weight, lb (kg)		
23,016 (377,165)	5,824 (37,574)	400 (181)		
	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
<b>Specifications</b>	7	36 (914)	30 (762)	46-7/8 (1,191)
<b>Drawers</b>	2	30-1/16 (764)	26-7/8 (683)	1-11/16 (43)
	3	30-1/16 (764)	27-15/16 (710)	3-15/16 (100)
	2	30-1/16 (764)	27-15/16 (710)	6 (152)
<b>Stainless Work Surface</b>	KEEN361A1			
<b>Bedliner Work Surface</b>	KEEN361A7			

### Optional Add-ons

36" End Cab WorkCenter	KEWN360AO
36" End Cab Drawer Section	KESN361AO
36" End Cab Overhead Cabinet	KEHN360AO



**KEEP361A0PWZ**

## KEEP361 EPIQ™ Series End Cabinets with PowerDrawe

- 36" End Cabinet requires attachment to an EPIQ™ roll cab
- Cannot be used as a stand alone unit

Cubic inches (cm <sup>3</sup> )	Square inches (cm <sup>2</sup> )	Net Weight, lb (kg)		
23,938 (392,274)	4,174 (26,929)	400 (181)		
	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
<b>Specifications</b>	7	36 (914)	30 (762)	46-7/8 (1,191)
<b>Drawers</b>	1	30-1/16 (764)	26-7/8 (683)	1-11/16 (43)
	2	30-1/16 (764)	27-15/16 (710)	3-15/16 (100)
<b>PowerDrawer</b>	1	30-1/16 (764)	27-15/16 (710)	12-13/16 (325)
<b>Stainless Work Surface</b>	KEEP361A1			
<b>Bedliner Work Surface</b>	KEEP361A7			

### Optional Add-ons

36" End Cab WorkCenter	KEWN360AO
36" End Cab Drawer Section	KESN361AO
36" End Cab Overhead Cabinet	KEHN360AO

### Regular Finish Paint Options:



### Trim Options:



### Clear Coat Finish Options



### Accent Options:

- Available in Chrome or Backout accents. Driven by Part Number suffix.
1. Stainless Work Surface
  2. Stainless LED PowerTop
  7. Bedliner Work Surface
  3. Bedliner LED PowerTop

### Two-Tone Finish Options:

Combine your favorite (regular finish) drawer paint and trim color with a black case for a two-tone look that's truly one of a kind!



# MASTERS SERIES: QUICK REFERENCE CHART

TOOL STORAGE



KRL1033EPB0



KTL1023APWZ3



KMP1023PB0



KMP1023BLB



KMP1033PB0

Roll Cabs	Specifications	KRL1033E	KTL1023A	KMP1023	KMP1033
Capacity	Approx. Cubic Inches (cm <sup>3</sup> )	48,809 (799,836)	45,242 (741,384)	46,054 (754,690)	46,759 (766,243)
	Approx. Square Inches (cm <sup>2</sup> )	11,427 (73,722)	11,605 (74,871)	10,029 (64,703)	10,245 (66,097)
	Load Capacity, lb (kg)	6,800 (3,084)	6,800 (3,084)	6,800 (3,084)	6,800 (3,084)
Footprint	Width, inches (mm)	72-7/8 (1,851)	72-7/8 (1,851)	72-7/8 (1,851)	72-7/8 (1,851)
	Depth, inches (mm)	29-1/8 (740)	29-1/8 (740)	29-1/8 (740)	29-1/8 (740)
	Height, inches (mm)	45-7/8 (1,165)	45-7/8 (1,165)	45-7/8 (1,165)	45-7/8 (1,165)
Drawers	Drawer Banks	3	3	3	3
	Drawer Count	15	18	14	12
	Widest Drawer, inches (mm) [qty]	69 (1,753) [2]	50 (1,270) [3]	50 (1,270) [3]	69 (1,753) [2]
	Slides, lb (kg) (ball bearing) (per pair)	227 (103)	227 (103)	227 (103)	227 (103)
	Double Slide (included)	Yes (2)	Yes (2)	Yes (3)	Yes (3)
Masters Configurations	PowerDrawer Unit	No	No	Yes	Yes
	Non-directional Rubber Top	KRL1033E	KTL1023A	KMP1023	KMP1033
	Stainless Steel Work Surface Bedliner Work Surface Stainless Steel LED PowerTop™ Bedliner LED PowerTop™	KRL1033E_1 KRL1033E_7 KRL1033E_2 KRL1033E_3	KTL1023A_1 KTL1023A_7 KTL1023A_2 KTL1023A_3	KMP1023_1 KMP1023_7 KMP1023_2 KMP1023_3	KMP1033_1 KMP1033_7 KMP1033_2 KMP1033_3
	Weight	Net Weight, lb (kg)	1,034 (469)	892 (405)	920 (417)
	Shipping Weight, lb (kg)	1,131 (513)	1,006 (456)	1,017 (461)	1,017 (461)
Optional Add-ons	End Cab	KRL1011A	KRL1011A	KRL1011A	KRL1011A
	Power End Cab	KMP1099	KMP1099	KMP1099	KMP1099
	Locker	KRXL1025	KRXL1025	KRXL1025	KRXL1025
	Power Locker	KPXL1025	KPXL1025	KPXL1025	KPXL1025
	Locker Overhead	KRXL2545	KRXL2545	KRXL2545	KRXL2545
	WorkCenter	KRXL1072	KRXL1072	KRXL1072	KRXL1072
	Overhead	KRXL7245	KRXL7245	KRXL7245	KRXL7245
	Stainless Steel Work Surface	KWSN2973AST	KWSN2973AST	KWSN2973AST	KWSN2973AST
	Bedliner Work Surface	KWSN2973ABL	KWSN2973ABL	KWSN2973ABL	KWSN2973ABL
	Hardwood Work Surface	KWSN2973AWT	KWSN2973AWT	KWSN2973AWT	KWSN2973AWT
	Stainless Steel LED PowerTop™	KWSP2973BST	KWSP2973BST	KWSP2973BST	KWSP2973BST
Bedliner LED PowerTop™	KWSP2973BBL	KWSP2973BBL	KWSP2973BBL	KWSP2973BBL	

Images may be shown without actual warning labels.

### Regular Finish Paint Options:



### Trim Options:



### Accent Options:

Available in Chrome or Backout accents. Driven by Part Number suffix.

1. Stainless Work Surface
2. Stainless LED PowerTop
7. Bedliner Work Surface
3. Bedliner LED PowerTop



- Read and follow Instructions and Safety Messages in the Manual accompanying the product.
- Read Safety Precautions on pages W1-W4

# MASTERS SERIES: QUICK REFERENCE CHART

TOOL STORAGE



KMP1022AZJQ



KTL1022ABLE3



KRL722CPCM

Roll Cabs	Specifications	KTL1022A	KMP1022A	KRL722C
Capacity	Approx. Cubic Inches (cm <sup>3</sup> )	34,573 (566,550)	34,765 (569,696)	23,937 (392,256)
	Approx. Square Inches (cm <sup>2</sup> )	8,452 (54,529)	8,058 (51,987)	5,784 (37,319)
	Load Capacity, lb (kg)	6,800 (3,084)	6,800 (3,084)	3,600 (1,633)
Footprint	Width, inches (mm)	54-1/2 (1,384)	54-1/4 (1,378)	54-1/4 (1,378)
	Depth, inches (mm)	29-1/8 (740)	29-1/8 (740)	24 (610)
	Height, inches (mm)	45-7/8 (1,165)	45-7/8 (1,165)	39-7/8 (1,013)
Drawers	Drawer Banks	2	2	2
	Drawer Count	10	9	9
	Widest Drawer, inches (mm) [qty]	50 (1,270) [3]	50 (1,270) [3]	50 (1,270) [2]
	Slides, lb (kg) (ball bearing) (per pair)	227 (103)	227 (103)	227 (103)
	Double Slide (included)	Yes (2)	Yes (2)	Yes (1)
Masters Configurations	PowerDrawer Unit	No	Yes	No
	Non-directional Rubber Top	KTL1022A	KMP1022A	KRL722C
	Stainless Steel Work Surface	KTL1022A_1	KMP1022A_1	KRL722C_1
	Bedliner Work Surface	KTL1022A_7	KMP1022A_7	KRL722C_7
	Stainless Steel LED PowerTop™ Bedliner LED PowerTop™	KTL1022A_2 KTL1022A_3	KMP1022A_2 KMP1022A_3	— —
Weight	Net Weight, lb (kg)	632 (287)	757 (343)	489 (222)
	Shipping Weight, lb (kg)	720 (327)	854 (387)	548 (249)
Optional Add-ons	End Cab	KRL1011A	KRL1011A	KRL711A
	Power End Cab	KMP1099	KMP1099	KMP799
	Locker	KRXL1025	KRXL1025	KRL712B
	Power Locker	KPXL1025	KPXL1025	—
	Locker Overhead	KRXL2545	KRXL2545	—
	WorkCenter	KRXL1054	KRXL1054	KRA2454
	Overhead	KRXL5445	KRXL5445	KRWL5435
	Stainless Steel Work Surface	KWSN2954AST	KWSN2954AST	KWSN722AST
	Bedliner Work Surface	KWSN2954ABL	KWSN2954ABL	KWSN722ABL
	Stainless Steel LED PowerTop™	KWSP2954BST	KWSP2954BST	—
	Bedliner LED PowerTop™	KWSP2954BBL	KWSP2954BBL	—
Hardwood Work Surface	KWSN2954AWT	KWSN2954AWT	KRWT761B	

Images may be shown without actual warning labels.

**Regular Finish Paint Options:**



**Trim Options:**



**Accent Options:**

Available in Chrome or Backout accents. Driven by Part Number suffix.

1. Stainless Work Surface
2. Stainless LED PowerTop
7. Bedliner Work Surface
3. Bedliner LED PowerTop



**KRL1033EPB0**



**KTL1023ABCR3**



**KMP1023BLB**



**KMP1033PJH**

## Masters Series Roll Cab Drawer Sizes

Width		Depth		Height		KRL1033E	KTL1023A	KMP1023	KMP1033
inches	mm	inches	mm	inches	mm	Drawers	Drawers	Drawers	Drawers
14-5/8	371	26-15/16	684	1-11/16	43	2	4	1	1
14-5/8	371	26-15/16	684	4	102	4	5	3	1
14-5/8	371	26-15/16	684	6-3/16	157	1	1	—	—
14-5/8	371	26-15/16	684	8-3/8	213	—	—	1	1
14-5/8	371	26-15/16	684	10-5/8	270	1	1	1	1
14-5/8	371	26-15/16	684	12-13/16	326	—	—	1	1
29-5/8	752	25-1/2	648	1-11/16	43	—	—	—	1
30-1/2	775	26-15/16	684	1-11/16	43	1	1	1	—
30-1/2	775	26-15/16	684	4	102	2	2	2	2
30-1/2	775	26-15/16	684	6-3/16	157	1	1	1	1
49-1/8	1,248	26-15/16	684	2-11/16	68	—	1	1	—
49-1/8	1,248	26-15/16	684	3-13/16	97	1	1	1	1
49-1/8	1,248	26-15/16	684	4-7/8	124	—	1	1	—
67-1/8	1,705	26-15/16	684	2-11/16	68	1	—	—	1
67-1/8	1,705	26-15/16	684	4-7/8	124	1	—	—	1
<b>Total Drawer Count</b>						<b>15</b>	<b>18</b>	<b>14</b>	<b>12</b>

Images may be shown without actual warning labels.



- Read and follow Instructions and Safety Messages in the Manual accompanying the product.
- Read Safety Precautions on pages W1-W4

# MASTERS SERIES: ROLL CABS

TOOL STORAGE



**KTL1022ABKG3**



**KMP1022APB0**

## Masters Series Roll Cab Drawer Sizes

Width		Depth		Height		KTL1022A	KMP1022A
inches	mm	inches	mm	inches	mm	Drawers	Drawers
14-5/8	371	26-15/16	684	1-11/16	43	1	—
14-5/8	371	26-15/16	684	4	102	1	—
14-5/8	371	26-15/16	684	8-3/8	213	—	2
14-5/8	371	26-15/16	684	10-5/8	270	1	—
29-5/8	752	25-1/2	648	1-11/16	43	—	1
30-1/2	775	26-15/16	684	1-11/16	43	1	—
30-1/2	775	26-15/16	684	4	102	2	2
30-1/2	775	26-15/16	684	6-3/16	157	1	1
49-1/8	1,248	26-15/16	684	2-11/16	68	1	1
49-1/8	1,248	26-15/16	684	3-13/16	97	1	1
49-1/8	1,248	26-15/16	684	4-7/8	124	1	1
<b>Total Drawer Count</b>						<b>10</b>	<b>9</b>



**KRL722PCM**

## Masters Series Roll Cab Drawer Sizes

Width		Depth		Height		KRL722C
inches	mm	inches	mm	inches	mm	Drawers
14-5/8	371	21-7/8	557	1-11/16	43	1
14-5/8	371	21-7/8	557	4	102	1
14-5/8	371	21-7/8	557	10-5/8	270	1
30-1/2	775	21-7/8	557	1-11/16	43	1
30-1/2	775	21-7/8	557	4	102	2
30-1/2	775	21-7/8	557	6-3/16	157	1
49-1/8	1,248	21-7/8	557	2-11/16	68	1
49-1/8	1,248	21-7/8	557	4-7/8	124	1
<b>Total Drawer Count</b>						<b>9</b>

Tools shown in tool storage not included. Images may be shown without actual warning labels.

### Regular Finish Paint Options:



### Trim Options:



### Accent Options:

Available in Chrome or Backout accents. Driven by Part Number suffix.  
 1. Stainless Work Surface  
 2. Stainless LED PowerTop  
 7. Bedliner Work Surface  
 3. Bedliner LED PowerTop

**KRL751 Series Top Chest**

Cubic Inches (cm <sup>3</sup> )	Square Inches (cm <sup>2</sup> )	Net Weight, lb (kg)	Shipping Weight, lb (kg)	
13,294 (217,756)	4,115 (26,542)	194 (88)	245 (111)	
	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
<b>Specifications</b>	4	35-5/8 (905)	24 (610)	21 (533)
<b>Drawers</b>	2	30-1/2 (775)	21-7/8 (557)	1-11/16 (43)
	2	30-1/2 (775)	21-7/8 (557)	4 (102)
<b>Top Compartment</b>	—	35-3/8 (899)	21-3/4 (552)	4-1/8 (105)


**KRL751PC**
**KRL791A Series Top Chest**

Cubic Inches (cm <sup>3</sup> )	Square Inches (cm <sup>2</sup> )	Net Weight, lb (kg)	Shipping Weight, lb (kg)	
15,927 (260,884)	5,132 (33,101)	302 (137)	384 (174)	
	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
<b>Specifications</b>	8	54-1/4 (1,375)	24 (610)	21 (533)
<b>Drawers</b>	2	14-5/8 (371)	21-7/8 (557)	1-11/16 (43)
	2	14-5/8 (371)	21-7/8 (557)	4 (102)
	2	30-1/2 (775)	21-7/8 (557)	1-11/16 (43)
	2	30-1/2 (775)	21-7/8 (557)	4 (102)
<b>Top Compartment</b>	—	53-7/8 (1,368)	21-3/4 (552)	4-1/8 (105)


**KRL791APJJ**
**MASTERS SERIES: WORKCENTERS**
**KRXL1072 Series XL Work Center**

Specifications	KRXL1072PBO
<b>Cubic inches (cm<sup>3</sup>)</b>	30,667 (502,542)
<b>Square inches (cm<sup>2</sup>)</b>	4,125 (26,613)
<b>Width, inches (mm)</b>	72-7/8 (1,851)
<b>Height, inches (mm)</b>	26-3/4 (603)
<b>Depth, inches (mm)</b>	29-1/8 (740)


**KRXL1072PBO**


- Read and follow Instructions and Safety Messages in the Manual accompanying the product.
- Read Safety Precautions on pages W1-W4



**KRL1011APJJ**

### KRL1011A Series End Cab

Cubic Inches (cm <sup>3</sup> )	Square Inches (cm <sup>2</sup> )	Net Weight, lb (kg)	Shipping Weight, lb (kg)	
10,735 (175,839)	3,152 (20,330)	267 (121)	295 (134)	
	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
<b>Specifications</b>	8	19-3/4 (502)	29-1/8 (740)	37-5/16 (948)
<b>Drawers</b>	3	14-5/8 (371)	26-15/16 (684)	1-11/16 (43)
	4	14-5/8 (371)	26-15/16 (684)	4 (102)
	1	14-5/8 (371)	26-15/16 (684)	6-3/16 (157)



**KRL711APCM**

### KRL711A Series End Cab

Cubic Inches (cm <sup>3</sup> )	Square Inches (cm <sup>2</sup> )	Net Weight, lb (kg)	Shipping Weight, lb (kg)	
7,438 (121,834)	2,239 (14,442)	193 (88)	225 (102)	
	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
<b>Specifications</b>	7	19-3/4 (502)	24 (610)	32-15/16 (837)
<b>Drawers</b>	3	14-5/8 (371)	21-7/8 (557)	1-11/16 (43)
	3	14-5/8 (371)	21-7/8 (557)	4 (102)
	1	14-5/8 (371)	21-7/8 (557)	6-3/16 (157)

#### Regular Finish Paint Options:



#### Trim Options:



#### Accent Options:

Available in Chrome or Backout accents. Driven by Part Number suffix.

1. Stainless Work Surface
2. Stainless LED PowerTop
7. Bedliner Work Surface
3. Bedliner LED PowerTop



## KMP7099 Series End Cab with PowerDrawer

Cubic Inches (cm <sup>3</sup> )	Square Inches (cm <sup>2</sup> )	Net Weight, lb (kg)	Shipping Weight, lb (kg)	
9,917 (162,510)	1,182 (7,626)	230 (104)	270 (122)	
	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
<b>Specifications</b>	3	19-3/4 (501)	29 (737)	32-15/16 (836)
<b>Drawers</b>	1	14-5/8 (371)	26-15/16 (684)	4 (102)
	1	14-5/8 (371)	26-15/16 (684)	12-13/16 (326)
<b>PowerDrawer*</b>	1	14-5/8 (371)	26-15/16 (684)	8-3/8 (213)

\* Power strip has (5) outlets and (2) USBs



KMP7099PB0

## KMP799 700 Series End Cab with PowerDrawer

Cubic Inches (cm <sup>3</sup> )	Square Inches (cm <sup>2</sup> )	Net Weight, lb (kg)	Shipping Weight, lb (kg)	
8,044 (131,817.5)	959 (6,187)	193 (88)	243 (110)	
	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
<b>Drawers</b>	1	14-5/8 (371)	21-7/8 (557)	4 (102)
	1	14-5/8 (371)	21-7/8 (557)	8-3/8 (213)
	1	14-5/8 (371)	21-7/8 (557)	12-13/16 (326)
<b>Specifications</b>	3	19-3/4 (501)	24 (610)	32-15/16 (836)



KMP799PB0



- Read and follow Instructions and Safety Messages in the Manual accompanying the product.
- Read Safety Precautions on pages W1-W4