

**US APPRENTICE SET**



**9100GSBO**

**US Apprentice Set**

| Stock No.   | Description   | Page |
|-------------|---|------|
| 114ATMP     | 14 pc 1/4" Drive 6-Point SAE Shallow General Service Socket Set | 132  |
| 206EAU      | 6 pc 3/8" Drive Adaptor/Extension Set                           | 151  |
| 211FSY      | 11 pc 3/8" Drive 6-Point SAE Flank Drive® Shallow Socket Set    | 155  |
| 211SFSY     | 11 pc 3/8" Drive 6-Point SAE Flank Drive® Deep Socket Set       | 157  |
| 317MSPC     | 17 pc 1/2" Drive 6-Point SAE General Service Socket Set         | 232  |
| 91ACP       | 9" Adjustable Joint Interlocking Channel Pliers                 | 382  |
| AW1015DHK   | 15 pc SAE L-Shaped Hex Wrench Set                               | 303  |
| BP16B       | 16 oz Ball Peen Hickory Handle Hammer (Blue-Point®)             | 401  |
| CSA8C       | Rigid Carbon Scraper  | 413  |
| ENC09602001 | Veratti® M50  | —    |
| F80         | 3/8" Drive Dual 80° Technology Standard Handle Ratchet          | 144  |

| Stock No.          | Description   | Page |
|--------------------|---|------|
| GA295 <sup>±</sup> | 2-1/4" Round Mirror with 14" Shaft (Blue-Point®)      | 777  |
| HBPT16             | 16 oz Plastic Tip Hammer                              | 400  |
| HS50               | Quick Cutter Hand Saw                                 | 403  |
| HSG319             | Bi-Mold Soft Grip Handle Hacksaw                      | 403  |
| MAGST2D016         | 2D Cell LED Maglite® Flashlight                       | —    |
| OEX709B            | 9 pc 12-Point SAE Flank Drive® Combination Wrench Set | 274  |
| PL307ACF           | 3 pc Pliers Set                                       | 377  |
| PPC710BK           | 11 pc Punch and Chisel Set                            | 395  |
| PRH57A             | Convertible Retaining Ring Pliers (Blue-Point®)       | 385  |
| PT5C <sup>±</sup>  | Telescopic Magnetic Pick-Up Tool (Blue-Point®)        | 776  |
| PWC6 <sup>±</sup>  | Wire Stripper/Cutter (Blue-Point®)                    | 388  |
| SHDX800            | 8 pc Instinct® Hard Grip Combination Screwdriver Set  | 343  |
| TPMA12             | 12' Tape Rule   | 775  |

**9100GSBO Complete Apprentice Set**

- Includes 9100GSO and the KRA2055FPBO Top Chest

**9100GSO Apprentice Set**

- US Apprentice Set tools only
- Does not include a top chest

**9100GSM Metric Plus Apprentice Set**

- 9100GS Set plus, AWM110DK Metric Hex Wrench Set (11 pc), 212FMY Metric 12-Point Socket Set (12 pc) and OEXM710B metric 12-Point Combination Wrench Set (10 pc)
- Does not include a top chest


**KRA4059FPBO**

**9000GS2**
**US Set 2**

| Stock No. | Description   | Page |
|-----------|---|------|
| 1650      | 16" Prybar  | 376  |
| 110STMY   | 10 pc 1/4" Drive 6-Point SAE Flank Drive® Deep Socket Set       | 114  |
| 112TMMY   | 12 pc 1/4" Drive 6-Point Metric Flank Drive® Shallow Socket Set | 112  |
| 2004BSKA  | 4 pc Battery Service Kit  | 701  |
| 212EFTXY  | 12 pc Combination Drive TORX® Bit Standard Socket Set           | 120  |
| 212FSMY   | 12 pc 3/8" Drive 6-Point Metric Flank Drive® Shallow Socket Set | 155  |
| 212SFSMY  | 12 pc 3/8" Drive 6-Point Metric Flank Drive® Deep Socket Set    | 156  |
| 97ACF     | 9" Needle Nose Pliers   | 380  |
| AC5C      | Hand Scratch Brush (Blue-Point®)                                | 812  |
| AWM110DHK | 11 pc Metric L-Shaped Hex Wrench Set                            | 303  |
| FADH12C   | 12" Flank Drive® Plus Adjustable Wrench                         | 305  |
| FB303B†   | Wire Gap for Electronic Ignition Systems Gauge                  | 772  |
| FB316B†   | Feeler Gauge Set (Blue-Point®)                                  | 770  |
| FB325A†   | 25 pc SAE and Metric Feeler Gauge Set (Blue-Point®)             | 453  |
| FB361A†   | Gapper Gauge (Blue-Point®)                                      | 772  |
| FLF80A    | 3/8" Drive Dual 80° Technology Long Handle Flex-Head Ratchet    | 145  |

**KRA4059FPBO 26" Nine-Drawer Top Chest**

- Lock 'N Roll® system prevents the drawers from drifting open during unit movement
- Drawer pulls are 50% deeper than other brands for better leverage
- Rolled drawer edges for strength and safety
- Teardrop-shaped drawer hems provide safe edges and keep drawers from sagging
- High-security tubular interchangeable locks
- Tough nine-step pre-painting process
- Four Colors: Red (PBO), Gloss Black (PC), Royal Blue (PCM), Electric Orange (PJK)

| Stock No.   | Description   | Page |
|-------------|---|------|
| FXK11       | 3/8" Drive 11" Knurled Friction Ball Extension                                | 149  |
| GSAF1F      | 1/2" Drive Square Drive Adaptor   | 205  |
| KRA4059FPBO | 26" Nine-Drawer Top Chest   | 46   |
| LP10WR      | Curved Jaw with Cutter Locking Pliers   | 383  |
| OEX30B      | 15/16" 12-Point SAE Flank Drive® Combination Wrench                           | 275  |
| OEX32B      | 1" 12-Point SAE Flank Drive® Combination Wrench                               | 275  |
| OEXM710B    | 10 pc 12-Point Metric Flank Drive® Combination Wrench Set                     | 273  |
| PK53A       | Single Bevel Putty Knife/Scraper (Blue-Point®)                                | 414  |
| RXFS605B    | 5 pc 6-Point SAE Flank Drive® Double End Flare Nut Wrench Set                 | 288  |
| S9704KA     | 3/8" Drive 6-Point SAE 13/16" Flank Drive® Shallow Spark Plug Socket          | 422  |
| S9706KRA    | 3/8" Drive 6-Point SAE 5/8" Flank Drive® Standard Retention Spark Plug Socket | 421  |
| SGA173BR    | Soft Grip Radiator Hose Pick  | 722  |
| SGASA204CR  | 4 pc Instinct® Soft Grip Miniature Pick Set                                   | 370  |
| SGDMRC44B   | Ratcheting Soft Grip Standard Screwdriver                                     | 355  |
| SGT4BR      | 1/4" Drive 6-13/16" Instinct® Soft Grip Standard Shank Driver                 | 107  |
| TMXK60      | 1/4" Drive 6" Knurled Extension   | 108  |

**9000GS2 Add-On Group 2**

- More than 100 pc
- Does not include a tool storage unit

**9200AGSO Tools Only US Set 2**

- Includes 9100GSO and 9000GS2
- Does not include tool storage

**9200GSB Complete US Set 2**

- Includes 9100GSO, 9000GS2, plus the KRA4059FPBO top chest



†These products can expose you to chemicals which are known to the state of California to cause cancer and reproductive harm. See pages P1–P2 for details.  
• Read Safety Precautions on pages W1–W4

# US SET 3

SET BUILDING



**KRA4059FPBO**



**KRA4008FPBO**



**9000GS30**

## US Set 3

| Stock No. | Description   | Page |
|-----------|---|------|
| 112STMMY  | 12 pc 1/4" Drive 6-Point Metric Flank Drive® Deep Socket Set                    | 113  |
| 207EFAMY  | 7 pc 3/8" Drive Metric Hex Bit Socket Set                                       | 170  |
| 208EFAY   | 8 pc 3/8" Drive SAE Standard Hex Bit Socket Set                                 | 171  |
| 310IMMYA  | 10 pc 1/2" Drive 6-Point Metric Flank Drive® Shallow Impact Socket Set          | 220  |
| 310SIMMYA | 10 pc 1/2" Drive 6-Point Metric Flank Drive® Deep Impact Socket Set             | 222  |
| 311IMYA   | 11 pc 1/2" Drive 6-Point SAE Flank Drive® Shallow Impact Socket Set             | 221  |
| 313TWMYA  | 13 pc 1/2" Drive 6-Point Metric Flank Drive® Shallow Socket Set                 | 208  |
| AC58E     | Wire Brush (Blue-Point®)  | 812  |
| IP80D     | 1/2" Drive Swivel Ball Lock Button Impact Universal Joint                       | 219  |
| JT13B     | Blow Gun (Blue-Point®)  | 573  |
| OEXM6B    | 6 mm 12-Point Metric Flank Drive® Short Combination Wrench                      | 276  |
| OEXM7B    | 7 mm 12-Point Metric Flank Drive® Short Combination Wrench                      | 276  |
| OEXM8B    | 8 mm 12-Point Metric Flank Drive® Short Combination Wrench                      | 276  |
| OEXM9B    | 9 mm 12-Point Metric Flank Drive® Short Combination Wrench                      | 276  |
| PT850     | 1/2" Drive Air Impact Wrench  | 525  |
| QD3R250A  | 1/2" Drive SAE Adjustable Click-Type Fixed Ratchet Torque Wrench (50–250 ft-lb) | 314  |
| RXFMS606B | 6 pc 6-Point Metric Flank Drive® Double End Flare Nut Wrench Set                | 288  |
| S8        | 1/2" Drive 2-11/16" Friction Ball Universal Joint                               | 206  |
| SL80A     | 1/2" Drive Dual 80® Technology Long Handle Ratchet                              | 201  |
| SPBS24A0  | 24" Striking Prybar   | 374  |
| SXK3      | 1/2" Drive 3-1/2" Extension   | 204  |
| TF72      | 1/4" Drive Dual 80® Technology Standard Handle Flex-Head Ratchet                | 104  |
| TMXK140   | 1/4" Drive 14" Knurled Extension  | 108  |

**9000GS30 Add-On Group 3**  
 • More than 100 pc  
 • Does not include tool storage

**9300GSB0 Complete US Set 3**  
 • Includes 9200AGS and 9200GS3,  
 plus the KRA4008FPBO Roll Cab and  
 KRA4059FPBO Top Chest

**9300GSO Tools Only US Set 3**  
 • Includes 9200AGS and 9000GS3  
 • Does not include tool storage


**9000GS40**

**9400GS80**
**US Set 4**

| Stock No. | Description  | Page |
|-----------|--|------|
| 1250      | 12" Prybar   | 376  |
| 206AFSA   | 6 pc 3/8" Drive 6-Point SAE Flank Drive® Shallow Universal Socket Set      | 159  |
| 206FSUMA  | 6 pc 3/8" Drive 6-Point Metric Flank Drive® Shallow Flex Socket Set        | 159  |
| 207SFRH   | 7 pc 3/8" Drive 6-Point SAE Flank Drive® Flare Nut Crowfoot Wrench Set     | 291  |
| 210FRHMA  | 10 pc 3/8" Drive 6-Point Metric Flank Drive® Flare Nut Crowfoot Wrench Set | 291  |
| 313TSYA   | 13 pc 1/2" Drive 6-Point SAE Flank Drive® Deep Socket Set                  | 209  |
| 388ACF    | 8" High-Leverage Diagonal Cutter   | 378  |
| 61CF      | 8" Duck Bill Pliers  | 381  |
| AWP160    | 16" Adjustable Joint Pliers  | 382  |
| BP24B     | 24 oz Ball Peen Hickory Hammer (Blue-Point®)                               | 401  |
| CJ2001P   | Bolt Grip Puller Set   | —    |
| CSA12CO   | 12-7/8" Rigid Carbon Scraper   | 413  |
| E1020     | 19 pc Extractor Set (Blue-Point®)  | 427  |
| FADH8B    | 8" Flank Drive® Plus Adjustable Wrench                                     | 305  |
| FL80      | 3/8" Drive Dual 80° Technology Long Handle Ratchet                         | 144  |
| FX24A     | 3/8" Drive 24" Friction Ball Extension                                     | 149  |
| FXK4      | 3/8" Drive 4" Knurled Friction Ball Extension                              | 149  |
| FXK8      | 3/8" Drive 8" Knurled Friction Ball Extension                              | 149  |
| HBBD32    | 32 oz Ball Peen Soft Grip Dead Blow Hammer                                 | 399  |
| HBFE32    | 32 oz Soft Grip Dead Blow Hammer   | 398  |
| JCW62R    | Standard Creeper   | 762  |
| LP7WR     | 7" Curved Jaw with Cutter Locking Pliers                                   | 383  |
| OEX080B   | 1/4" 12-Point SAE Flank Drive® Short Combination Wrench                    | 277  |
| OEX10B    | 5/16" 12-Point SAE Flank Drive® Combination Wrench                         | 275  |
| OEX34B    | 1-1/16" 12-Point SAE Flank Drive® Combination Wrench                       | 275  |
| OEX36B    | 1-1/8" 12-Point SAE Flank Drive® Combination Wrench                        | 275  |

**9000GS40 Add-on Group 4**

- More than 250 pc
- Does not include tool storage

**9400GS80 Complete US Set 4**

- Includes 9300GSO, 9000GS40 plus KRL756CPBO Roll Cab and KRL751FPBO Top Chest

**9400GSO Tools Only US Set 4**

- Includes 9300GSO and 9000GS40
- Does not include tool storage


| Stock No. | Description   | Page |
|-----------|---|------|
| OEX40B    | 1-1/4" 12-Point SAE Flank Drive® Combination Wrench             | 275  |
| OEXM200B  | 20 mm 12-Point Metric Flank Drive® Combination Wrench           | 273  |
| OEXM210B  | 21 mm 12-Point Metric Flank Drive® Combination Wrench           | 273  |
| OEXM220B  | 22 mm 12-Point Metric Flank Drive® Combination Wrench           | 273  |
| OEXS709B  | 9 pc 6-Point SAE Flank Drive® Short Combination Wrench Set      | 277  |
| OEXSM710B | 10 pc 12-Point Metric Flank Drive® Short Combination Wrench Set | 276  |
| PPB1012A  | Bronze Tapered Punch  | 397  |
| PPC104A   | Pin Punch   | 395  |
| PPC108A   | 5-3/4" Pin Punch  | 395  |
| PPC204A   | 5-3/4" Starter Punch  | 395  |
| PPC208A   | 6-3/4" Starter Punch  | 395  |
| PPC3A     | Center Punch  | 395  |
| PPC5A     | 6-15/16" Punch/Chisel Holder                                    | 395  |
| SGCP1BR   | Soft Grip Cotter Pin Puller                                     | 675  |
| SGHBF500A | 4 pc Instinct® Mixed File Set                                   | 410  |
| SHDX40R   | 4 pc Instinct® Combination Hard Grip Mini-Tip Screwdriver Set   | 343  |
| SN24C     | 1/2" Drive 24" Standard Handle Breaker Bar                      | 203  |
| SPBS18AO  | 18" Striking Prybar   | 274  |
| SRPCR105  | 5 pc Snap Ring Pliers Set                                       | 384  |
| SSM5A     | Flat Tip Screw Aluminum Starter (Blue-Point®)                   | 358  |
| SX2       | 1/2" Drive 2" Extension   | 204  |
| TA3       | 1/4" Drive Square Drive Adaptor                                 | 109  |
| TF528D†   | Tube Cutting and Double Flaring Set (Blue-Point®)               | 417  |
| TM61A     | 1/4" Drive 6" Flexible Extension                                | 109  |
| TMX1      | 1/4" Drive 1-1/4" Extension                                     | 108  |
| TMXK110   | 1/4" Drive 11" Knurled Extension                                | 108  |
| UTK100    | Retractable Utility Knife                                       | 409  |



†These products can expose you to chemicals which are known to the state of California to cause cancer and reproductive harm. See pages P1-P2 for details.  
• Read Safety Precautions on pages W1-W4



9000GS50



9500GSB0

**9000GS50 Add-On Group 5**

- More than 150 pc
- Does not include tool storage

**9500GSB0 Complete US Set 5**

- Includes 9400GSO and 9000GS50, plus the KRL756CPBO Roll Cab and KRL751PBO Top Chest

**9500GSO Tools Only US Set 5**

- Includes 9400GSO and 9000GS50
- Does not include tool storage

**US Set 5**

| Stock No.  | Description  | Page |
|------------|--|------|
| 650        | 6" Prybar  | 376  |
| 196ACF     | 8" Long Nose Pliers with Cutter  | 380  |
| 212IMFYA   | 12 pc 3/8" Drive 6-Point SAE Flank Drive® Shallow Impact Socket Set    | 176  |
| 212SIMFYA  | 12 pc 3/8" Drive 6-Point SAE Flank Drive® Deep Impact Socket Set       | 178  |
| 214IMFMYA  | 14 pc 3/8" Drive 6-Point Metric Flank Drive® Shallow Impact Socket Set | 176  |
| 214SIMFMYA | 14 pc 3/8" Drive 6-Point Metric Flank Drive® Deep Impact Socket Set    | 178  |
| 313TSMYA   | 13 pc 1/2" Drive 6-Point Metric Flank Drive® Deep Socket Set           | 210  |
| 497ACF     | 7" 90° Angle Jaw Needle Nose Pliers                                    | 380  |
| AWP120     | 12" Adjustable Joint Pliers  | 382  |
| BP8B       | 8 oz Ball Peen Hammer Hickory Handle (Blue-Point®)                     | 401  |
| CJ2002     | Gear Puller Set  | 443  |
| F12LB      | 3/8" Drive 11-9/16" Long Handle Breaker Bar                            | 148  |
| FADH10B    | 10" Flank Drive® Plus Adjustable Wrench                                | 305  |
| FBF80A     | 3/8" Drive Dual 80° Technology Standard Handle Bent Flex-Head Ratchet  | —    |
| FK80       | 3/8" Drive Dual 80° Technology Stubby Handle Ratchet                   | 144  |
| HBBT24     | 24 oz Bronze Tip Hammer  | 399  |
| IMM200     | 1/2" Drive 6-Point Metric 20 mm Flank Drive® Shallow Impact Socket     | 220  |
| IMM210     | 1/2" Drive 6-Point Metric 21 mm Flank Drive® Shallow Impact Socket     | 220  |
| IMM220     | 1/2" Drive 6-Point Metric 22 mm Flank Drive® Shallow Impact Socket     | 220  |
| IMM230     | 1/2" Drive 6-Point Metric 23 mm Flank Drive® Shallow Impact Socket     | 220  |
| IPF800B    | 3/8" Drive Friction Ball Swivel Ball Impact Universal Joint            | 175  |
| MG325      | 3/8" Drive Air Impact Wrench   | 528  |
| OEX8B      | 1/4" 12-Point SAE Flank Drive® Combination Wrench                      | 274  |
| OEX11B     | 11/32" 12-Point SAE Flank Drive® Combination Wrench                    | 274  |
| OEX38B     | 1-3/16" 12-Point SAE Flank Drive® Combination Wrench                   | 274  |
| OEX42B     | 1-5/16" 12-Point SAE Flank Drive® Combination Wrench                   | 274  |
| OEX260B    | 13/16" 12-Point SAE Flank Drive® Short Combination Wrench              | 277  |
| OEX280B    | 7/8" 12-Point SAE Flank Drive® Short Combination Wrench                | 277  |
| OEX300B    | 15/16" 12-Point SAE Flank Drive® Short Combination Wrench              | 277  |
| OEX320B    | 1" 12-Point SAE Flank Drive® Short Combination Wrench                  | 277  |
| OEXM90B    | 9 mm 12-Point Metric Flank Drive® Combination Wrench                   | 273  |
| OEXM230B   | 23 mm 12-Point Metric Flank Drive® Combination Wrench                  | 273  |
| OEXM240B   | 24 mm 12-Point Metric Flank Drive® Combination Wrench                  | 273  |
| OX18B      | 1/4" 12-Point SAE Flank Drive® Midget Combination Wrench               | 278  |
| OX110B     | 5/16" 12-Point SAE Flank Drive® Midget Combination Wrench              | 278  |

| Stock No.  | Description   | Page |
|------------|---|------|
| OX112B     | 3/8" 12-Point SAE Flank Drive® Midget Combination Wrench                        | 278  |
| OX1706B    | 6 pc 12-Point SAE Flank Drive® Midget Combination Wrench Set                    | 278  |
| OXIM7B     | 7 mm 12-Point Metric Flank Drive® Midget Combination Wrench                     | 277  |
| OXIM8B     | 8 mm 12-Point Metric Flank Drive® Midget Combination Wrench                     | 277  |
| OXIM9B     | 9 mm 12-Point Metric Flank Drive® Midget Combination Wrench                     | 277  |
| OXIM710B   | 10 pc 12-Point Metric Flank Drive® Midget Combination Wrench Set                | 277  |
| PPC110A    | 5-1/4" Pin Punch  | 395  |
| PPC210A    | 7-1/4" Starter Punch  | 395  |
| PPC824B    | 7-1/4" Flat Chisel  | 395  |
| PPC828B    | 8" Flat Chisel  | 395  |
| PT28E†     | Pick-Up Tool (Blue-Point®)  | 776  |
| PTR72      | 3/8" Drive Super-Duty Air Ratchet   | 530  |
| PWC14‡     | Wire Stripper/Cutter/Crimper/Bolt Cutter (Blue-Point®)                          | 388  |
| QD2R100A   | 3/8" Drive SAE Adjustable Click-Type Fixed Ratchet Torque Wrench (20–100 ft-lb) | 314  |
| RTD48‡     | 48 pc Master Rethreading Tap and Die Set  | 423  |
| S9704KFUA  | 3/8" Drive 6-Point SAE 13/16" Flank Drive® Universal Spark Plug Socket          | 420  |
| S9706KRFUA | 3/8" Drive 6-Point SAE 5/8" Flank Drive® Universal Retention Spark Plug Socket  | 421  |
| SDM400A    | Master SAE Screwdriver Bit Set  | 360  |
| SF80A      | 1/2" Drive Dual 80° Technology Standard Handle Flex-Head Ratchet                | 201  |
| SGDE43ESD  | Flat Tip 1/8" Electronic Thin Blade Screwdriver                                 | 347  |
| SGDE44ESD  | Flat Tip 1/8" Electronic Thin Blade Screwdriver                                 | 347  |
| SGDE46ESD  | Flat Tip 1/8" Electronic Thin Blade Screwdriver                                 | 347  |
| SHDP62IRR  | PHILLIPS® #2 Instinct® Hard Grip Standard Screwdriver                           | 346  |
| SHDP63IRR  | PHILLIPS® #3 Instinct® Hard Grip Screwdriver                                    | 346  |
| SHDP162R   | PHILLIPS® #2 Instinct® Hard Grip Cabinet Screwdriver                            | 346  |
| SIMM200    | 1/2" Drive 6-Point Metric 20 mm Flank Drive® Deep Impact Socket                 | 222  |
| SIMM210    | 1/2" Drive 6-Point Metric 21 mm Flank Drive® Deep Impact Socket                 | 222  |
| SIMM220    | 1/2" Drive 6-Point Metric 22 mm Flank Drive® Deep Impact Socket                 | 222  |
| SIMM230    | 1/2" Drive 6-Point Metric 23 mm Flank Drive® Deep Impact Socket                 | 222  |
| SIMM240    | 1/2" Drive 6-Point Metric 24 mm Flank Drive® Deep Impact Socket                 | 222  |
| SPBS12AO   | 12" Striking Prybar   | 374  |
| SSDMR1AO   | 4-5/16" Ratcheting Magnetic Stubby Screwdriver                                  | 356  |
| TC123C‡    | Tubing Cutter (Blue-Point®)   | —    |
| VS807B     | 7 pc SAE Four-Way Angle Head Open-End Wrench Set                                | 286  |
| XB605A     | 5 pc 12-Point SAE Flank Drive® 10° Offset Box Wrench Set                        | 280  |
| XBM605A    | 5 pc 12-Point Metric Flank Drive® 10° Offset Box Wrench Set                     | 279  |



†These products can expose you to chemicals which are known to the state of California to cause cancer and reproductive harm. See pages P1–P2 for details.  
 • Read Safety Precautions on pages W1–W4



**9000GS60**



**9600GSB0**

**9000GS60 Add-On Group 6**

- More than 250 pc
- Does not include tool storage

**9600GSB0 Complete US Set 6**

- Includes 9500GSO and 900GS60, plus tool storage

**9600GSO Tools Only US Set 6**

- Includes 9500GSO and 900GS60, includes wall cabinet assembly
- Does not include tool storage

**US Set 6**

| Stock No. | Description   | Page |
|-----------|---|------|
| 2050      | 20" Prybar  | 376  |
| 106ATMXWP | 6 pc 1/4" Drive Wobble Plus Extension Set   | 109  |
| 106TMUSA  | 6 pc 1/4" Drive 6-Point SAE Flank Drive® Shallow Universal Socket Set             | 116  |
| 10SSD     | Flat Tip 90° Offset Screwdriver (Blue-Point®)                                     | 351  |
| 110ETMAY  | 10 pc 1/4" Drive SAE Hex Driver Bit Socket Set                                    | 124  |
| 120SSDP   | PHILLIPS® 90° Offset Screwdriver (Blue-Point®)                                    | 351  |
| 205IPF    | 5 pc 3/8" Drive 6-Point SAE Flank Drive® Shallow Impact Swivel Socket Set         | 179  |
| 206AFXWP  | 6 pc 3/8" Drive Wobble Plus Extension Set   | 150  |
| 20SSD     | Flat Tip 90° Offset Screwdriver (Blue-Point®)                                     | 351  |
| 307IPLY   | 7 pc 1/2" Drive 6-Point SAE Flank Drive® Shallow Impact Swivel Socket Set         | 226  |
| A265A     | Socket Rail with 1/4" Clips   | 562  |
| A271BB    | Socket Clip   | —    |
| AWP45     | 5" Adjustable Joint Pliers  | 382  |
| AWP65     | 7" Adjustable Joint Pliers  | 382  |
| BP12B     | 12 oz Ball Peen Hammer Hickory Handle (Blue-Point®)                               | 401  |
| CHN480    | 20" Adjustable Joint Pliers (Blue-Point®)   | 382  |
| CJ2003A   | Rear Axle Puller Set  | —    |
| CJ2004    | Interchangeable Puller Set  | —    |
| CJ2005    | Master Interchangeable Puller Set   | —    |
| CM6551A‡  | 5 pc Miniature Screwdriver Set  | 353  |
| DBTR129‡  | 29 pc High-Speed Mechanic's Length 135° Point with Three-Flat Shank Drill Bit Set | 555  |
| FADH6C    | 6" Flank Drive® Plus Adjustable Wrench  | 305  |
| FS12B     | 3/8" Drive 6-Point SAE 3/8" Flank Drive® Shallow Universal Socket                 | 159  |
| FSUM11A   | 3/8" Drive 6-Point Metric 11 mm Flank Drive® Shallow Universal Socket             | 159  |
| FSUM16A   | 3/8" Drive 6-Point Metric 16 mm Flank Drive® Shallow Universal Socket             | 159  |
| FSUM18A   | 3/8" Drive 6-Point Metric 18 mm Flank Drive® Shallow Universal Socket             | 159  |
| FSUM19A   | 3/8" Drive 6-Point Metric 19 mm Flank Drive® Shallow Universal Socket             | 159  |
| FX18      | 3/8" Drive 18" Friction Ball Extension  | 149  |
| FX36      | 3/8" Drive 36" Friction Ball Extension  | 149  |
| HBFE48    | 48 oz Soft Grip Dead Blow Hammer  | 398  |
| IMTM8A    | 1/4" Drive 6-Point SAE 1/4" Flank Drive® Shallow Impact Socket                    | 126  |
| IMTM10A   | 1/4" Drive 6-Point SAE 5/16" Flank Drive® Shallow Impact Socket                   | 126  |
| IMTM12A   | 1/4" Drive 6-Point SAE 3/8" Flank Drive® Shallow Impact Socket                    | 126  |
| IMTM14A   | 1/4" Drive 6-Point SAE 7/16" Flank Drive® Shallow Impact Socket                   | 126  |
| IMTM16A   | 1/4" Drive 6-Point SAE 1/2" Flank Drive® Shallow Impact Socket                    | 126  |
| IMTM18A   | 1/4" Drive 6-Point SAE 9/16" Flank Drive® Shallow Impact Socket                   | 126  |
| IMTMM5    | 1/4" Drive 6-Point Metric 5 mm Flank Drive® Shallow Impact Socket                 | 126  |
| IMTMM5.5  | 1/4" Drive 6-Point Metric 5.5 mm Flank Drive® Shallow Impact Socket               | 126  |
| IMTMM6    | 1/4" Drive 6-Point Metric 6 mm Flank Drive® Shallow Impact Socket                 | 126  |
| IMTMM7    | 1/4" Drive 6-Point Metric 7 mm Flank Drive® Shallow Impact Socket                 | 126  |
| IMTMM8    | 1/4" Drive 6-Point Metric 8 mm Flank Drive® Shallow Impact Socket                 | 126  |
| IMTMM9    | 1/4" Drive 6-Point Metric 9 mm Flank Drive® Shallow Impact Socket                 | 126  |
| IMTMM10   | 1/4" Drive 6-Point Metric 10 mm Flank Drive® Shallow Impact Socket                | 126  |
| IMTMM11   | 1/4" Drive 6-Point Metric 11 mm Flank Drive® Shallow Impact Socket                | 126  |
| IMTMM12   | 1/4" Drive 6-Point Metric 12 mm Flank Drive® Shallow Impact Socket                | 126  |

| Stock No. | Description  | Page |
|-----------|--|------|
| IMTMM13   | 1/4" Drive 6-Point Metric 13 mm Flank Drive® Shallow Impact Socket | 126  |
| IMTMM14   | 1/4" Drive 6-Point Metric 14 mm Flank Drive® Shallow Impact Socket | 126  |
| IMTMM15   | 1/4" Drive 6-Point Metric 15 mm Flank Drive® Shallow Impact Socket | 126  |
| LP6LN     | Long Nose Locking Pliers   | 383  |
| NDD900B   | 9 pc SAE Nut Driver Set (3/16–1/2")                                | 359  |
| OEX44B    | 1-3/8" 12-Point SAE Flank Drive® Combination Wrench                | 274  |
| OEX46B    | 1-7/16" 12-Point SAE Flank Drive® Combination Wrench               | 274  |
| OEX48B    | 1-1/2" 12-Point SAE Flank Drive® Combination Wrench                | 274  |
| P87150A   | P-Series Cutting Pliers  | 379  |
| P91355A   | 5-1/2" 45° Bent Needle Nose Pliers                                 | 379  |
| P92055A   | 5-1/2" Needle Nose Pliers  | 379  |
| PDR3000A  | 3/8" Capacity Reversible Drill                                     | 533  |
| PL307ACF  | 3 pc Pliers Set  | 377  |
| PPR708BK  | 8 pc Roll Pin Punch Set  | 397  |
| R810C‡    | SAE 1/4–5/16" 12-Point SAE 0° Offset Ratcheting Box Wrench         | 267  |
| RB604C    | 4 pc 12-Point SAE 0° Offset Ratcheting Box Wrench Set              | 267  |
| RXS605B   | 5 pc 6-Point SAE Open-End/Flare Nut Wrench Set                     | 288  |
| SGFMN106  | 6 pc Soft Grip Handle Miniature File Set                           | 411  |
| SHDTX315R | TORX® T15 Instinct® Hard Grip Standard Screwdriver                 | 351  |
| SHDTX320R | TORX® T20 Instinct® Hard Grip Standard Screwdriver                 | 351  |
| SSDMR8AO  | 12-15/16" Ratcheting Magnetic Long Screwdriver                     | 356  |
| SX15      | 1/2" Drive 15" Extension   | 204  |
| TS381     | 1/2" Drive 6-Point SAE 1-3/16" Flank Drive® Deep Socket            | 209  |
| TS401     | 1/2" Drive 6-Point SAE 1-1/4" Flank Drive® Deep Socket             | 209  |
| TS421     | 1/2" Drive 6-Point SAE 1-5/16" Flank Drive® Deep Socket            | 209  |
| TW381     | 1/2" Drive 6-Point SAE 1-3/16" Flank Drive® Shallow Socket         | 208  |
| TW401     | 1/2" Drive 6-Point SAE 1-1/4" Flank Drive® Shallow Socket          | 208  |
| TW421     | 1/2" Drive 6-Point SAE 1-5/16" Flank Drive® Shallow Socket         | 208  |
| TW441     | 1/2" Drive 6-Point SAE 1-3/8" Flank Drive® Shallow Socket          | 208  |
| TW461     | 1/2" Drive 6-Point SAE 1-7/16" Flank Drive® Shallow Socket         | 208  |
| TW481     | 1/2" Drive 6-Point SAE 1-1/2" Flank Drive® Shallow Socket          | 208  |
| TWM25     | 1/2" Drive 6-Point Metric 25 mm Flank Drive® Shallow Socket        | 208  |
| TWM26     | 1/2" Drive 6-Point Metric 26 mm Flank Drive® Shallow Socket        | 208  |
| TWM27     | 1/2" Drive 6-Point Metric 27 mm Flank Drive® Shallow Socket        | 208  |
| TWM30     | 1/2" Drive 6-Point Metric 30 mm Flank Drive® Shallow Socket        | 208  |
| TWM32     | 1/2" Drive 6-Point Metric 32 mm Flank Drive® Shallow Socket        | 208  |
| VE200A    | Tool Control Board (Blue-Point®)                                   | —    |
| VS26B     | 13/16" SAE Four-Way Angle Head Open-End Wrench                     | 286  |
| VS28B     | 7/8" SAE Four-Way Angle Head Open-End Wrench                       | 286  |
| VS30B     | 15/16" SAE Four-Way Angle Head Open-End Wrench                     | 286  |
| VS32B     | 1" SAE Four-Way Angle Head Open-End Wrench                         | 286  |
| XO605     | 5 pc 12-Point SAE Flank Drive® 60° Deep Offset Box Wrench Set      | 281  |



‡These products can expose you to chemicals which are known to the state of California to cause cancer and reproductive harm. See pages P1–P2 for details.  
• Read Safety Precautions on pages W1–W4





9100AGMO

## Metric Sets A

| Stock No.           | Description   | Page |
|---------------------|---|------|
| 1650                | 16" Prybar  | 376  |
| 112STMMY            | 12 pc 1/4" Drive 6-Point Metric Flank Drive® Deep Socket Set    | 113  |
| 117TMM              | 17 pc 1/4" Drive 6-Point Metric Starter Set                     | 130  |
| 2004BSKA            | 4 pc Battery Service Kit  | 701  |
| 206EAU              | 6 pc 3/8" Drive Adaptor/Extension Set                           | 151  |
| 212EFTXY            | 12 pc Combination Drive TORX® Bit Standard Socket Set           | 120  |
| 212FSMY             | 12 pc 3/8" Drive 6-Point Metric Flank Drive® Shallow Socket Set | 155  |
| 212SFSMY            | 12 pc 3/8" Drive 6-Point Metric Flank Drive® Deep Socket Set    | 156  |
| 317AMMPC            | 17 pc 1/2" Drive 6-Point Metric General Service Socket Set      | 232  |
| 91ACP               | 9" Adjustable Joint Interlocking Channel Pliers                 | 382  |
| 97ACF               | 9" Needle Nose Pliers   | 380  |
| AC5C                | Hand Scratch Brush (Blue-Point®)                                | 812  |
| AWM110DHK           | 11 pc Metric L-Shaped Hex Wrench Set                            | 303  |
| BP16B               | 16 oz Ball Peen Hickory Handle Hammer (Blue-Point®)             | 401  |
| CSA8C               | Rigid Carbon Scraper  | 413  |
| ENC09602001         | Veratti® M50  | —    |
| F80                 | 3/8" Drive Dual 80® Technology Standard Handle Ratchet          | 144  |
| FADH12C             | 12" Flank Drive® Plus Adjustable Wrench                         | 305  |
| FB316B <sup>‡</sup> | Feeler Gauge Set (Blue-Point®)                                  | 770  |
| FB360C <sup>‡</sup> | Gap for Electronic Ignition Systems Gauge (Blue-Point®)         | 772  |
| FB361A <sup>‡</sup> | Gapper Gauge (Blue-Point®)                                      | 772  |
| FLF80A              | 3/8" Drive Dual 80® Technology Long Handle Flex-Head Ratchet    | 145  |
| FBM320 <sup>‡</sup> | Feeler Gauge (Blue-Point®)                                      | 771  |

### 9100AGMO Metric Basic Set A

- Tools only
- Includes a basic selection of ratchets, sockets, wrenches, screwdrivers, pliers and accessories
- Does not include tool storage

| Stock No.          | Description   | Page |
|--------------------|---|------|
| FXK11              | 3/8" Drive 11" Knurled Friction Ball Extension                                | 149  |
| GA295 <sup>‡</sup> | 2-1/4" Round Mirror with 14" Shaft (Blue-Point®)                              | 777  |
| GSAF1F             | 1/2" Drive Square Drive Adaptor   | 205  |
| HBPT16             | 16 oz Plastic Tip Hammer  | 400  |
| HSG319             | Bi-Mold Soft Grip Handle Hacksaw  | 403  |
| LP10WR             | Curved Jaw with Cutter Locking Pliers   | 383  |
| MAGST2D016         | 2D Cell LED Maglite® Flashlight   | —    |
| OEXM710B           | 10 pc 12-Point Metric Flank Drive® Combination Wrench Set                     | 273  |
| PK53A              | Single Bevel Putty Knife/Scraper (Blue-Point®)                                | 414  |
| PL307ACF           | 3 pc Pliers Set   | 377  |
| PPC710BK           | 11 pc Punch and Chisel Set  | 395  |
| PRH57A             | Convertible Retaining Ring Pliers (Blue-Point®)                               | 385  |
| PT5C <sup>‡</sup>  | Telescopic Magnetic Pick-Up Tool (Blue-Point®)                                | 776  |
| PWC6 <sup>‡</sup>  | Wire Stripper/Cutter (Blue-Point®)  | 388  |
| RXFMS606B          | 6 pc 6-Point Metric Flank Drive® Double End Flare Nut Wrench Set              | 288  |
| S9704KA            | 3/8" Drive 6-Point SAE 13/16" Flank Drive® Shallow Spark Plug Socket          | 422  |
| S9706KRA           | 3/8" Drive 6-Point SAE 5/8" Flank Drive® Standard Retention Spark Plug Socket | 421  |
| SGA173BR           | Soft Grip Radiator Hose Pick  | 722  |
| SGASA204CO         | 4 pc Instinct® Soft Grip Miniature Pick Set                                   | 370  |
| SGT4BR             | 1/4" Drive 6-13/16" Instinct® Soft Grip Standard Shank Driver                 | 107  |
| SHDX800            | 8 pc Instinct® Hard Grip Combination Screwdriver Set                          | 343  |
| SSDMR4B0           | 8-3/4" Ratcheting Standard Screwdriver  | 356  |
| TMXK60             | 1/4" Drive 6" Knurled Extension   | 108  |
| TPMA25EM           | 25' Tape Rule   | 775  |

### 9100GMBO Complete Metric Set A

- More than 150 pc
- Includes 9100AGMO, plus KRA4059FPBO Top Chest


**9000GM20**

**9200GMBO**
**Metric Sets B**

| Stock No. | Description  | Page |
|-----------|--|------|
| 1250      | 12" Prybar   | 376  |
| 206FSUMA  | 6 pc 3/8" Drive 6-Point Metric Flank Drive® Shallow Flex Socket Set        | 159  |
| 207EFAMY  | 7 pc 3/8" Drive Metric Hex Bit Socket Set                                  | 170  |
| 210FRHMA  | 10 pc 3/8" Drive 6-Point Metric Flank Drive® Flare Nut Crowfoot Wrench Set | 291  |
| 310IMMYA  | 10 pc 1/2" Drive 6-Point Metric Flank Drive® Shallow Impact Socket Set     | 220  |
| 310SIMMYA | 10 pc 1/2" Drive 6-Point Metric Flank Drive® Deep Impact Socket Set        | 222  |
| 313TSMYA  | 13 pc 1/2" Drive 6-Point Metric Flank Drive® Deep Socket Set               | 210  |
| 388ACF    | 8" High-Leverage Diagonal Cutter   | 378  |
| 61CF      | 8" Duck Bill Pliers  | 381  |
| AC58E     | Wire Brush (Blue-Point®)   | 381  |
| AWP160    | 16" Adjustable Joint Pliers  | 812  |
| BP24B     | 24 oz Ball Peen Hickory Hammer (Blue-Point®)                               | 382  |
| CJ2001P   | Bolt Grip Puller Set   | 401  |
| CSA12CO   | 12-7/8" Rigid Carbon Scraper   | —    |
| E1020     | 19 pc Extractor Set (Blue-Point®)  | 413  |
| FADH8B    | 8" Flank Drive® Plus Adjustable Wrench                                     | 427  |
| FL80      | 3/8" Drive Dual 80° Technology Long Handle Ratchet                         | 144  |
| FX24A     | 3/8" Drive 24" Friction Ball Extension                                     | 149  |
| FXK4      | 3/8" Drive 4" Knurled Friction Ball Extension                              | 149  |
| FXK8      | 3/8" Drive 8" Knurled Friction Ball Extension                              | 149  |
| HBFE32    | 32 oz Soft Grip Dead Blow Hammer   | 398  |
| IP80D     | 1/2" Drive Swivel Ball Lock Button Impact Universal Joint                  | 219  |
| JT13B     | Blow Gun (Blue-Point®)   | 573  |
| LP7WR     | 7" Curved Jaw with Cutter Locking Pliers                                   | 383  |
| OEXM6B    | 6 mm 12-Point Metric Flank Drive® Short Combination Wrench                 | 276  |
| OEXM7B    | 7 mm 12-Point Metric Flank Drive® Short Combination Wrench                 | 276  |
| OEXM8B    | 8 mm 12-Point Metric Flank Drive® Short Combination Wrench                 | 276  |

| Stock No. | Description   | Page |
|-----------|---|------|
| OEXM9B    | 9 mm 12-Point Metric Flank Drive® Short Combination Wrench                      | 276  |
| OEXM200B  | 20 mm 12-Point Metric Flank Drive® Combination Wrench                           | 273  |
| OEXM210B  | 21 mm 12-Point Metric Flank Drive® Combination Wrench                           | 273  |
| OEXM220B  | 22 mm 12-Point Metric Flank Drive® Combination Wrench                           | 273  |
| OEXSM710B | 10 pc 12-Point Metric Flank Drive® Short Combination Wrench Set                 | 276  |
| PPC3A     | Center Punch  | 395  |
| PPC104A   | Pin Punch   | 395  |
| PPC108A   | 5-3/4" Pin Punch  | 395  |
| PPC204A   | 5-3/4" Starter Punch  | 395  |
| PPC208A   | 6-3/4" Starter Punch  | 395  |
| PT850     | 1/2" Drive Air Impact Wrench  | 525  |
| QD3RM30A  | 1/2" Drive Metric Adjustable Click-Type Fixed Ratchet Torque Wrench (6-30 kg•m) | 314  |
| S8        | 1/2" Drive 2-11/16" Friction Ball Universal Joint                               | 206  |
| SGCP1BR   | Soft Grip Cotter Pin Puller   | 675  |
| SGHBF500A | 4 pc Instinct® Mixed File Set   | 410  |
| SL80A     | 1/2" Drive Dual 80° Technology Long Handle Ratchet                              | 201  |
| SN24C     | 1/2" Drive 24" Standard Handle Breaker Bar                                      | 203  |
| SPBS24AO  | 24" Striking Prybar   | 374  |
| SRPCR105  | 5 pc Snap Ring Pliers Set   | 384  |
| SXK3      | 1/2" Drive 3-1/2" Extension   | 204  |
| TA3       | 1/4" Drive Square Drive Adaptor   | 109  |
| TC28C†    | Tubing Cutter (Blue-Point®)   | —    |
| TF72      | 1/4" Drive Dual 80° Technology Standard Handle Flex-Head Ratchet                | 104  |
| TFM428†   | Metric Bubble Flaring Set (Blue-Point®)   | 417  |
| TMX1      | 1/4" Drive 1-1/4" Extension   | 108  |
| TMXK140   | 1/4" Drive 14" Knurled Extension  | 108  |
| UTK100    | Retractable Utility Knife   | 409  |

**9000GM20 Add-On Group B**

- More than 200 pc
- Does not include tool storage

**9200GMBO Complete Metric Set B**

- Includes 9100AGMO and 9000GM20, plus KRA4059FPBO Top Chest and KRA4008FPBO Roll Cab

**9200GMO Tools Only Metric Set B**

- More than 400 pc
- Does not include tool storage



†These products can expose you to chemicals which are known to the state of California to cause cancer and reproductive harm. See pages P1-P2 for details.  
• Read Safety Precautions on pages W1-W4



**9000GM30**



**9300GMBO**

**9000GM30 Add On Metric Set C**

- More than 200 pc
- Tools only
- Does not include tool storage

**9300GMBO Complete Metric Set C**

- Includes 9200GMO and 9000GM30, plus KRL751PBO Top Chest and KRL756APBO Roll Cab

**9300GMO Tools Only Metric Set C**

- More than 600 pc
- Includes all tools in 9200GMO and 9000GM30
- Does not include tool storage

**Metric Sets C**

| Stock No.  | Description   | Page |
|------------|---|------|
| 650        | 6" Prybar   | 376  |
| 106ATMXWP  | 6 pc 1/4" Drive Wobble Plus Extension Set                                 | 109  |
| 196ACF     | 8" Long Nose Pliers with Cutter   | 380  |
| 206AFXWP   | 6 pc 3/8" Drive Wobble Plus Extension Set                                 | 150  |
| 214IMFMYA  | 14 pc 3/8" Drive 6-Point Metric Flank Drive® Shallow Impact Socket Set    | 176  |
| 214SIMFMYA | 14 pc 3/8" Drive 6-Point Metric Flank Drive® Deep Impact Socket Set       | 178  |
| 497ACF     | 7" 90° Angle Jaw Needle Nose Pliers                                       | 380  |
| AWP120     | 12" Adjustable Joint Pliers   | 382  |
| BP8B       | 8 oz Ball Peen Hammer Hickory Handle (Blue-Point®)                        | 401  |
| CJ2002     | Gear Puller Set   | 443  |
| F12LB      | 3/8" Drive 11-9/16" Long Handle Breaker Bar                               | 148  |
| FADH10B    | 10" Flank Drive® Plus Adjustable Wrench                                   | 305  |
| FBF80A     | 3/8" Drive Dual 80° Technology Standard Handle Bent Flex-Head Ratchet     | —    |
| FK80       | 3/8" Drive Dual 80° Technology Stubby Handle Ratchet                      | 144  |
| HBB32      | 32 oz Ball Peen Soft Grip Dead Blow Hammer                                | 399  |
| HBBT24     | 24 oz Bronze Tip Hammer   | 399  |
| IMM200     | 1/2" Drive 6-Point Metric 20 mm Flank Drive® Shallow Impact Socket        | 220  |
| IMM210     | 1/2" Drive 6-Point Metric 21 mm Flank Drive® Shallow Impact Socket        | 220  |
| IMM220     | 1/2" Drive 6-Point Metric 22 mm Flank Drive® Shallow Impact Socket        | 220  |
| IMM230     | 1/2" Drive 6-Point Metric 23 mm Flank Drive® Shallow Impact Socket        | 220  |
| IMM240     | 1/2" Drive 6-Point Metric 24 mm Flank Drive® Shallow Impact Socket        | 220  |
| IPF800B    | 3/8" Drive Friction Ball Swivel Ball Impact Universal Joint               | 175  |
| IPFM9C     | 3/8" Drive 6-Point Metric 9 mm Flank Drive® Shallow Swivel Impact Socket  | 179  |
| IPFM10C    | 3/8" Drive 6-Point Metric 10 mm Flank Drive® Shallow Swivel Impact Socket | 179  |
| IPFM12C    | 3/8" Drive 6-Point Metric 12 mm Flank Drive® Shallow Swivel Impact Socket | 179  |
| IPFM13C    | 3/8" Drive 6-Point Metric 13 mm Flank Drive® Shallow Swivel Impact Socket | 179  |
| IPFM14C    | 3/8" Drive 6-Point Metric 14 mm Flank Drive® Shallow Swivel Impact Socket | 179  |
| IPFM15C    | 3/8" Drive 6-Point Metric 15 mm Flank Drive® Shallow Swivel Impact Socket | 179  |
| IPFM16C    | 3/8" Drive 6-Point Metric 16 mm Flank Drive® Shallow Swivel Impact Socket | 179  |
| IPFM17C    | 3/8" Drive 6-Point Metric 17 mm Flank Drive® Shallow Swivel Impact Socket | 179  |
| IPFM18C    | 3/8" Drive 6-Point Metric 18 mm Flank Drive® Shallow Swivel Impact Socket | 179  |
| IPFM19C    | 3/8" Drive 6-Point Metric 19 mm Flank Drive® Shallow Swivel Impact Socket | 179  |
| JCW62R     | Standard Creeper  | 762  |
| MG325      | 3/8" Drive Air Impact Wrench  | 528  |
| OEXM90B    | 9 mm 12-Point Metric Flank Drive® Combination Wrench                      | 273  |
| OEXM230B   | 23 mm 12-Point Metric Flank Drive® Combination Wrench                     | 273  |
| OEXM240B   | 24 mm 12-Point Metric Flank Drive® Combination Wrench                     | 273  |
| OEXM270B   | 27 mm 12-Point Metric Flank Drive® Combination Wrench                     | 273  |
| OEXM300B   | 30 mm 12-Point Metric Flank Drive® Combination Wrench                     | 273  |
| OXIM7B     | 7 mm 12-Point Metric Flank Drive® Midget Combination Wrench               | 277  |

| Stock No.           | Description   | Page |
|---------------------|---|------|
| OXIM8B              | 8 mm 12-Point Metric Flank Drive® Midget Combination Wrench                           | 277  |
| OXIM9B              | 9 mm 12-Point Metric Flank Drive® Midget Combination Wrench                           | 277  |
| OXIM710B            | 10 pc 12-Point Metric Flank Drive® Midget Combination Wrench Set                      | 277  |
| PPB1012A            | Bronze Tapered Punch  | 397  |
| PPC110A             | 5-1/4" Pin Punch  | 395  |
| PPC112              | 5-1/4" Pin Punch  | 395  |
| PPC210A             | 7-1/4" Starter Punch  | 395  |
| PPC5A               | 6-15/16" Punch/Chisel Holder  | 395  |
| PPC824B             | 7-1/4" Flat Chisel  | 395  |
| PPC828B             | 8" Flat Chisel  | 395  |
| PT28E <sup>†</sup>  | Pick-Up Tool (Blue-Point®)  | 776  |
| PTR72               | 3/8" Drive Super-Duty Air Ratchet   | 530  |
| PWC14 <sup>‡</sup>  | Wire Stripper/Cutter/Crimper/Bolt Cutter (Blue-Point®)                                | 388  |
| QD2RM1000A          | 3/8" Drive Metric Adjustable Click-Type Fixed Ratchet Torque Wrench (200–1,000 kg•cm) | 314  |
| RTD48 <sup>‡</sup>  | 48 pc Master Rethreading Tap and Die Set  | 423  |
| S9704KFUA           | 3/8" Drive 6-Point SAE 13/16" Flank Drive® Universal Spark Plug Socket                | 420  |
| S9706KRFUA          | 3/8" Drive 6-Point SAE 5/8" Flank Drive® Universal Retention Spark Plug Socket        | 421  |
| SDM400A             | Master SAE Screwdriver Bit Set  | 360  |
| SF80A               | 1/2" Drive Dual 80° Technology Standard Handle Flex-Head Ratchet                      | 201  |
| SGD304BR            | Flat Tip Instinct® Soft Grip Mini-Tip Screwdriver                                     | 344  |
| SGDE44ESD           | Flat Tip 1/8" Electronic Thin Blade Screwdriver                                       | 347  |
| SGDE66ESD           | Flat Tip 3/16" Electronic Thin Blade Screwdriver                                      | 347  |
| SGDE68ESD           | Flat Tip 3/16" Electronic Thin Blade Screwdriver                                      | 347  |
| SHDP162R            | PHILLIPS® #2 Instinct® Hard Grip Cabinet Screwdriver                                  | 346  |
| SHDP62IRR           | PHILLIPS® #2 Instinct® Hard Grip Standard Screwdriver                                 | 346  |
| SHDP63IRR           | PHILLIPS® #3 Instinct® Hard Grip Screwdriver  | 346  |
| SIMM200             | 1/2" Drive 6-Point Metric 20 mm Flank Drive® Deep Impact Socket                       | 222  |
| SIMM210             | 1/2" Drive 6-Point Metric 21 mm Flank Drive® Deep Impact Socket                       | 222  |
| SIMM220             | 1/2" Drive 6-Point Metric 22 mm Flank Drive® Deep Impact Socket                       | 222  |
| SIMM230             | 1/2" Drive 6-Point Metric 23 mm Flank Drive® Deep Impact Socket                       | 222  |
| SIMM240             | 1/2" Drive 6-Point Metric 24 mm Flank Drive® Deep Impact Socket                       | 222  |
| SPBS12AO            | 12" Striking Prybar   | 374  |
| SSDMR1AO            | 4-5/16" Ratcheting Magnetic Stubby Screwdriver  | 356  |
| SX2                 | 1/2" Drive 2" Extension   | 204  |
| TC123C <sup>‡</sup> | Tubing Cutter (Blue-Point®)   | —    |
| TM61A               | 1/4" Drive 6" Flexible Extension  | 109  |
| TMXK110             | 1/4" Drive 11" Knurled Extension  | 108  |
| TWM25               | 1/2" Drive 6-Point Metric 25 mm Flank Drive® Shallow Socket                           | 208  |
| TWM26               | 1/2" Drive 6-Point Metric 26 mm Flank Drive® Shallow Socket                           | 208  |
| TWM27               | 1/2" Drive 6-Point Metric 27 mm Flank Drive® Shallow Socket                           | 208  |
| TWM30               | 1/2" Drive 6-Point Metric 30 mm Flank Drive® Shallow Socket                           | 208  |
| VSM807B             | 7 pc Metric 30°/60° Four-Way Angle Open-End Wrench Set                                | 286  |
| XBM605A             | 5 pc 12-Point Metric Flank Drive® 10° Offset Box Wrench Set                           | 279  |
| XOM605              | 5 pc 12-Point Metric Flank Drive® 60° Deep Offset Box Wrench Set                      | 281  |



†These products can expose you to chemicals which are known to the state of California to cause cancer and reproductive harm. See pages P1–P2 for details.  
 • Read Safety Precautions on pages W1–W4


**9000GM40**
**9000GM40 Add-On Group D**

- More than 175 pc
- Does not include tool storage

**9400GMBO Complete Metric Set D**

- Includes 9300GMO and 9000GM40, plus KRL751PBO Top Chest, KRL756CPBO Roll Cab and KRA276D Wall Cabinet

**9400GMO Tools Only Metric Set D**

- More than 800 pc
- Includes all tools in 9300GMO and 9000GM40
- Does not include tool storage

**Metric Sets D**

| Stock No. | Description   | Page |
|-----------|---|------|
| 2050      | 20" Prybar  | 376  |
| 106ETMAMY | 6 pc 1/4" Drive Metric Standard Hex Bit Socket Set                                | 122  |
| 10SSD     | Flat Tip 90° Offset Screwdriver (Blue-Point®)                                     | 351  |
| 111TMUSMA | 11 pc 1/4" Drive 6-Point Metric Flank Drive® Shallow Universal Socket Set         | 116  |
| 120SSDP   | PHILLIPS® 90° Offset Screwdriver (Blue-Point®)                                    | 351  |
| 20SSD     | Flat Tip 90° Offset Screwdriver (Blue-Point®)                                     | 351  |
| 307IPLMY  | 7 pc 1/2" Drive 6-Point Metric Flank Drive® Shallow Impact Swivel Socket Set      | 225  |
| AWP65     | 7" Adjustable Joint Pliers  | 382  |
| BP12B     | 12 oz Ball Peen Hammer Hickory Handle (Blue-Point®)                               | 401  |
| CHN480    | 20" Adjustable Joint Pliers (Blue-Point®)   | 382  |
| CJ2003A   | Rear Axle Puller Set  | —    |
| CJ2004    | Interchangeable Puller Set  | —    |
| CJ2005    | Master Interchangeable Puller Set   | —    |
| CM6551A‡  | 5 pc Miniature Screwdriver Set  | 353  |
| DBTR129‡  | 29 pc High-Speed Mechanic's Length 135° Point with Three-Flat Shank Drill Bit Set | 555  |
| FADH6C    | 6" Flank Drive® Plus Adjustable Wrench  | 305  |
| FSM61     | 3/8" Drive 6-Point Metric 6 mm Flank Drive® Shallow Socket                        | 155  |
| FSM71     | 3/8" Drive 6-Point Metric 7 mm Flank Drive® Shallow Socket                        | 155  |
| FSUM11A   | 3/8" Drive 6-Point Metric 11 mm Flank Drive® Shallow Universal Socket             | 159  |
| FSUM16A   | 3/8" Drive 6-Point Metric 16 mm Flank Drive® Shallow Universal Socket             | 159  |
| FSUM18A   | 3/8" Drive 6-Point Metric 18 mm Flank Drive® Shallow Universal Socket             | 159  |
| FSUM19A   | 3/8" Drive 6-Point Metric 19 mm Flank Drive® Shallow Universal Socket             | 159  |
| FX18      | 3/8" Drive 18" Friction Ball Extension  | 149  |
| FX36      | 3/8" Drive 36" Friction Ball Extension  | 149  |
| HBFE48    | 48 oz Soft Grip Dead Blow Hammer  | 398  |
| IMTMM5    | 1/4" Drive 6-Point Metric 5 mm Flank Drive® Shallow Impact Socket                 | 126  |
| IMTMM5.5  | 1/4" Drive 6-Point Metric 5.5 mm Flank Drive® Shallow Impact Socket               | 126  |
| IMTMM6    | 1/4" Drive 6-Point Metric 6 mm Flank Drive® Shallow Impact Socket                 | 126  |
| IMTMM7    | 1/4" Drive 6-Point Metric 7 mm Flank Drive® Shallow Impact Socket                 | 126  |
| IMTMM8    | 1/4" Drive 6-Point Metric 8 mm Flank Drive® Shallow Impact Socket                 | 126  |
| IMTMM9    | 1/4" Drive 6-Point Metric 9 mm Flank Drive® Shallow Impact Socket                 | 126  |
| IMTMM10   | 1/4" Drive 6-Point Metric 10 mm Flank Drive® Shallow Impact Socket                | 126  |
| IMTMM11   | 1/4" Drive 6-Point Metric 11 mm Flank Drive® Shallow Impact Socket                | 126  |
| IMTMM12   | 1/4" Drive 6-Point Metric 12 mm Flank Drive® Shallow Impact Socket                | 126  |
| IMTMM13   | 1/4" Drive 6-Point Metric 13 mm Flank Drive® Shallow Impact Socket                | 126  |
| IMTMM14   | 1/4" Drive 6-Point Metric 14 mm Flank Drive® Shallow Impact Socket                | 126  |
| IMTMM15   | 1/4" Drive 6-Point Metric 15 mm Flank Drive® Shallow Impact Socket                | 126  |
| LP5WR     | Curved Jaw with Cutter Locking Pliers   | 383  |

| Stock No. | Description  | Page |
|-----------|--|------|
| LP6LN     | Long Nose Locking Pliers                                     | 383  |
| NDDM900A  | 9 pc Metric Hard Grip Nut Driver Set (5–13 mm)               | 359  |
| OEXM250B  | 25 mm 12-Point Metric Flank Drive® Combination Wrench        | 273  |
| OEXM260B  | 26 mm 12-Point Metric Flank Drive® Combination Wrench        | 273  |
| OEXM290B  | 29 mm 12-Point Metric Flank Drive® Combination Wrench        | 273  |
| OEXM320B  | 32 mm 12-Point Metric Flank Drive® Combination Wrench        | 273  |
| P87150A   | P-Series Cutting Pliers                                      | 379  |
| P91355A   | 5-1/2" 45° Bent Needle Nose Pliers                           | 379  |
| PDR3000A  | 3/8" Capacity Reversible Drill                               | 533  |
| PPR708BK  | 8 pc Roll Pin Punch Set                                      | 397  |
| RBM1011C‡ | 10–11 mm 12-Point Metric 0° Offset Ratcheting Box Wrench     | 267  |
| RBM1213C‡ | 12–13 mm 12-Point Metric 0° Offset Ratcheting Box Wrench     | 267  |
| RBM1415C‡ | 14–15 mm 12-Point Metric 0° Offset Ratcheting Box Wrench     | 267  |
| RBM1719C‡ | 17–19 mm 12-Point Metric 0° Offset Ratcheting Box Wrench     | 267  |
| RXSM605B  | 5 pc 6-Point Metric Open-End/Flare Nut Wrench Set            | 288  |
| SFSM6     | 3/8" Drive 6-Point Metric 6 mm Flank Drive® Deep Socket      | 156  |
| SFSM7     | 3/8" Drive 6-Point Metric 7 mm Flank Drive® Deep Socket      | 156  |
| SGFMN106  | 6 pc Soft Grip Handle Miniature File Set                     | 411  |
| SHDTX315R | TORX® T15 Instinct® Hard Grip Standard Screwdriver           | 351  |
| SHDTX320R | TORX® T20 Instinct® Hard Grip Standard Screwdriver           | 351  |
| SPBS8AO   | 8" Striking Prybar   | 374  |
| SSDMR8AO  | 12-15/16" Ratcheting Magnetic Long Screwdriver               | 356  |
| STMM4.5   | 1/4" Drive 6-Point Metric 4.5 mm Deep Socket                 | 111  |
| SX15      | 1/2" Drive 15" Extension                                     | 204  |
| TMM4.5    | 1/4" Drive 6-Point Metric 4.5 mm Flank Drive® Shallow Socket | 112  |
| TSM26     | 1/2" Drive 6-Point Metric 26 mm Flank Drive® Deep Socket     | 210  |
| TSM27     | 1/2" Drive 6-Point Metric 27 mm Flank Drive® Deep Socket     | 210  |
| TSM30     | 1/2" Drive 6-Point Metric 30 mm Flank Drive® Deep Socket     | 210  |
| TSM32     | 1/2" Drive 6-Point Metric 32 mm Flank Drive® Deep Socket     | 210  |
| TWM10A    | 1/2" Drive 6-Point Metric 10 mm Flank Drive® Shallow Socket  | 208  |
| TWM11A    | 1/2" Drive 6-Point Metric 11 mm Flank Drive® Shallow Socket  | 208  |
| TWM28     | 1/2" Drive 6-Point Metric 28 mm Flank Drive® Shallow Socket  | 208  |
| TWM29     | 1/2" Drive 6-Point Metric 29 mm Flank Drive® Shallow Socket  | 208  |
| TWM31     | 1/2" Drive 6-Point Metric 31 mm Flank Drive® Shallow Socket  | 208  |
| TWM32     | 1/2" Drive 6-Point Metric 32 mm Flank Drive® Shallow Socket  | 208  |
| VE200A    | Tool Control Board (Blue-Point®)                             | —    |



‡These products can expose you to chemicals which are known to the state of California to cause cancer and reproductive harm. See pages P1–P2 for details.  
• Read Safety Precautions on pages W1–W4

# SB1CORE, SB2COREX SETS

SET BUILDING



## SB1CORE Set Building Core Set

| Stock No.  | Description  | Page |
|------------|--|------|
| 106BTMX    | 6 pc 1/4" Drive Knurled Extension Set  | 108  |
| 124STTMM   | 24 pc 1/4" Drive 6-Point Metric Flank Drive® Shallow/Deep Socket Set                 | 114  |
| 206AFX     | 6 pc 3/8" Drive Knurled Extension Set  | 149  |
| 209EFTXBY  | 9 pc Combination Drive TORX® Bit Heavy-Duty Removal Socket Set                       | 168  |
| 210EFTAMY  | 10 pc Combination Drive Metric Standard Hex Bit Socket Set                           | 170  |
| 224SFFSM   | 24 pc 3/8" Drive 6-Point Metric Flank Drive® Shallow/Deep Combination Socket Set     | 157  |
| AWP120     | 12" Adjustable Joint Pliers  | 382  |
| CSA8CR     | 7-5/8" Rigid Carbon Scraper  | 413  |
| F80        | 3/8" Drive Dual 80° Technology Standard Handle Ratchet                               | 144  |
| FLF80A     | 3/8" Drive Dual 80° Technology Long Handle Flex-Head Ratchet                         | 145  |
| FU80B      | 3/8" Drive 1-11/16" Friction Ball Universal Joint                                    | 151  |
| GLASS30R   | Safety Glasses   | 827  |
| HBBD24     | 24 oz Ball Peen Soft Grip Dead Blow Hammer   | 399  |
| OEXM710B   | 10 pc 12-Point Metric Flank Drive® Combination Wrench Set                            | 273  |
| PL400B     | 4 pc Pliers/Cutters Set  | 377  |
| PWCS7ACF   | 7" Wire Stripper/Cutter/Crimper  | 386  |
| S9706KA    | 3/8" Drive 6-Point SAE 5/8" Flank Drive® Shallow Spark Plug Socket                   | 422  |
| S9714MK    | 3/8" Drive 12-Point Metric 14 mm Flank Drive® Standard Spark Plug Socket             | 165  |
| SGA173BR   | Soft Grip Radiator Hose Pick   | 722  |
| SGDX60BR   | 6 pc Combination Instinct® Soft Grip Screwdriver Set                                 | 342  |
| SGASA204CR | 4 pc Instinct® Soft Grip Miniature Pick Set  | 370  |
| SOXRRM710A | 10 pc 12-Point Metric Flank Drive® Plus Reversible Ratcheting Combination Wrench Set | 256  |
| T72        | 1/4" Drive Dual 80° Technology Standard Handle Ratchet                               | 104  |
| TF72       | 1/4" Drive Dual 80° Technology Standard Handle Flex-Head Ratchet                     | 104  |
| TMU8B      | 1/4" Drive 1-1/8" Friction Ball Universal Joint                                      | 108  |
| TPMA12     | 12' Tape Rule  | 775  |
| UIM225†    | Telescoping Inspection Mirror (Blue-Point®)  | 778  |
| UTK150     | Auto-Loading Utility Knife   | 409  |
| YA160A     | Ear Protectors (Blue-Point®)   | 826  |

## SB2COREX Set Building Core Plus Set

| Stock No. | Description  | Page |
|-----------|--|------|
| 1206GS    | 6 pc Combination Square Drive Adaptor Set                        | 109  |
| 208EPIT   | 8 pc 3/8" Drive Impact Driver Set                                | 175  |
| 305ASX    | 5 pc 1/2" Drive Extension Set                                    | 204  |
| 310TWMYA  | 10 pc 1/2" Drive 6-Point Metric Flank Drive® Shallow Socket Set  | 208  |
| 312CF     | 11" Heavy-Duty Diagonal Cutter                                   | 378  |
| 313TSMYA  | 13 pc 1/2" Drive 6-Point Metric Flank Drive® Deep Socket Set     | 210  |
| 388ACF    | 8" High-Leverage Diagonal Cutter                                 | 378  |
| 911ACF    | 11" Needle Nose Pliers   | 381  |
| 97ACF     | 9" Needle Nose Pliers  | 380  |
| HBBD32    | 32 oz Ball Peen Soft Grip Dead Blow Hammer                       | 399  |
| HBFE24    | 24 oz Soft Grip Dead Blow Hammer                                 | 398  |
| OEXM210B  | 21 mm 12-Point Metric Flank Drive® Combination Wrench            | 273  |
| OEXM220B  | 22 mm 12-Point Metric Flank Drive® Combination Wrench            | 273  |
| OEXM240B  | 24 mm 12-Point Metric Flank Drive® Combination Wrench            | 273  |
| PPC710BK  | 11 pc Punch and Chisel Set                                       | 395  |
| RXFM606B  | 6 pc 6-Point Metric Flank Drive® Double End Flare Nut Wrench Set | 288  |
| S80A      | 1/2" Drive Dual 80° Technology Standard Handle Ratchet           | 201  |
| SLF80A    | 1/2" Drive Dual 80° Technology Long Handle Flex-Head Ratchet     | 201  |
| SGHBF500A | 4 pc Instinct® Mixed File Set                                    | 410  |
| SRPCR107  | 7 pc Snap Ring Pliers Set  | 384  |
| TQFR250E  | 1/2" Drive TQ Series Flex-Head Torque Wrench (40–250 ft-lb)      | 315  |