

### 09326 80Pc. 1/4" Hex Shank Bits Set



- 6Pc. 1/4" Hex Shank Bits, 25mm Length, Slotted (3,4,5,5.5,6,6.5mm)
- 6Pc. 1/4" Hex Shank Bits, 50mm Length, Slotted (3,4,5,5.5,6,6.5mm)
- 5Pc. 1/4" Hex Shank Bits, 25mm Length, Phillips (#0,#1,#2,#3)
- 4Pc. 1/4" Hex Shank Bits, 50mm Length, Phillips (#0,#1,#2,#3)
- 6Pc. 1/4" Hex Shank Bits, 25mm Length, Hexagon (2,2.5,3,4,5,6mm)
- 6Pc. 1/4" Hex Shank Bits, 50mm Length, Hexagon (2,2.5,3,4,5,6mm)
- 8Pc. 1/4" Hex Shank Bits, 25mm Length, Torx® (T8,T10,T15,T20,T25,T27,T30,T40)
- 8Pc. 1/4" Hex Shank Bits, 50mm Length, Torx® (T8,T10,T15,T20,T25,T27,T30,T40)
- 8Pc. 1/4" Hex Shank Bits, 25mm Length, Tamper-Proof Torx® (TT8,TT10,TT15,TT20,TT25,TT27,TT30,TT40)
- 8Pc. 1/4" Hex Shank Bits, 50mm Length, Tamper-Proof Torx® (TT8, TT10, TT15, TT20, TT25, TT27,TT30,TT40)
- 8Pc. 1/4" Hex Shank Double End Bits, 65mm Length (#1/#1,#2/#2,#3/#3,#1/4.5mm,#3/5.5mm#3/6.5mm,#3/#2#2/#3)
- 3Pc. 1/4" Hex Shank Double End Bits,110 mm Length (#1/#1,#2/#2,#3/#3)
- 1Pc. 1/4" Hex Shank Socket Holder, 25mm Length
- 1Pc. 1/4" Hex Shank Socket Holder, 50mm Length
- 1Pc. 1/4" Hex Shank Magnetic Bits Holder, 60mm Length
- 1Pc. 1/4" Dr. Ratcheting Bit Driver

No.			
09326	-	6	8

▲ Warranty terms of tool set comply with the individual product.

### 09327 42Pc. 8mm Hex Shank Bits Set



- 7Pc. 5/16" Hex Shank Bits, 30mm Length, Hexagon (4,5,6,7,8,10,12mm)
- 7Pc. 5/16" Hex Shank Bits, 70mm Length, Hexagon (4,5,6,7,8,10,12mm)
- 5Pc. 5/16" Hex Shank Bits, 30mm Length, Triple Square (M5,M6,M8,M10,M12)
- 5Pc. 5/16" Hex Shank Bits, 70mm Length, Triple Square (M5,M6,M8,M10,M12)
- 9Pc. 5/16" Hex Shank Bits, 70mm Length, Torx® (T20,T25,T27,T30,T40,T45,T50,T55,T53)
- 7Pc. 5/16" Hex Shank Bits, 30mm Length, Tamper-Proof Torx® (TT20,TT25,TT30,TT40,TT45,TT50,TT55)
- 1Pc. 1/2" Dr. Bit Adapter 5/16"
- 1Pc. 3/8" Dr. Bit Adapter 5/16"

No.			
09327	-	6	6.5

▲ Warranty terms of tool set comply with the individual product.

### 09331 30Pc. 1/4" Hex Shank Bits Set, for Hand Tool



- 6Pc. 1/4" Dr. 25mm Length, Hex Bits (3,4,5,6,7,8mm)
- 7Pc. 1/4" Dr. 25mm Length, Torx Bits(T8,T10,T15,T20,T25,T30,T40)
- 4Pc. 1/4" Dr. 25mm Length, Slotted Bits(4,5,5.6,6.5mm)
- 4Pc. 1/4" Dr. 25mm Length, Phillips Bits (#0,#1,#2,#3)
- 6Pc. 1/4" Dr. 25mm Length, Torx Tamper Bits(TT10,TT15,TT20,TT25,TT30,TT40)
- 3Pc. 1/4" Dr. 25mm Length, Pozzi Bits(PZ#1,PZ#2,PZ#3)

No.			
09331	6	72	20.3

▲ Warranty terms of tool set comply with the individual product.

### 09332 31Pc. 1/4" Hex Shank Bits Set, for Power Tool



- 6Pc. 1/4" Dr. 25mm Length, Hex Bits (3,4,5,6,7,8mm)
- 7Pc. 1/4" Dr. 25mm Length, Torx Bits(T8,T10,T15,T20,T25,T30,T40)
- 4Pc. 1/4" Dr. 25mm Length, Slotted Bits(4,5,5.6,6.5mm)
- 4Pc. 1/4" Dr. 25mm Length, Phillips Bits (#0,#1,#2,#3)
- 6Pc. 1/4" Dr. 25mm Length, Torx Tamper Bits(TT10,TT15,TT20,TT25,TT30,TT40)
- 3Pc. 1/4" Dr. 25mm Length, Pozzi Bits(PZ#1,PZ#2,PZ#3)
- 1Pc. 1/4" Dr. 60mm Length, Magnetic Bits Holder

No.			
09332	12	72	21.9

▲ Warranty terms of tool set comply with the individual product.



### 09333 31Pc. 1/4" Hex Shank Bits Set, for Pneumatic Tool



- 6Pc. 1/4" Dr. 25mm Length, Hex Bits (3,4,5,6,7,8mm)
- 7Pc. 1/4" Dr. 25mm Length, Torx Bits(T8,T10,T15,T20,T25,T30,T40)
- 4Pc. 1/4" Dr. 25mm Length, Phillips Bits (#0,#1,#2,#3)
- 4Pc. 1/4" Dr. 25mm Length, Slotted Bits (4,5,5,6,6,5MM)
- 6Pc. 1/4" Dr. 25mm Length, Torx Tamper Bits(TT10,TT15,TT20,TT25,TT30,TT40)
- 3Pc. 1/4" Dr. 25mm Length, Pozidriv Bits(PZ#1,PZ#2,PZ#3)
- 1Pc. 1/4" Dr. Air Tool Bits Holder

No.			
09333	6	72	21.8

▲ Warranty terms of tool set comply with the individual product.

### 5Pc. 1/4" Hex Shank Bits, 25mm Length, Phillips



- Made of premium S2 quality steel, with surface subjected to satin nickel plated
- 5pc. display packed

No.		L(mm)			
59221	#0	25	12	144	5.7
59222	#1	25	12	144	5.2
59223	#2	25	12	144	5.5
59224	#3	25	12	144	5.5

▲ Excluded from lifetime warranty terms.

### 5Pc. 1/4" Hex Shank Bits, 25mm Length, Slotted



- Made of premium S2 quality steel, with surface subjected to satin nickel plated
- 5pc. display packed

No.	⌀ (mm)	L(mm)			
59211	3	25	12	144	4.8
59213	4	25	12	144	5.1
59215	5	25	12	144	5.3
59216	5.5	25	12	144	4.6
59217	6	25	12	144	6.1
59218	6.5	25	12	144	6.1

▲ Excluded from lifetime warranty terms.

### 5Pc. 1/4" Hex Shank Bits, 25mm Length, Torx®



- Made of premium S2 quality steel, with surface subjected to satin nickel plated
- 5pc. display packed

No.		L(mm)			
59231	T8	25	12	144	4.9
59232	T10	25	12	144	4.8
59233	T15	25	12	144	4.6
59234	T20	25	12	144	5.3
59235	T25	25	12	144	5.5
59236	T27	25	12	144	5.6
59237	T30	25	12	144	5.7
59238	T40	25	12	144	6.2

▲ Excluded from lifetime warranty terms.



### 5Pc. 1/4" Hex Shank Bits, 25mm Length, Tamper-Proof Torx®



- Made of premium S2 quality steel, with surface subjected to satin nickel plated
- 5pc. display packed

No.	⊗	L(mm)			
59241	T8	25	12	144	4.6
59242	T10	25	12	144	4.8
59243	T15	25	12	144	4.9
59244	T20	25	12	144	5.1
59245	T25	25	12	144	5.2
59246	T27	25	12	144	5.3
59247	T30	25	12	144	5.6
59248	T40	25	12	144	6

▲ Excluded from lifetime warranty terms.

### 5Pc. 1/4" Hex Shank Bits, 25mm Length, Pozidrive



- Made of premium S2 quality steel, with surface subjected to satin nickel plated
- 5pc. display packed

No.	⊗	L(mm)			
59261	PZ#1	25	12	144	6.1
59262	PZ#2	25	12	144	5
59263	PZ#3	25	12	144	6.1

▲ Excluded from lifetime warranty terms.

### 5Pc. 1/4" Hex Shank Bits, 25mm Length, Hexagon



- Made of premium S2 quality steel, with surface subjected to satin nickel plated
- 5pc. display packed

No.	⊙ (mm)	L(mm)			
59251	2	25	12	144	4.8
59252	2.5	25	12	144	4.9
59253	3	25	12	144	5.1
59254	4	25	12	144	5.5
59255	5	25	12	144	5.9
59256	6	25	12	144	6.5
59257	7	25	12	144	7.5
59258	8	25	12	144	9.1

▲ Excluded from lifetime warranty terms.

### 5Pc. 1/4" Hex Shank Bits, 50mm Length, Slotted



- Made of premium S2 quality steel, with surface subjected to satin nickel plated
- 5pc. display packed

No.	⊙ (mm)	L(mm)			
59311	3	50	12	144	7.9
59313	4	50	12	144	8.4
59315	5	50	12	144	9
59316	5.5	50	12	144	9.5
59317	6	50	12	144	9.9
59318	6.5	50	12	144	10.5

▲ Excluded from lifetime warranty terms.





### 59274 1/4" Dr. Magnetic Quick Change Pneumatic Bit Holder



- Magnetic holder, easy to install and remove bits
- Special pinning mechanism, safe and reliable

No.			
59274	6	72	3.3

▲ Excluded from lifetime warranty terms.

### 5Pc. 1/4" Hex Shank Bits, 50mm Length, Torx®



- Made of premium S2 quality steel, with surface subjected to satin nickel plated
- 5pc. display packed

No.		L(mm)			
59331	T8	50	12	144	7.8
59332	T10	50	12	144	7.8
59333	T15	50	12	144	8.2
59334	T20	50	12	144	8.6
59335	T25	50	12	144	9
59336	T27	50	12	144	9.5
59337	T30	50	12	144	10.1
59338	T40	50	12	144	11.2

▲ Excluded from lifetime warranty terms.

### 5Pc. 1/4" Hex Shank Bits, 50mm Length, Phillips



- Made of premium S2 quality steel, with surface subjected to satin nickel plated
- 5pc. display packed

No.		L(mm)			
59321	#0	50	12	144	8.2
59322	#1	50	12	144	9
59323	#2	50	12	144	9.9
59324	#3	50	12	144	10.1

▲ Excluded from lifetime warranty terms.

### 5Pc. 1/4" Hex Shank Bits, 50mm Length, Tamper-Proof Torx®



- Made of premium S2 quality steel, with surface subjected to satin nickel plated
- 5pc. display packed

No.		L(mm)			
59341	T8	50	12	144	7.8
59342	T10	50	12	144	8
59343	T15	50	12	144	8.5
59344	T20	50	12	144	8.6
59345	T25	50	12	144	9.1
59346	T27	50	12	144	9.4
59347	T30	50	12	144	9.9
59348	T40	50	12	144	10.9

▲ Excluded from lifetime warranty terms.



### 5Pc. 1/4" Hex Shank Bits, 50mm Length, Hexagon



- Made of premium S2 quality steel, with surface subjected to satin nickel plated
- 5pc. display packed

No.	Ø (mm)	L(mm)			
59351	2	50	12	144	7.8
59352	2.5	50	12	144	7.9
59353	3	50	12	144	8.3
59354	4	50	12	144	9.3
59355	5	50	12	144	10.3
59356	6	50	12	144	11.3

▲ Excluded from lifetime warranty terms.

### 5Pc. 1/4" Hex Shank Double End Bits, 65mm Length



- Made of premium S2 quality steel, with surface subjected to satin nickel plated
- 5pc. display packed

No.		L(mm)			
59381	PH1-PH1	65	12	72	6.6
59382	PH2-PH2	65	12	72	6.5
59383	PH3-PH3	65	12	72	6.6
59384	4.5mm-PH1	65	12	72	6.4
59385	5.5mm-PH2	65	12	72	6.5
59386	6.5mm-PH3	65	12	72	6.6
59387	PH1-PH2	65	12	72	6.6
59388	PH2-PH3	65	12	72	6.5
59391	PH1-PH1	110	12	72	11.6
59392	PH2-PH2	110	12	72	11.5
59393	PH3-PH3	110	12	72	11.6

▲ Excluded from lifetime warranty terms.

### 5Pc. 5/16" Hex Shank Bits, 30mm Length, Slotted



- Made of premium S2 quality steel, with surface subjected to satin nickel plated
- 5pc. display packed

No.	Ø (mm)	L(mm)			
59411	5.5	30	12	144	8.3
59413	6.5	30	12	144	9.1
59415	8	30	12	144	9.4
59416	10	30	12	144	11.8
59417	12	30	12	72	7

▲ Excluded from lifetime warranty terms.

### 5Pc. 5/16" Hex Shank Bits, 30mm Length, Phillips



- Made of premium S2 quality steel, with surface subjected to satin nickel plated
- 5pc. display packed

No.		L(mm)			
59421	#1	30	12	144	9.4
59422	#2	30	12	144	8.7
59423	#3	30	12	144	8.6
59424	#4	30	12	144	9.6

▲ Excluded from lifetime warranty terms.



### 59515 5Pc. 5/16" Hex Shank Bits, 70mm Length, Slotted 8mm



• Made of premium S2 quality steel, with surface subjected to satin nickel plated  
 • 5pc. display packed

No.	Ø (mm)	L(mm)			
59515	8	70	12	72	11.5

▲ Excluded from lifetime warranty terms.

### 5Pc. 5/16" Hex Shank Bits, 30mm Length, Tamper-Proof Torx®



• Made of premium S2 quality steel, with surface subjected to satin nickel plated  
 • 5pc. display packed

No.	Ø	L(mm)			
59453	T20	30	12	144	8.4
59454	T25	30	12	144	8.5
59456	T30	30	12	144	8.9
59457	T40	30	12	144	9.4
59458	T45	30	12	144	8.9
59459	T50	30	12	144	10.2

▲ Excluded from lifetime warranty terms.

### 5Pc. 5/16" Hex Shank Bits, 30mm Length, Triple Square




• Made of premium S2 quality steel, with surface subjected to satin nickel plated  
 • 5pc. display packed

No.	Ø	L(mm)			
59464	M5	30	12	144	8.9
59465	M6	30	12	144	9.4
59467	M8	30	12	144	9.7
59468	M10	30	12	144	13.3
59469	M12	30	12	72	8.1

▲ Excluded from lifetime warranty terms.

### 5Pc. 5/16" Hex Shank Bits, 30mm Length, Hexagon



• Made of premium S2 quality steel, with surface subjected to satin nickel plated  
 • 5pc. display packed

No.	Ø (mm)	L(mm)			
59471	4	30	12	144	8.9
59472	5	30	12	144	9.2
59473	6	30	12	144	10
59478	7	30	12	144	10.1
59474	8	30	12	144	14.7
59475	10	30	12	72	9.2
59476	12	30	12	144	10.7

▲ Excluded from lifetime warranty terms.



### 59522 5Pc. 5/16" Hex Shank Bits, 70mm Length, Slotted 8mm



- Made of premium S2 quality steel, with surface subjected to satin nickel plated
- 5pc. display packed

No.	Icon	L(mm)	Icon	Icon	Icon
59522	#2	70	12	72	11.2

▲ Excluded from lifetime warranty terms.

### 5Pc. 5/16" Hex Shank Bits, 70mm Length, Triple Square



- Made of premium S2 quality steel, with surface subjected to satin nickel plated
- 5pc. display packed

No.	Icon	L(mm)	Icon	Icon	Icon
59562	M5	70	12	72	10.9
59563	M6	70	12	72	11.4
59564	M8	70	12	72	11.7
59565	M10	70	12	48	10.6
59566	M12	70	12	48	13.2

▲ Excluded from lifetime warranty terms.

### 5Pc. 5/16" Hex Shank Bits, 70mm Length, Torx®



- Made of premium S2 quality steel, with surface subjected to satin nickel plated
- 5pc. display packed

No.	Icon	L(mm)	Icon	Icon	Icon
59533	T20	70	12	72	10.7
59534	T25	70	12	72	11.2
59535	T27	70	12	72	11.2
59536	T30	70	12	72	11.4
59537	T40	70	12	72	11.6
59538	T45	70	12	72	12
59539	T50	70	12	72	12.2
59540	T55	70	12	48	11.7

▲ Excluded from lifetime warranty terms.

### 5Pc. 5/16" Hex Shank Bits, 70mm Length, Hexagon



- Made of premium S2 quality steel, with surface subjected to satin nickel plated
- 5pc. display packed

No.	Icon	Icon	L(mm)	Icon	Icon	Icon
59571	4	70	12	72	11.2	
59572	5	70	12	72	11.4	
59573	6	70	12	72	11.8	
59574	7	70	12	72	12.2	
59575	8	70	12	72	12.4	
59576	10	70	12	48	11.9	
59577	12	70	12	48	15.7	
59578	14	70	12	48	20.9	

▲ Excluded from lifetime warranty terms.



### Quick Change Bit Holder



- Structure for quick bit replacement for high efficiency and cost reduction
- Made of high-strength SCM material

No.	Driver	L(mm)			
21510	1/4"	50	6	96	9.3
22610	3/8"	60	6	96	16.2
25910	1/2"	60	6	96	14.9

### 5Pc. 1/4" Hex Shank Socket Holders




- Made of Cr-V, with surface subjected to stain nickel treatment
- 5pc. display packed

No.	L(mm)			
59271	25	12	144	6.8
59272	50	12	144	13.4

▲ Excluded from lifetime warranty terms.

### 59273 3Pc. 1/4" Hex Shank Magnetic Bit Holders



- Magnetic function end of the holder made of stainless steel
- Bit holder made of Cr-V
- Surface subjected to stain nickel treatment
- 3pc. display packed

No.	L(mm)			
59273	60	12	144	12.9

▲ Excluded from lifetime warranty terms.

### 61002 1/4" Hex Shank Magnetic Bit Driver



- Suitable for 6.3mm series bits
- Magnetic shank to prevent bit from slipping

No.	Spec. (mm)			
61002	1/4"x100	12	150	20.9

▲ Excluded from lifetime warranty terms.





### 10Pc. 1/4" Hex Shank Impact Bits, Phillips



No.	⊕	L(mm)			
59602	#1	29	12	144	9.4
59603	#2	29	12	144	9.4
59604	#3	29	12	144	9.4

▲ Excluded from lifetime warranty terms.

### 10Pc. 1/4" Hex Shank Impact Bits, Slotted



No.	⊖ (mm)	L(mm)			
59713	3	50	12	144	15.9
59714	4	50	12	144	15.9
59716	5	50	12	144	15.9
59718	6	50	12	144	15.9

▲ Excluded from lifetime warranty terms.

### 10Pc. 1/4" Hex Shank Impact Bits, Torx®



No.	⊗	L(mm)			
59620	T8	29	12	144	9.4
59622	T10	29	12	144	9.4
59623	T15	29	12	144	9.4
59624	T20	29	12	144	9.4
59625	T25	29	12	144	9.4
59627	T30	29	12	144	9.4
59628	T40	29	12	144	9.4

▲ Excluded from lifetime warranty terms.

### 10Pc. 1/4" Hex Shank Impact Bits, Torx®



No.	⊗	L(mm)			
59731	T8	50	12	144	15.9
59732	T10	50	12	144	15.9
59733	T15	50	12	144	15.9
59734	T20	50	12	144	15.9
59735	T25	50	12	144	15.9
59737	T30	50	12	144	15.9
59738	T40	50	12	144	15.9

▲ Excluded from lifetime warranty terms.

### 10Pc. 1/4" Hex Shank Impact Bits, Phillips



No.	⊕	L(mm)			
59702	#1	50	12	144	15.9
59703	#2	50	12	144	15.9
59704	#3	50	12	144	15.9

▲ Excluded from lifetime warranty terms.

### 10Pc. 1/4" Hex Shank Double End Impact Bits



No.	⊕	L(mm)			
59801	#1/#1	65	12	144	17.3
59802	#2/#2	65	12	144	17.3
59803	#3/#3	65	12	144	17.3

▲ Excluded from lifetime warranty terms.

### 10Pc. 1/4" Hex Shank Impact Bits, Hexagon



No.	Ø (mm)	L(mm)			
59751	2	50	12	144	15.9
59752	2.5	50	12	144	15.9
59753	3	50	12	144	15.9
59754	4	50	12	144	15.9
59755	5	50	12	144	15.9
59757	6	50	12	144	15.9

▲ Excluded from lifetime warranty terms.

### 10Pc. 1/4" Hex Shank Double End Impact Bits



No.	⊕	L(mm)			
59811	#1/#1	110	12	72	18.8
59812	#2/#2	110	12	72	18.8
59813	#3/#3	110	12	72	18.8

▲ Excluded from lifetime warranty terms.

### 10Pc. 1/4" Hex Shank Double End Impact Bits



No.	⊕	L(mm)			
59821	#1/#1	150	12	48	16.1
59822	#2/#2	150	12	48	16.1
59823	#3/#3	150	12	48	16.1

▲ Excluded from lifetime warranty terms.

## Impact resistance



- Plastic box packaging to facilitate storage
- 10pc display packed

Common bit




Distortion and destruction due to shock load limited exceeded on tip bearing too much stress



Broken

Common bit after impact test

Impact-resistance bit



Service life prolonged due to impact force reduced and tip load reduced thanks to the deformed area of the neck to effectively dispersing the stress



OK

Impact-resistance bit after impact test