



## Heavy workshop carts Modular system

Steel tube and sectional steel welded, powder coated.  
Carcass grey RAL 7035, front blue RAL 5007. Surface durably protected, resistant to impact and scratches, platform made of derived timber material boards, surface beech grain.

2 swivel and 2 fixed-wheel castors with TPE tyres, hubs with groove ball bearing or pneumatic tyres, additional charge.

Swivel castors with wheel locks.

Shelf heights:

TPE tyres: 270/900 mm

Pneumatic tyres: 285/915 mm

Capacity upper shelf 200 kg.

### 2432 | 2433

1 lockable steel cupboard with leaf door, 1 fixed and 2 adjustable shelves:

2432: 500 mm wide, 700 mm deep, 600 mm high

2433: 600 mm wide, 800 mm deep, 600 mm high

Powder coated, grey carcass RAL 7035, front blue RAL 5007.

### 2474

1 centrally lockable drawer cupboard with 3 drawers 120 mm high and 1 drawer 180 mm high. Ball bearing slide. 4/5-pull-out. 500 mm wide, 700 mm deep and 600 mm high.

### 2475

2 lockable steel cupboards with 1 fixed and 2 adjustable shelves, 500 mm wide, 700 mm deep and 600 mm high.

### 2476

1 steel cupboard and 1 drawer cupboard as 2432/2474.

Capacity per shelf in cupboards 30 kg, per shelf 25 kg.

\* Please add order no. of the respective cart to this order no. (e.g.: 2148-2474)

Accessories  
on pages 183-185



2432 | 2433



2474



2475



2476



#### Steel plate drawer

Add-on kit for table top carts, with ball pull-out and cylinder lock.

Height x Width x Depth inside: 105 x 410 x 475 mm.

Can not be retrofitted.



#### Drawer subdivision-set

Made of galvanized steel sheet, insertable. 2 longitudinal partitions and 6 dividing sheets. For drawers in cupboards order no. 2148\*. For single drawers order no. 2148/ES.



#### Table tops

For all types (not suitable for 2433) on this page beech plywood 22 mm, size 1150 x 750 mm, to be bolted onto existing platform.

|                         | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimensions L x W x H mm | Net weight kg |
|-------------------------|-----------|-------------|------------|------------------------|---------------------------------|---------------|
| Workshop carts          | 2432      | 600         | 200        | 1050 x 700             | 1197 x 709 x 900                | 79            |
|                         | 2433      | 600         | 200        | 1250 x 800             | 1397 x 809 x 900                | 86            |
|                         | 2474      | 600         | 200        | 1050 x 700             | 1197 x 709 x 900                | 89            |
|                         | 2475      | 600         | 200        | 1050 x 700             | 1197 x 709 x 900                | 102           |
|                         | 2476      | 600         | 200        | 1050 x 700             | 1197 x 709 x 900                | 114           |
| Steel plate drawer      | 2149      | -           | -          | -                      | -                               | 6             |
| Drawer subdivision-set* | 2148      | -           | -          | -                      | -                               | 3             |
| Drawer subdivision-set  | 2148/ES   | -           | -          | -                      | -                               | 3             |
| Table tops              | 2140      | -           | -          | 1150 x 750             | -                               | 14            |

# ROLLING DESKS

**Field of application:**

Mobile workstations for operations, warehouse and dispatch. Extremely handy and manoeuvrable.

**Writing surface:**

Horizontal or inclined. Inclined version with stop bar.



**Large wheel diameter:**

Easy crossing of edges and sills.



**Many versions:**

With shelves, lockable cupboards or drawers for computer accessories.

Rolling desk **5838**



### Rolling desks

Steel tube and sectional steel welded, bolted construction, powder coated blue RAL 5007. 4 swivel castors with TPE tyres 125 x 32 mm, 2 wheel locks, hubs with plain bearings.

Easy movement across angles and barriers because of the big wheels.

#### 5833

Surface made of derived timber material, 605 mm wide und 589 mm deep.

2 screw-down shelves, upper shelf centred shrewable for the possibility of 2 folders on top of each other.

Capacity per shelf 50 kg.

Horizontal writing surface with cut-out as a pen tray.

#### 5834

Surface made of derived timber material, 605 mm wide und 589 mm deep.

2 screw-down shelves, upper shelf centred shrewable for the possibility of 2 folders on top of each other.

Capacity per shelf 50 kg.

Writing surface inclined approx. 10°, with stop bar.

#### 5835

As 5833, but with 1 lockable steel cupboard (W x D x H: 500 x 600 x 600 mm) with leaf-door. 1 fixed and 2 adjustable shelves. Powder coated carcass RAL 7035, blue front RAL 5007. Capacity per shelf in cupboard 30 kg.

#### 5836

As 5834, but with 1 lockable steel cupboard (W x D x H: 500 x 600 x 600 mm) with leaf-door. 1 fixed and 2 adjustable shelves. Powder coated carcass RAL 7035, blue front RAL 5007. Capacity per shelf in cupboard 30 kg.



5833



5834



5835



5836



Example of use

|               | Order no. | Capacity kg | Wheel-Ø mm | Platform size W x D mm | Outside dimensions W x D x H mm | Surface height mm | Net weight kg |
|---------------|-----------|-------------|------------|------------------------|---------------------------------|-------------------|---------------|
| Rolling desks | 5833      | 100         | 125        | 500 x 600              | 605 x 610 x 1195                | 1195              | 25            |
|               | 5834      | 100         | 125        | 500 x 600              | 605 x 610 x 1195                | 1100, 1195        | 25            |
|               | 5835      | 100         | 125        | 500 x 600              | 605 x 610 x 1195                | 1195              | 46            |
|               | 5836      | 100         | 125        | 500 x 600              | 605 x 610 x 1195                | 1100, 1195        | 46            |



# ROLLING DESKS



5839



5844



5837



5838



Example of use

## Rolling desks

Steel tube and sectional steel welded, bolted construction, powder coated blue RAL 5007. 4 swivel castors with TPE tyres 125 x 32 mm, 2 wheel locks, hubs with plain bearings.

Easy movement across angles and barriers because of the big wheels.

### 5839

As 5835, but additionally with 1 lockable keyboard drawer with full extension and pull-out mouse pad. Horizontal writing desk, with cable slots in desk-top and cupboard. Delivery without decoration.

### 5844

1 writing desk made of sheet steel, powder coated carcass RAL 7035. Desktop foldable, with stick-on writing pad, lockable.

2 screw-down shelves, upper shelf centred shrewable for the possibility of 2 folders on top of each other.

Capacity per shelf 50 kg.

Writing surface inclined approx. 18°, with stop bar.

### 5837

surface 1100 mm wide und 589 mm deep, with stop bar.

2 screw-down shelves, upper shelf centred shrewable for the possibility of 2 folders on above each other.

Capacity per shelf 50 kg.

### 5838

As 5837, but with 1 lockable steel cupboard (W x D x H: 500 x 600 x 600 mm) with leafdoor.

1 fixed and 2 adjustable shelves. Powder coated carcass RAL 7035, blue front RAL 5007.

Capacity per shelf in cupboard 30 kg.

|               | Order no. | Capacity kg | Wheel-Ø mm | Platform size W x D mm | Outside dimensions W x D x H mm | Surface height mm | Net weight kg |
|---------------|-----------|-------------|------------|------------------------|---------------------------------|-------------------|---------------|
| Rolling desks | 5839      | 150         | 125        | 650 x 650              | 650 x 650 x 1110                | 1110              | 53            |
|               | 5844      | 150         | 125        | 500 x 600              | 600 x 615 x 1320                | 1150, 1320        | 42            |
|               | 5837      | 100         | 125        | 1000 x 600             | 1105 x 610 x 1195               | 1100, 1195        | 39            |
|               | 5838      | 100         | 125        | 1000 x 600             | 1105 x 610 x 1195               | 1100, 1195        | 60            |



### Roller cupboards 2445

Leaf-door cupboard, lockable, 1 fixed and 2 adjustable shelves, 500 mm wide, 600 mm deep and 600 mm high.

Surface composite panel, 19 mm thick with skirting on 3 sides, 80 mm high.

2 swivel and 2 fixed-wheel castors, TPE tyres.

Swivel castors with wheel locks.

Powder coated, grey carcass RAL 7035, blue front RAL 5007.

Surface height 800 mm.



2445



2446

### 2446

Cupboard of drawers, centrally lockable, 3 drawers 120 mm high and 1 drawer 180 mm high. Ball pull-out and pull-out lock otherwise as 2445.

### Rolling desks 2448

As 2445 but instead of a work surface it has a fit-on desk-top made of powder coated steel plate. Desktop foldable.

Surface height 1034/1197 mm.

Writing surface inclined approx. 18°, with stop bar.



2448



2449

### 2449

As 2446 but instead of a work surface it has a fit-on desk-top made of powder coated steel plate. Desktop foldable.

Surface height 1034/1197 mm

Capacity per shelf in cupboards 30 kg, 25 kg per drawer.

Writing surface inclined approx. 18°, with stop bar.



#### Drawer subdivision-set\*

Made of galvanized steel sheet, insertable. 2 longitudinal partitions and 6 dividing sheets.

\* Please add order no. of the respective cart to this order no. (e.g.: 2148-2446)

|                  | Order no. | Capacity kg | Wheel-Ø mm | Platform size W x D mm | Outside dimensions W x D x H mm | Net weight kg |
|------------------|-----------|-------------|------------|------------------------|---------------------------------|---------------|
| Roller cupboards | 2445      | 150         | 125        | 650 x 550              | 650 x 550 x 875                 | 35            |
|                  | 2446      | 150         | 125        | 650 x 550              | 650 x 550 x 875                 | 54            |
| Rolling desks    | 2448      | 150         | 125        | –                      | 650 x 550 x 1200                | 41            |
|                  | 2449      | 150         | 125        | –                      | 650 x 550 x 1200                | 60            |
| Accessorie       | 2148*     |             |            | Drawer subdivison-set  |                                 |               |



**Rolling tables**

**5862**

Steel tube and sectional steel welded, bolted construction, powder coated blue RAL 5007. Table board composite panel, 20 mm thick, surface out of beech decoration.

2 screw-down shelves, variable distance of 50 mm, 1 x folder height possible.

4 swivel castors with TPE tyres 125 x 32 mm, 2 wheel locks, hubs with plain bearings.

Capacity per shelf 50 kg.

Table height 910 mm.

Screw-down shelves 300 und 670 mm high, variable distance of 50 mm.

**5864**

As 5862, but with 1 lockable steel cupboard with leaf-door, 1 fixed and 2 adjustable shelves.

Width 500 mm

Depth 600 mm

Height 600 mm

Powder coated, carcass RAL 7035, blue front RAL 5007.

Capacity per shelf in cupboard 30 kg.

**5866**

As 5864, but instead of the middle shelf 1 lockable keyboard drawer, with full extension and pull-out mouse pad.

Table board with cable slot.

Capacity per shelf in cupboard 30 kg.

**5868**

As 5864, but with 2 lockable steel cupboards.

Capacity per shelf in cupboards 30 kg.



5862



5864



5866



Example of use



5868



Detailed view keyboard drawer for rolling table 5866.



Blotting pad For the table board, blue, size 485 x 485 mm.

|                | Order no. | Capacity kg | Wheel-Ø mm | Outside dimensions W x D x H mm | Net weight kg |
|----------------|-----------|-------------|------------|---------------------------------|---------------|
| Rolling tables | 5862      | 150         | 125        | 1120 x 650 x 910                | 42            |
|                | 5864      | 150         | 125        | 1120 x 650 x 910                | 59            |
|                | 5866      | 150         | 125        | 1120 x 650 x 910                | 68            |
|                | 5868      | 150         | 125        | 1120 x 650 x 910                | 76            |
| Blotting pad   | 5880      | -           | -          | 485 x 485                       | 0,5           |

# C+C CARTS

**Saves parking space:**  
Saves 75 % of space by sliding the unloaded carts into each other.



**Surface:**  
Anti-skid waterproof ply-wood board.



**TPE castor:**  
The innovative easy-running TPE-castor in the attractive fetra design is non-marking and odourless. Particularly smooth-running groove ball bearing.



C + C carts **2982 + 2962 + 2972**



2960 | 2961 | 2962



Clip board upright DIN A4

See also page 185.



Clip board broadsize DIN A4

See also page 185.



2970 | 2971 | 2972



Wire basket

For small items,  
600 x 140 x 200 mm.  
See also page 185.



2980 | 2981 | 2982



Deposit locks

Made of high-quality plastic, to be operated easily and safely. Suitable for 1 Euro coins.

Wall securing chain

For deposit lock, length 1.20 m.

## Cash and carry carts

Nesting trolleys, thereby reducing storage space by 75%.

Tubular steel construction, powder coated, platform made of anti-skid waterproof plywood boards.

2 swivel and 2 fixed-wheel castors, TPE tyres.

Swivel castors with wheel locks.

### 2960 | 2961 | 2962

Platform height:  
with wheel-Ø 160 = 265 mm  
with wheel-Ø 200 = 310 mm

### 2970 | 2971 | 2972

As 2960/2961/2962, but with 2 shelves.

Shelf heights

with:

wheel-Ø 160 = 265/775 mm

with:

wheel-Ø 200 = 310/820 mm

Capacity upper shelf 80 kg.

### 2980 | 2981 | 2982

As 2960/2961/2962, but instead of tubular pushbar 2 lateral frames, 680 mm high, on the side of the fixed wheels also 2 lateral frames, 500 mm high.

Platform interior width:  
435/535/635 mm

Platform height:

with wheel-Ø 160 = 265 mm

with wheel-Ø 200 = 310 mm

|                      | Order No. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimensions L x W x H mm | Net weight kg |
|----------------------|-----------|-------------|------------|------------------------|---------------------------------|---------------|
| Cash and carry carts | 2960      | 400         | 160        | 850 x 500              | 1045 x 643 x 959                | 26            |
|                      | 2961      | 500         | 200        | 1000 x 600             | 1212 x 743 x 1004               | 31            |
|                      | 2962      | 500         | 200        | 1000 x 700             | 1212 x 843 x 1004               | 34            |
|                      | 2970      | 400         | 160        | 850 x 500              | 1045 x 643 x 959                | 33            |
|                      | 2971      | 500         | 200        | 1000 x 600             | 1212 x 743 x 1004               | 39            |
|                      | 2972      | 500         | 200        | 1000 x 700             | 1212 x 843 x 1004               | 44            |
|                      | 2980      | 400         | 160        | 850 x 500              | 1045 x 643 x 949                | 28            |
|                      | 2981      | 500         | 200        | 1000 x 600             | 1212 x 743 x 990                | 33            |
|                      | 2982      | 500         | 200        | 1000 x 700             | 1212 x 843 x 990                | 36            |
| Clip board upright   | 1290      | -           | -          | -                      | -                               | 1             |
| Clip board broadsize | 1390      | -           | -          | -                      | -                               | 1,3           |
| Wire basket          | 1291      | -           | -          | -                      | -                               | 1,8           |
| Deposit locks        | 2910      | -           | -          | -                      | -                               | 0,24          |
| Wall securing chain  | 2913      | -           | -          | -                      | -                               | 0,28          |



# SHELVED TROLLEYS

**Push handle:**

Mountable on both sides, also usable without handle.



**Variable:**

Shelf supports can be individually screwed in a 100 mm grid.



**Shelves:**

Rigid anti-flex sandwich boards with PVC edging, thereby no open cutting edges. Capacity per shelf 90 kg.



**Alternatively with insert boxes:**

High-quality workmanship, box height 60 mm, capacity 120 kg per box.



Shelved trolley **8302**



8100 | 8101 | 8102 | 8103



8200 | 8201 | 8202 | 8203



8301 | 8302 | 8303



8240 | 8241 | 8242 | 8243



8341 | 8342 | 8343

**Shelved trolleys  
Modular system**

made of tubular and sectional steel, welded and powder coated blue RAL 5007, bolted construction. Ends of tubular construction in 3 heights.  
1 fix and 2, 3 or 4 shelves made of special wood material boards, surface beech grain.  
Variable use of shelves, in a grid of 100 mm.  
Capacity per shelf 90 kg.  
2 swivel and 2 fixed-wheel castors, TPE tyres 160 x 40 or 200 x 40 mm, hubs with groove ball bearing.  
Swivel castors with wheel locks.


**Shelves**

Additional charge or price reduction for shelves including 1 pair of support brackets.

| Size mm    | Order no. |
|------------|-----------|
| 850 x 500  | E8100ETAW |
| 1000 x 600 | E8101ETAW |
| 1000 x 700 | E8102ETAW |
| 1200 x 800 | E8103ETAW |

**Reinforcement struts for shelved trolleys**

With flanges for two-point screw attachment. Stabilises the upper structure and increases the capacity of the inserted shelves.  
1 pair per trolley is included.



**Capacity per shelf is 150 kg instead of 90 kg.**

The shelf located on top of the longitudinal connector struts has a carrying capacity of 150 kg due to the support.

If more shelves need to have an increased capacity, please order reinforcement struts correspondingly.

**Reinforcement struts  
1 additional pair for 1 shelf**

| Size mm    | Order no. |
|------------|-----------|
| 850 x 500  | E8100VK   |
| 1000 x 600 | E8101VK   |
| 1000 x 700 | E8102VK   |
| 1200 x 800 | E8103VK   |

**Accessories  
on pages 183-185**

|                  | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimensions L x W x H mm | Shelf heights mm          | Net weight kg |
|------------------|-----------|-------------|------------|------------------------|---------------------------------|---------------------------|---------------|
| Shelved trolleys | 8100      | 500         | 160        | 850 x 500              | 1019 x 509 x 1111               | 228, 628, 1028            | 42            |
|                  | 8101      | 600         | 200        | 1000 x 600             | 1169 x 609 x 1152               | 269, 669, 1069            | 53            |
|                  | 8102      | 600         | 200        | 1000 x 700             | 1169 x 709 x 1152               | 269, 669, 1069            | 58            |
|                  | 8103      | 600         | 200        | 1200 x 800             | 1369 x 809 x 1152               | 269, 669, 1069            | 71            |
|                  | 8200      | 500         | 160        | 850 x 500              | 1019 x 509 x 1511               | 228, 628, 1028, 1428      | 54            |
|                  | 8201      | 600         | 200        | 1000 x 600             | 1169 x 609 x 1552               | 269, 669, 1069, 1469      | 64            |
|                  | 8202      | 600         | 200        | 1000 x 700             | 1169 x 709 x 1552               | 269, 669, 1069, 1469      | 71            |
|                  | 8203      | 600         | 200        | 1200 x 800             | 1369 x 809 x 1552               | 269, 669, 1069, 1469      | 88            |
|                  | 8301      | 600         | 200        | 1000 x 600             | 1169 x 609 x 1800               | 269, 669, 1069, 1469      | 64            |
|                  | 8302      | 600         | 200        | 1000 x 700             | 1169 x 709 x 1800               | 269, 669, 1069, 1469      | 69            |
|                  | 8303      | 600         | 200        | 1200 x 800             | 1369 x 809 x 1800               | 269, 669, 1069, 1469      | 86            |
|                  | 8240      | 500         | 160        | 850 x 500              | 1019 x 509 x 1511               | 228, 528, 828, 1128, 1428 | 57            |
|                  | 8241      | 600         | 200        | 1000 x 600             | 1169 x 609 x 1552               | 269, 569, 869, 1169, 1469 | 74            |
|                  | 8242      | 600         | 200        | 1000 x 700             | 1169 x 709 x 1552               | 269, 569, 869, 1169, 1469 | 82            |
|                  | 8243      | 600         | 200        | 1200 x 800             | 1369 x 809 x 1552               | 269, 569, 869, 1169, 1469 | 102           |
| 8341             | 600       | 200         | 1000 x 600 | 1169 x 609 x 1800      | 269, 569, 869, 1169, 1469       | 75                        |               |
| 8342             | 600       | 200         | 1000 x 700 | 1169 x 709 x 1800      | 269, 569, 869, 1169, 1469       | 83                        |               |
| 8343             | 600       | 200         | 1200 x 800 | 1369 x 809 x 1800      | 269, 569, 869, 1169, 1469       | 104                       |               |



**Shelved trolleys**  
**Modular system**

made of tubular and sectional steel, welded and powder coated blue RAL 5007, bolted construction. Ends of tubular construction with intermediate uprights at intervals of approx. 130 mm.

1 fix and 3 or 4 shelves made of special wood material boards, surface beech grain.

Variable use of shelves, in a grid of 100 mm.

Capacity per shelf 90 kg.

2 swivel and 2 fixed-wheel castors, TPE tyres 200 x 40 mm, hubs with groove ball bearing.

Swivel castors with wheel locks.



8311 | 8312 | 8313



8351 | 8352 | 8353


**Shelves**

Additional charge or price reduction for shelves including 1 pair of support brackets.

| Size mm    | Order no. |
|------------|-----------|
| 850 x 500  | E8100ETAW |
| 1000 x 600 | E8101ETAW |
| 1000 x 700 | E8102ETAW |
| 1200 x 800 | E8103ETAW |

**Reinforcement struts for shelved trolleys**

1 pair per trolley is included. Details see on page 55.



Capacity per shelf is 150 kg instead of 90 kg.



8311-1 | 8312-1 | 8313-1



8351-1 | 8352-1 | 8353-1

**Reinforcement struts**

1 additional pair for 1 shelf

| Size mm    | Order no. |
|------------|-----------|
| 850 x 500  | E8100VK   |
| 1000 x 600 | E8101VK   |
| 1000 x 700 | E8102VK   |
| 1200 x 800 | E8103VK   |



|                  | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimensions L x W x H mm | Shelf heights mm          | Net weight kg |
|------------------|-----------|-------------|------------|------------------------|---------------------------------|---------------------------|---------------|
| Shelved trolleys | 8311      | 600         | 200        | 1000 x 600             | 1169 x 609 x 1800               | 269, 669, 1069, 1469      | 73            |
|                  | 8312      | 600         | 200        | 1000 x 700             | 1169 x 709 x 1800               | 269, 669, 1069, 1469      | 83            |
|                  | 8313      | 600         | 200        | 1200 x 800             | 1369 x 809 x 1800               | 269, 669, 1069, 1469      | 98            |
|                  | 8351      | 600         | 200        | 1000 x 600             | 1169 x 609 x 1800               | 269, 569, 869, 1169, 1469 | 82            |
|                  | 8352      | 600         | 200        | 1000 x 700             | 1169 x 709 x 1800               | 269, 569, 869, 1169, 1469 | 94            |
|                  | 8353      | 600         | 200        | 1200 x 800             | 1369 x 809 x 1800               | 269, 569, 869, 1169, 1469 | 115           |
|                  | 8311-1    | 600         | 200        | 1000 x 600             | 1169 x 630 x 1800               | 269, 669, 1069, 1469      | 85            |
|                  | 8312-1    | 600         | 200        | 1000 x 700             | 1169 x 730 x 1800               | 269, 669, 1069, 1469      | 95            |
|                  | 8313-1    | 600         | 200        | 1200 x 800             | 1369 x 830 x 1800               | 269, 669, 1069, 1469      | 114           |
|                  | 8351-1    | 600         | 200        | 1000 x 600             | 1169 x 630 x 1800               | 269, 569, 869, 1169, 1469 | 95            |
|                  | 8352-1    | 600         | 200        | 1000 x 700             | 1169 x 730 x 1800               | 269, 569, 869, 1169, 1469 | 107           |
|                  | 8353-1    | 600         | 200        | 1200 x 800             | 1369 x 830 x 1800               | 269, 569, 869, 1169, 1469 | 128           |

**Accessories**  
on pages 183-185



# SHELVED TROLLEYS



## Shelved trolleys Modular system

made of tubular and sectional steel, welded and powder coated blue RAL 5007, bolted construction. Ends of tubular construction in 3 heights.

1 fix and 2 or 3 shelves made of special wood material boards, surface beech grain.

Variable use of shelves, in a grid of 100 mm.

Capacity per box 120 kg.

Box height 60 mm.

Interior measure of boxes with platform in mm:

- 850 x 500 = 815 x 455 x 45
- 1000 x 600 = 965 x 555 x 45
- 1000 x 700 = 965 x 655 x 45
- 1200 x 800 = 1165 x 755 x 45

2 swivel and 2 fixed-wheel castors, TPE tyres 160 x 40 or 200 x 40 mm, hubs with groove ball bearing.

Swivel castors with wheel locks.

### Boxes for shelved trolleys

Additional charge or price reduction for shelves including 1 pair of support brackets.

| Size mm    | Order no. |
|------------|-----------|
| 850 x 500  | E8120ETAW |
| 1000 x 600 | E8121ETAW |
| 1000 x 700 | E8122ETAW |
| 1200 x 800 | E8123ETAW |

### Reinforcement struts for shelved trolleys

1 pair per trolley is included. Details see on page 55.



Capacity per shelf is 150 kg instead of 90 kg.

### Reinforcement struts 1 additional pair for 1 shelf

| Size mm    | Order no. |
|------------|-----------|
| 850 x 500  | E8100VK   |
| 1000 x 600 | E8101VK   |
| 1000 x 700 | E8102VK   |
| 1200 x 800 | E8103VK   |

Accessories  
on pages 183-185



8120 | 8121 | 8122 | 8123



8220 | 8221 | 8222 | 8223



8321 | 8322 | 8323



|                  | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimension L x W x H mm | Shelf heights mm     | Net weight kg |
|------------------|-----------|-------------|------------|------------------------|--------------------------------|----------------------|---------------|
| Shelved trolleys | 8120      | 500         | 160        | 850 x 500              | 1019 x 509 x 1111              | 228, 628, 1028       | 49            |
|                  | 8121      | 600         | 200        | 1000 x 600             | 1169 x 609 x 1152              | 269, 669, 1069       | 62            |
|                  | 8122      | 600         | 200        | 1000 x 700             | 1169 x 709 x 1152              | 269, 669, 1069       | 68            |
|                  | 8123      | 600         | 200        | 1200 x 800             | 1369 x 809 x 1152              | 269, 669, 1069       | 84            |
|                  | 8220      | 500         | 160        | 850 x 500              | 1019 x 509 x 1511              | 228, 628, 1028, 1428 | 58            |
|                  | 8221      | 600         | 200        | 1000 x 600             | 1169 x 609 x 1552              | 269, 669, 1069, 1469 | 73            |
|                  | 8222      | 600         | 200        | 1000 x 700             | 1169 x 709 x 1552              | 269, 669, 1069, 1469 | 81            |
|                  | 8223      | 600         | 200        | 1200 x 800             | 1369 x 809 x 1552              | 269, 669, 1069, 1469 | 100           |
|                  | 8321      | 600         | 200        | 1000 x 600             | 1169 x 609 x 1800              | 269, 669, 1069, 1469 | 74            |
|                  | 8322      | 600         | 200        | 1000 x 700             | 1169 x 709 x 1800              | 269, 669, 1069, 1469 | 82            |
|                  | 8323      | 600         | 200        | 1200 x 800             | 1369 x 809 x 1800              | 269, 669, 1069, 1469 | 101           |



### Shelved trolleys Modular system

Made of tubular and sectional steel, welded and powder coated blue RAL 5007, bolted construction.

1 fix and 3 shelves made of special wood material boards, surface beech grain.

Variable use of shelves, in a grid of 100 mm.

Capacity per shelf 90 kg.

2 swivel and 2 fixed-wheel castors, TPE tyres 200 x 40 mm, hubs with groove ball bearing.

Swivel castors with wheel locks.

#### 8411 | 8412 | 8413

End panels closed, made of wire lattice 100 x 100 x 5 mm.

#### 8411-1 | 8412-1 | 8413-1

Ends and sides closed, made of wire lattice 100 x 100 x 5 mm.

#### 8481-3DE | 8482-3DE |

#### 8483-3DE

#### 8581-3DE | 8582-3DE |

#### 8583-3DE

Ends, side, roof and double wing door closed with wire lattice 100 x 100 x 5 mm.

In frame of door integrated bolt lock, lockable with padlock (not included in delivery), wing doors turnable till side panels.

### Shelves

Additional charge or price reduction for shelves including 1 pair of support brackets.

| Size mm    | Order no. |
|------------|-----------|
| 1000 x 600 | E8101ETAW |
| 1000 x 700 | E8102ETAW |
| 1200 x 800 | E8103ETAW |

### Reinforcement struts for shelved trolleys

Capacity per shelf is 150 kg instead of 90 kg.

#### Reinforcement struts

1 additional pair for 1 shelf

| Size mm    | Order no. |
|------------|-----------|
| 1000 x 600 | E8101VK   |
| 1000 x 700 | E8102VK   |
| 1200 x 800 | E8103VK   |

### Accessories

on pages 183-185



8411 | 8412 | 8413



8411-1 | 8412-1 | 8413-1



8481-3DE | 8482-3DE | 8483-3DE



8581-3DE | 8582-3DE | 8583-3DE



#### Roof

Made of tubular steel frame with wire lattice 100 x 100 x 5 mm, powder coated.



#### Bolt lock

Integrated bolt lock, doors lockable with padlock.

|  | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimensions L x W x H mm | Shelf heights mm          | Net weight kg |
|--|-----------|-------------|------------|------------------------|---------------------------------|---------------------------|---------------|
| Shelved trolleys with side panels made of wire lattice | 8411      | 600         | 200        | 1000 x 600             | 1169 x 609 x 1800               | 269, 669, 1069, 1469      | 74            |
|  | 8412      | 600         | 200        | 1000 x 700             | 1169 x 709 x 1800               | 269, 669, 1069, 1469      | 79            |
|  | 8413      | 600         | 200        | 1200 x 800             | 1369 x 809 x 1800               | 269, 669, 1069, 1469      | 97            |
|  | 8411-1    | 600         | 200        | 1000 x 600             | 1169 x 609 x 1800               | 269, 669, 1069, 1469      | 82            |
|  | 8412-1    | 600         | 200        | 1000 x 700             | 1169 x 709 x 1800               | 269, 669, 1069, 1469      | 85            |
|  | 8413-1    | 600         | 200        | 1200 x 800             | 1369 x 809 x 1800               | 269, 669, 1069, 1469      | 103           |
| Shelved trolleys with doors and roof                   | 8481-3DE  | 600         | 200        | 1000 x 600             | 1169 x 630 x 1552               | 269, 669, 1069            | 77,8          |
|  | 8482-3DE  | 600         | 200        | 1000 x 700             | 1169 x 730 x 1552               | 269, 669, 1069            | 83,7          |
|  | 8483-3DE  | 600         | 200        | 1200 x 800             | 1369 x 830 x 1552               | 269, 669, 1069            | 106           |
| Shelved trolleys with doors and roof                   | 8581-3DE  | 600         | 200        | 1000 x 600             | 1169 x 630 x 1800               | 269, 569, 869, 1169, 1469 | 104           |
|  | 8582-3DE  | 600         | 200        | 1000 x 700             | 1169 x 730 x 1800               | 269, 569, 869, 1169, 1469 | 115           |
|  | 8583-3DE  | 600         | 200        | 1200 x 800             | 1369 x 830 x 1800               | 269, 569, 869, 1169, 1469 | 140           |

# PARCEL CARTS

**Push handle:**

Mountable on both sides, also usable without handle.

**Many versions:**

Available with open longitudinal side, with double wing door, with roof.

**Inserts:**

Made of wire lattice or tubular steel.

**TPE castor:**

The innovative easy-running TPE-castor in the attractive fetra design is non-marking and odourless. Particularly smooth-running groove ball bearing.



Parcel cart **8582-1**



## Parcel carts Modular system

made of tubular and sectional steel, welded and powder coated blue RAL 5007, bolted construction.

Ends of tubular construction in 2 heights with intermediate uprights at intervals of approx. 130 mm or with ends and sides made of wire lattice 100 x 100 x 5 mm.

8381-1 | 8382-1 | 8383-1 with detachable side panels.

Platform made of special wood material boards, surface beech grain.

2 swivel and 2 fixed-wheel castors, TPE tyres 200 x 40 mm, hubs with groove ball bearing.

Swivel castors with wheel locks.

Total height/Useful height  
1552 mm/1280 mm  
1800 mm/1530 mm



8481-1 | 8482-1 | 8483-1



8581-1 | 8582-1 | 8583-1

## Shelves

Additional charge or price reduction for shelves including 1 pair of support brackets.

| Size mm    | Order no. |
|------------|-----------|
| 1000 x 600 | E8101ETAW |
| 1000 x 700 | E8102ETAW |
| 1200 x 800 | E8103ETAW |



8381-1 | 8382-1 | 8383-1

Accessories  
on pages 183-185

|              | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimensions L x W x H mm | Shelf heights mm | Net weight kg |
|--------------|-----------|-------------|------------|------------------------|---------------------------------|------------------|---------------|
| Parcel carts | 8481-1    | 600         | 200        | 1000 x 600             | 1169 x 609 x 1552               | 269              | 44            |
|              | 8482-1    | 600         | 200        | 1000 x 700             | 1169 x 709 x 1552               | 269              | 49            |
|              | 8483-1    | 600         | 200        | 1200 x 800             | 1369 x 809 x 1552               | 269              | 55            |
|              | 8581-1    | 600         | 200        | 1000 x 600             | 1169 x 609 x 1800               | 269              | 46            |
|              | 8582-1    | 600         | 200        | 1000 x 700             | 1169 x 709 x 1800               | 269              | 49            |
|              | 8583-1    | 600         | 200        | 1200 x 800             | 1369 x 809 x 1800               | 269              | 58            |
|              | 8381-1    | 600         | 200        | 1000 x 600             | 1169 x 630 x 1800               | 269              | 58            |
|              | 8382-1    | 600         | 200        | 1000 x 700             | 1169 x 730 x 1800               | 269              | 63            |
|              | 8383-1    | 600         | 200        | 1200 x 800             | 1369 x 830 x 1800               | 269              | 70            |

**Parcel carts**

**Modular system**

8481-3 | 8482-3 | 8483-3  
8581-3 | 8582-3 | 8583-3

with end and sides made of wire lattice. Made of tubular and sectional steel, welded and powder coated blue RAL 5007, bolted construction. Ends and sides made of wire lattice 100 x 100 x 5 mm.

With double wing doors at the open side panel.

Tubular steel frame with wire lattice 100 x 100 x 5 mm. Integrated bolt lock, doors lockable with padlock (not included in delivery), wing doors turnable till side panels.

Platform made of special wood material boards, surface beech grain.

2 swivel and 2 fixed-wheel castors, TPE tyres 200 x 40 mm, hubs with groove ball bearing.

Swivel castors with wheel locks.

Total height/ Useful height  
1552 mm / 1280 mm  
1800 mm / 1530 mm

8481-3D | 8482-3D  
8483-3D | 8581-3D  
8582-3D | 8583-3D

Construction as above, but additionally with roof made of wire lattice.

**Shelves**

Additional charge or price reduction for shelves including 1 pair of support brackets.

| Size mm    | Order no. |
|------------|-----------|
| 1000 x 600 | E8101ETAW |
| 1000 x 700 | E8102ETAW |
| 1200 x 800 | E8103ETAW |

**Accessories**

on pages 183-185



8481-3 | 8482-3 | 8483-3



8481-3D | 8482-3D | 8483-3D



8581-3 | 8582-3 | 8583-3



8581-3D | 8582-3D | 8583-3D



**Roof**

Made of tubular steel frame with wire lattice 100 x 100 x 5 mm, powder coated.

|  | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimensions L x W x H mm | Shelf heights mm | Net weight kg |
|--|-----------|-------------|------------|------------------------|---------------------------------|------------------|---------------|
| Parcel carts with double wing doors          | 8481-3    | 600         | 200        | 1000 x 600             | 1169 x 630 x 1552               | 269              | 58            |
|  | 8482-3    | 600         | 200        | 1000 x 700             | 1169 x 730 x 1552               | 269              | 61            |
|  | 8483-3    | 600         | 200        | 1200 x 800             | 1369 x 830 x 1552               | 269              | 65,5          |
|  | 8581-3    | 600         | 200        | 1000 x 600             | 1169 x 630 x 1800               | 269              | 62            |
|  | 8582-3    | 600         | 200        | 1000 x 700             | 1169 x 730 x 1800               | 269              | 63            |
|  | 8583-3    | 600         | 200        | 1200 x 800             | 1369 x 830 x 1800               | 269              | 70,5          |
| Parcel carts with double wing doors and roof | 8481-3D   | 600         | 200        | 1000 x 600             | 1169 x 630 x 1552               | 269              | 60,5          |
|  | 8482-3D   | 600         | 200        | 1000 x 700             | 1169 x 730 x 1552               | 269              | 63,5          |
|  | 8483-3D   | 600         | 200        | 1200 x 800             | 1369 x 830 x 1552               | 269              | 75            |
|  | 8581-3D   | 600         | 200        | 1000 x 600             | 1169 x 630 x 1800               | 269              | 65            |
|  | 8582-3D   | 600         | 200        | 1000 x 700             | 1169 x 730 x 1800               | 269              | 67,5          |
|  | 8583-3D   | 600         | 200        | 1200 x 800             | 1369 x 830 x 1800               | 269              | 79            |



# SHELVED TROLLEYS WITH DETACHABLE SHELVES



**Patented Insert-and-Bolt principle:**  
Shelves can be inserted into a 120 mm grid, either horizontally or at an incline of 15° or 30°. Easily installed without tools by one person.



**Shelves:**  
With 15 mm high rim made of angle steel on the longitudinal sides.



**TPE castor:**  
The innovative easy-running TPE-castor in the attractive fetra design is non-marking and odourless. Particularly smooth-running groove ball bearing.



**Alternatively with wire lattice:**  
Permeable and insensitive to dirt.



Shelved trolley 4296



# SHELVED TROLLEYS



4295 | 4296



4255 | 4256



4395 | 4396



4495 | 4496

## Shelved trolleys with detachable shelves

with horizontal or inclined, detachable shelves.

Tubular/sectional steel design, powder coated.

Fixed and detachable shelves made of derived timber material boards, surface beech gain, put into an angle steel frame with 15 mm high skirting at both sides. Detachable shelves variably insertable, distance between support rods 120 mm. Possible angle when inclined 15° or 30°.

2 swivel and 2 fixed-wheel castors, TPE tyres 200 x 40 mm, hubs with groove ball bearing.

Swivel castors with wheel locks.

Capacity per shelf 80 kg.

German Patent 102 55 281

## 4495 | 4496

as above, but with fixed and detachable shelves with welded wire lattice 140 x 40 mm, powder coated blue RAL 5007.

Capacity per shelf 50 kg.



|                  | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimensions L x W x H mm | No. of shelves | Net weight kg | Add. shelves |  |
|------------------|-----------|-------------|------------|------------------------|---------------------------------|----------------|---------------|--------------|--|
|                  |           |             |            |                        |                                 |                |               | Order no.    |  |
| Shelved trolleys | 4295      | 500         | 200        | 1250 x 610             | 1430 x 620 x 1560               | 3              | 68            | E4195ET      |  |
|                  | 4296      | 500         | 200        | 1650 x 610             | 1830 x 620 x 1560               | 3              | 85            | E4196ET      |  |
|                  | 4255      | 500         | 200        | 1250 x 610             | 1430 x 620 x 1560               | 4              | 83            | E4195ET      |  |
|                  | 4256      | 500         | 200        | 1650 x 610             | 1830 x 620 x 1560               | 4              | 105           | E4196ET      |  |
|                  | 4395      | 500         | 200        | 1250 x 610             | 1430 x 620 x 1800               | 4              | 86            | E4195ET      |  |
|                  | 4396      | 500         | 200        | 1650 x 610             | 1830 x 620 x 1800               | 4              | 108           | E4196ET      |  |
|                  | 4495      | 500         | 200        | 1250 x 610             | 1430 x 620 x 1800               | 4              | 73            | E4495ET      |  |
|                  | 4496      | 500         | 200        | 1650 x 610             | 1830 x 620 x 1800               | 4              | 87            | E4496ET      |  |

Accessories on pages 183-185