

# DRUM- | STEEL BOTTLE TROLLEYS

**Support wheels:**

Makes transport easier and helps when placing the drums on pallets or drain pan.

**Great variety:**

There is a suitable model for all bottle sizes and applications.

**Safety:**

Secure hold of the bottles due to hookable safety chain and rims on three sides of the shovels.

Drum- and Steel bottle trolley **1072 + 51122**



**Drum dollies**

Welded steel construction, powder coated, blue RAL 5007. 4 castor rollers, 2 with wheel lock. Wheels made of polyamide. Hubs with glide bearing. Wheel size 80 x 35 mm.

**1360**

Drum dolly for upright transport of 60 and 200 litres steel drums. Welded flat steel construction. Cross struts bent down at right angles Ø 420 mm for 60 litres steel drums. Interior of outer race Ø 610 mm for 200 litres steel drums.



1360



1361

**1361**

Drum dolly for upright transport of 200 litres steel drums. With closed sheet steel save-pan, oil-proof welded. Interior-Ø 630 mm, rim 80 mm high.



13600



13610

**13600**

As 1360, but with handle screw-on type, with 2 eyelets and 1 clamping band.

**13610**

As 1361, handle screw-on type, with 2 eyelets and 1 clamping band.

**13650**

Drum dolly for upright transport or storage of 200 litre steel drums.

Welded cross made of square pipe, with anti-slip corners, powder coated blue RAL 5007.



13650

	Order no.	Capacity kg	Wheel-Ø mm	Total height mm	Net weight kg
Drum dollies	1360	250	80 x 35	154	12
	1361	250	80 x 35	179	15
	13600	250	80 x 35	914	16
	13610	250	80 x 35	894	17
	13650	250	80 x 35	159	6



**Drum trolleys**  
**1065 | 1066**

Drum trolleys, welded tubular steel, powder coated, RAL blue 5007, durable surface protection.

Wheels either with solid rubber tyres 250 x 60 mm or pneumatic tyres 260 x 85 mm, hubs with roller bearings.

Suitable for all rimmed 200 litre drums.  
Height: 1600 mm  
Width: 680 mm

**1071 | 1072**

As for 1066, but with an additional supporting castor wheel made of TPE 200 x 40 mm.



**2078 | 2079**

As for 1066, but with 2 additional supporting castor wheels made of solid rubber blue-grey, 160 x 40 mm.


With this version, filled barrels can easily be loaded and unloaded from pallets.

**2080 | 2081**

Drum trolley for 120-220-litre plastic drums, welded tubular steel, blue RAL 5007, surface durably protected.

Wheels with solid rubber tyres 250 x 60 mm or pneumatic tyres 260 x 85 mm, hubs with roller bearings.

Tension belt to secure the drums.  
Height: 1300 mm  
Width: 640 mm



Parking a drum on drain pan.



Trolley with drum in filling position.



	Order no.	Capacity kg	Tyres	Net weight kg
Drum trolleys	1065	300	Solid rubber	16
	1066	300	Pneumatic	14
	1071	300	Solid rubber	22
	1072	300	Pneumatic	20
	2078	300	Solid rubber	23
	2079	300	Pneumatic	21
	2080	250	Solid rubber	20
	2081	250	Pneumatic	18

Accessories on page 186



**Mobile drum cradles**

For transporting, storing and draining of 200-litre drums. Tubular steel construction, bolted, powder coated blue RAL 5007. Tension belt to secure the drums. Flat packed for easy self assembly.

**2015**

mobile drum cradle with lever handle, mobile. With rollers for turning the drums. Applying the drums without lever handle, as shown in application below. 2 polyamide swivel castors 125 x 38 mm and 2 polyamide wheels 150 x 40 mm. Swivel castors with wheel locks.

**2016**

As 2015, but with 2 steel rolls 50 mm Ø and 500 mm long.

For easy turning of drums. Particularly suitable for thin walled drums.



2015




2016



Application



**Oil drain pan 2019**  
As add-on kit for drum cradle 2015 and 2016, extricable. Plastic oil drain pan 12 litres content.



**Lever handle 2020**  
Delivery without lever handle possible (application of multiple drum cradles). Please indicate when ordering: e.g. „2015-2020“



	Order no.	Capacity kg	Outside dimensions L x W x H mm	Net weight kg
Mobile drum cradles with lever handle	2015	250	900 x 615 x 600	21
	2016	250	900 x 615 x 600	24
Oil drain pan	2019	-	-	3,4
Lever handle (separate)	2020	-	-	4,2



2702\* | 2703\*



2722



1385



1386



1397

## Drum trolley

2702 | 2703

Welded steel construction, oil pan 100 mm high, oil-tight, powder coated blue RAL 5007. Grid flush inserted, mesh size 31 x 31 mm, hot-dip galvanised. 2 swivel and 2 fixed-wheel castors 125 x 38 mm, made of polyamide, hubs with roller bearings.

Swivel castors with wheel locks.

For transporting one or two 200-litres drums. Prevents damage in the event of oil leakage. Drain pan 45/54 litres.

## Table top cart

2722

Top steel tray 100 mm high, oil-tight. Base with conical drain and drain tap 1/2".

Grid with mesh width of 31 x 31 mm, loosely inserted, flush at the top hot-dip galvanised. Lower steel plate tray 25 mm high, oil-tight.

2 swivel and 2 fixed-wheel castors, TPE tyres, hubs with groove ball bearing. Swivel castors with locks.

Shelf heights: 181/901 mm  
Capacity upper shelf: 100 kg

## Waste collectors

1385 | 1386

Waste collectors in tubular steel design, powder coated, RAL 7035 grey. PVC lid and clamping ring, aperture Ø 340 mm.

Suitable for 120 litre rubbish bags.

1385 = 4 support legs  
1386 = 2 support legs and 2 wheels with solid rubber tyres 150 mm Ø

Flat packed for easy self assembly.

## Waste collector

1397

Waste collector with clamp for tube-Ø 27 mm. Powder coated blue RAL 5007. PVC lid and clamping ring, aperture Ø 340 mm. Suitable for 120 litre rubbish bags.

\*Can not be fitted with FIXSTOP.

	Order no.	Capacity kg	Wheel-Ø mm	Platform size L x W mm	Outside dimensions L x W x H mm	Net weight kg
Drum trolley	2702*	400	125	1000 x 600	1130 x 611 x 990	37
	2703*	600	125	1250 x 650	1380 x 661 x 990	55
Table top cart	2722	300	125	1000 x 600	1136 x 611 x 1030	52

	Order no.	Height mm	Width mm	Depth mm	Net weight kg
Waste collectors	1385	960	500	500	5
	1386	960	500	500	9
	1397	333	574	376	4



**Steel bottle trolleys**

Welded and powder coated blue RAL 5007, tubular steel design. Bottle support with safety chain. Wheels optionally with solid rubber or pneumatic tyres, hubs with roller bearings.

**51005**

For 2 bottles, each 10 litres contents, Ø 140 mm. Wheels only with TPE tyres 200 x 40 mm.

**51006 | 51007**

For 2 bottles, each 20 litres contents, Ø 204 mm.

**51011 | 51012**

For 2 bottles, each 40-50 litres contents, Ø 204-229 mm. Receptacle for welding wire.

**51021 | 51022**

As 51011 | 51012, but with 1 additional supporting castor wheel, TPE tyre 200 x 40 mm.

**Tool box**

**51060**

Powder coated RAL 7035 grey

Size L x W x H:

450 x 200 x 150 mm

Lockable with padlock (not included in delivery).

**Suitable for:**

51006 | 51007

51011 | 51012



51005



51006 | 51007



51011 | 51012



51021 | 51022



Tool box 51060

	Order no.	Capacity kg	Height mm	Total width mm	No. of bottles x size in litres or kg	Solid rubber tyres mm	Pneumatic tyres mm	Net weight kg
Steel bottle trolleys	51005	50	1000	505	2 x 10	-	-	7,5
	51006	100	1100	760	2 x 20	260 x 56	-	19,5
	51007	100	1100	760	2 x 20	-	260 x 85	17
	51011	150	1300	830	2 x 40 - 50	400 x 74	-	28
	51012	150	1300	830	2 x 40 - 50	-	400 x 100	18
	51021	150	1300	830	2 x 40 - 50	400 x 74	-	35
	51022	150	1300	830	2 x 40 - 50	-	400 x 100	25
	Tool box	51060	-	-	-	-	-	-

Accessories on page 186



51091 | 51092



51101 | 51102



51121 | 51122

## Steel bottle trolleys

Welded and powder coated blue RAL 5007, tubular steel design.

Bottle support with chain.

Wheels optionally with solid rubber or pneumatic tyres, hubs with roller bearings.

### 51091 | 51092

For 1 steel bottle 10 litres content, Ø 140 mm.

### 51101 | 51102

For 1 steel bottle 20, 40 or 50 litres contents, Ø 204-229 mm.

### 51121 | 51122

with screwable bottle support for 1 propane gas bottle 33 kg content, Ø 318 mm or for 1 propane gas bottle 11 kg content, Ø 300 mm.

	Order no.	Capacity kg	Height mm	Total width mm	No. of bottles x size in litres or kg	Solid rubber tyres mm	Pneumatic tyres mm	Net weight kg
Steel bottle trolleys	51091	100	1240	420	1 x 10	260 x 56	-	11
	51092	100	1240	430	1 x 10	-	260 x 85	9
	51101	100	1240	500	1 x 20 - 50	260 x 56	-	11
	51102	100	1240	510	1 x 20 - 50	-	260 x 85	8,5
	51121	100	1240	550	1 x 11 / 1 x 33	260 x 56	-	14,5
	51122	100	1240	560	1 x 11 / 1 x 33	-	260 x 85	12

Accessories on page 186



**Steel bottle stairway truck 51325**

For transport on stairs.

For 1 steel bottle of 20, 40 and 50 litres contents or 1 propane gas bottle 11 and 33 kg. Stairway truck TK 1325 is the basis product, additionally equipped with 4 perforated wide cross struts to screw bottle support with safety chain.

With 2 three-armed wheel spiders, each equipped with 3 TPE tyres 160 mm Ø.

Tubular steel, powder coated, blue RAL 5007.

**Steel bottle dolly 51160**

Steel bottle dolly for 1 propane gas bottle 11 kg contents, Ø 300 mm. Welded steel construction, powder coated blue RAL 5007. Interior-Ø 310 mm. 4 castor wheels, 2 with wheel locks. TPE tyres 75 x 25 mm, hubs with ball bearings.

**51161**

as 51160, but additionally with a clamp for winding up hose and a holder for shrink wrapping pistols.

**51162**

as 51161, but additionally with a holder for commercially available preheating and flame burners.



51325



51160



51161



51162



Example of use 51161



Example of use 51162

	Order no.	Capacity kg	Height mm	Total width mm	No. of bottles x size in litres or kg	TPE tyres mm	Net weight kg
<b>Steel bottle stairway truck</b>	51325	200	1300	590	1 x 20 – 50	160 x 40	22
<b>Steel bottle dollies</b>	51160	80	970	410	1 x 11	75 x 25	7
	51161	80	970	410	1 x 11	75 x 25	9,7
	51162	80	970	410	1 x 11	75 x 25	10

Accessories on page 186





51150



51114 | 51123 | 51132

**Steel bottle stand  
51150**

Stand for 2 bottles, each 40-50 litres contents, Ø 204-229 mm. Steel section/ steel sheet design, powder coated. Secured with chain. Pre-drilled for connecting or for wall fixing.

**Wall mounting  
51114 - 51332**

Wall mounting for 1-3 steel bottles, bottle-Ø 140, 230 and 320 mm. Steel sheet construction, pre-drilled U-shaped rail for wall fixing, 1-3 bottle clamps, secured with chain, hot-dip galvanized.



51214 | 51223 | 51232



51314 | 51323 | 51332

	Order no.	Capacity kg	Height mm	Total width mm	No. of bottles	Bottles-Ø mm	Net weight kg
<b>Steel bottle stand</b>	51150	100	1000	550	2	204-229	15
<b>Wall mounting</b>	51114	-	45	210	1	140	0,8
	51123	-	45	300	1	230	1,0
	51132	-	45	390	1	320	1,3
	51214	-	45	420	2	140	1,6
	51223	-	45	600	2	230	2,1
	51232	-	45	780	2	320	2,3
	51314	-	45	630	3	140	1,9
	51323	-	45	900	3	230	3,2
	51332	-	45	1170	3	320	4,1