

04 | IMPACT SOCKETS & ACCESSORIES

ALL SP TOOLS IMPACT SOCKETS AND ACCESSORIES ARE MANUFACTURED FROM HIGH GRADE CHROME MOLYBDENUM STEEL AND EXCEED INTERNATIONAL DIN STANDARDS. DESIGNED TO WITHSTAND THE RIGOURS OF INDUSTRIAL AND TRADE USE.

DIN

INDUSTRY LEADING IMPACT SOCKETS

Impact Sockets are designed to receive higher torque loads, which are delivered by a percussive method. This load needs to be accounted for in the design, therefore impact sockets are designed to be thicker and made from a more durable material.

SP Tools has become the industry leader in standards for both large and small fasteners. SP impact sockets are constructed from chrome molybdenum steel, a ductile material that adds additional elasticity to the socket and tends to bend or stretch rather than shatter.

SP Tools premium range of impact sockets and accessories have been designed to withstand the rigors of industrial use. Impact sockets are used on a wide and varied range of heavy industry applications like cars and trucks, mining equipment, maritime equipment, ocean liners, large-scale plumbing and piping, and installation of power generators, primarily because of its higher breaking strain.

A normal hand socket is made from chrome which works well for small spaces where a component can be easily removed. It's easier to manufacture a small standard socket, but with larger impact sockets, you need a better quality, more flexible material.

To put the importance of an impact socket's quality in perspective, if you apply several thousand pounds of torque through an inferior tool, the part will explode doing grave damage to its surroundings. Therefore, the quality of an impact socket is also paramount to the safety of workers.

The material difference between a standard chrome hand socket and impact socket is that an impact socket is made from chrome molybdenum steel. Molybdenum is a strong mineral, graphite coloured in appearance and the impact socket endcast is constructed from this compound, resulting in a more solid tool through and through.

The SP tools impact socket category covers a very large range of drive sizes. The drive sizes include connection point sizes ranging from as small as 3/8", 1/2", 3/4", up to 1", 1-1/2", 2-1/2".

In addition to this, SP Tools manufactures a large range of specialty impact sockets and accessories such as wheel-nut sockets for both cars and trucks, extension bars, wobble drives and many adaptors to get the right size socket onto job.

FLAT DRIVE TECHNOLOGY

FLAT DRIVE TECHNOLOGY MAXIMISES CONTACT ON THE FLAT SIDES OF THE BOLT OR NUT, NOT THE POINTS.



SUB-CATEGORIES:

IMPACT BARS	196
3/8"DR IMPACT SOCKET SETS	196
1/2"DR IMPACT SOCKET SETS	197
3/4"DR IMPACT SOCKET SETS	199
1"DR IMPACT SOCKET SETS	200
IMPACT SOCKET RAIL SETS	201
INDIVIDUAL 3/8" IMPACT SOCKETS & ACCESSORIES	204
INDIVIDUAL 1/2" IMPACT SOCKETS & ACCESSORIES	206
INDIVIDUAL 3/4" IMPACT SOCKETS & ACCESSORIES	209
INDIVIDUAL 1" IMPACT SOCKETS & ACCESSORIES	211
INDIVIDUAL 1-1/2" IMPACT SOCKETS & ACCESS.	213
INDIVIDUAL 2-1/2" IMPACT SOCKETS & ACCESS.	215

IMPACT BARS

SHOCK FROZEN NUTS

1/2" DR

IMPACT SOCKET SETS

IMPACT BARS

- Creates impact to shock frozen nuts loose
- 8x Torque multiplication with a single hammer blow
- No compressed air required for operation
- Bi-directional - Use to loosen or tighten fasteners
- Swivel head aids with operation in limited access situations and allows for speed brace action to spin fasteners off after initial loosening
- Impact absorbing composite handle
- Use with impact sockets
- Applications include: automotive engine repairs, under body repairs, small engine repairs, industrial, all terrain vehicles, on site servicing, heavy vehicle toolkits



AVAILABLE IN 2 SIZES

- SP70863 1/2" DR (265mm Long)
- SP70868 3/4" DR (295mm Long)

3/8" DR

IMPACT SOCKET SETS

SP31260

3/8" DR IMPACT TWIST SOCKET SET

12 PIECE



CONTENTS

- 3/8" DR TWIST IMPACT SOCKETS & ACCESSORIES
- Metric: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm
 - Pin punch for bolt removal

EFFORTLESS REMOVAL OF ROUNDED BOLTS OR LUG NUTS

Twisted teeth dig in to rounded bolts/lug nuts to provide extreme grip for easy removal.



- Trade tough - suitable for use with pneumatic and electric/cordless impact wrenches
- Premium quality, high strength Chrome Molybdenum steel (Cr-Mo) for extreme durability
- Tools housed in a heavy duty steel case
- Manufactured to DIN standards



SP20310

1/2" DR IMPACT SOCKET SET

METRIC ONLY

15 PIECE



CONTENTS

- 1/2" DR IMPACT SOCKETS & ACCESSORIES
- 10, 11, 12, 13, 14, 15, 17, 18, 19, 21, 22 & 24mm
 - Impact Extension Bars - 75mm & 125mm
 - Impact Universal Joint

SP20315

1/2" DR IMPACT SOCKET SET

SAE ONLY

14 PIECE



CONTENTS

- 1/2" DR IMPACT SOCKETS & ACCESSORIES
- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 & 1"
 - Impact Extension Bars - 75mm & 125mm
 - Impact Universal Joint



SP20322

COLOUR CODED

1/2" DR IMPACT SOCKET SET

STANDARD & DEEP

40 PIECE - METRIC



1/2" DR IMPACT SOCKETS & ACCESSORIES

- Standard - 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 30mm
- Deep - 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 30mm
- Universal Joint
- Extension Bar - 125mm

METRIC

SP20327

COLOUR CODED

1/2" DR IMPACT SOCKET SET

STANDARD & DEEP

34 PIECE - SAE



1/2" DR IMPACT SOCKETS & ACCESSORIES

- Standard - 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1-1/16, 1-1/8, 1-3/16, 1-1/4"
- Deep - 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1-1/16, 1-1/8, 1-3/16, 1-1/4"
- Universal Joint
- Extension Bar - 125mm

SAE



- Flat drive technology offers maximum contact and grip
- Trade tough - suitable for use with pneumatic and electric/cordless impact wrenches
- Premium quality, high strength Chrome Molybdenum steel (Cr-Mo) for extreme durability
- Tools housed in a heavy duty steel case
- Manufactured to DIN standards

1/2"DR IMPACT SOCKET SETS CONTINUED



SP20320

1/2"DR IMPACT SOCKET SET DEEP - METRIC ONLY 15 PIECE



CONTENTS

- 1/2"DR IMPACT SOCKETS & ACCESSORIES
- 10, 11, 12, 13, 14, 15, 17, 18, 19, 21, 22 & 24mm
 - Impact Extension Bars - 75mm & 125mm
 - Impact Universal Joint

SP20325

1/2"DR IMPACT SOCKET SET DEEP - SAE ONLY 14 PIECE



CONTENTS

- 1/2"DR IMPACT SOCKETS & ACCESSORIES
- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 & 1"
 - Impact Extension Bars - 75mm & 125mm
 - Impact Universal Joint

- Flat drive technology offers maximum contact and grip
- Trade tough - suitable for use with pneumatic and electric/cordless impact wrenches
- Premium quality, high strength Chrome Molybdenum steel (Cr-Mo) for extreme durability
- Tools housed in a heavy duty steel case
- Manufactured to DIN standards

SP20370

1/2"DR IMPACT SOCKET SET INHEX - METRIC ONLY 8 PIECE



- 1/2"DR IMPACT SOCKETS & ACCESSORIES
- 4, 5, 6, 7, 8, 10, 12, 14 & 17mm

SP20375

1/2"DR IMPACT SOCKET SET INHEX - SAE ONLY 8 PIECE



- 1/2"DR IMPACT SOCKETS & ACCESSORIES
- 3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16 & 5/8"

SP20380

1/2"DR IMPACT SOCKET SET TORX ONLY 8 PIECE



- 1/2"DR IMPACT SOCKETS & ACCESSORIES
- T20, T25, T30, T40, T45, T50, T55, T60 & T70



- Flat drive technology offers maximum contact and grip
- Trade tough - suitable for use with pneumatic and electric/cordless impact wrenches
- Premium quality, high strength Chrome Molybdenum steel (Cr-Mo) for extreme durability
- Tools housed in a heavy duty steel case
- Manufactured to DIN standards

> 3/4"DR IMPACT SOCKET SETS



SP20410

3/4"DR IMPACT SOCKET SET METRIC ONLY 8 PIECE



- 3/4"DR IMPACT SOCKETS
- 24, 27, 30, 32, 34, 36, 41 & 46mm

SP20415

3/4"DR IMPACT SOCKET SET SAE ONLY 8 PIECE



- 3/4"DR IMPACT SOCKETS
- 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16 & 1-1/2"

- Flat drive technology offers maximum contact and grip
- Trade tough - suitable for use with pneumatic and electric/cordless impact wrenches
- Premium quality, high strength Chrome Molybdenum steel (Cr-Mo) for extreme durability
- Tools housed in a heavy duty steel case
- Manufactured to DIN standards



SP20420

3/4"DR IMPACT SOCKET SET DEEP - METRIC ONLY 8 PIECE



- 3/4"DR IMPACT SOCKETS
- 24, 27, 30, 32, 34, 36, 41 & 46mm

SP20425

3/4"DR IMPACT SOCKET SET DEEP - SAE ONLY 8 PIECE



- 3/4"DR IMPACT SOCKETS
- 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16 & 1-1/2"

- Flat drive technology offers maximum contact and grip
- Trade tough - suitable for use with pneumatic and electric/cordless impact wrenches
- Premium quality, high strength Chrome Molybdenum steel (Cr-Mo) for extreme durability
- Tools housed in a heavy duty steel case
- Manufactured to DIN standards

> 1" DR IMPACT SOCKET SETS

> IMPACT SOCKET RAILS

- FEATURES:**
- Flat drive technology offers maximum contact and grip
 - Trade tough - suitable for use with pneumatic and electric/cordless impact wrenches
 - Premium quality, high strength Chrome Molybdenum steel (Cr-Mo) for extreme durability
 - Manufactured to DIN standards

DIN



SP20510

1" DR IMPACT SOCKET SET METRIC ONLY 9 PIECE



- 1" DR IMPACT SOCKETS
• 27, 30, 32, 34, 36, 38, 41, 46 & 50mm

SP20515

1" DR IMPACT SOCKET SET SAE ONLY 9 PIECE



- 1" DR IMPACT SOCKETS
• 1, 1-1/8, 1-1/4, 1-3/8, 1-1/2, 1-5/8, 1-3/4, 1-7/8 & 2"

- Flat drive technology offers maximum contact and grip
- Trade tough - suitable for use with pneumatic and electric/cordless impact wrenches
- Premium quality, high strength Chrome Molybdenum steel (Cr-Mo) for extreme durability
- Tools housed in a heavy duty steel case
- Manufactured to DIN standards



3/8" DR IMPACT SOCKET RAIL SETS



3/8" DR IMPACT SOCKET RAIL SET METRIC ONLY 10 PIECE

- 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm Impact Sockets
- 1 x Socket Rail



3/8" DR IMPACT SOCKET RAIL SET DEEP - METRIC ONLY 10 PIECE

- 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm Impact Sockets
- 1 x Socket Rail



3/8" DR IMPACT SOCKET RAIL SET STUBBY - METRIC ONLY 10 PIECE

- 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm Impact Sockets
- 1 x Socket Rail



3/8" DR SWIVEL IMPACT SOCKET RAIL SET - METRIC ONLY 10 PIECE

- 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm Swivel Impact Sockets
- 1 x Socket Rail



3/8" DR SWIVEL IMPACT SOCKET RAIL SET - SAE ONLY 7 PIECE

- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 & 3/4" Swivel Impact Sockets
- 1 x Socket Rail



1/2"DR IMPACT SOCKET RAIL SETS

- Flat drive technology offers maximum contact and grip
- Trade tough - suitable for use with pneumatic and electric/cordless impact wrenches
- Premium quality, high strength Chrome Molybdenum steel (Cr-Mo) for extreme durability
- Manufactured to DIN standards



1/2"DR IMPACT SOCKET RAIL SET METRIC ONLY 11 PIECE

- 10, 12, 13, 14, 15, 17, 18, 19, 21, 22 & 24mm Impact Sockets
- 1 x Socket Rail



1/2"DR IMPACT SOCKET RAIL SET SAE ONLY 11 PIECE

- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 & 1" Impact Sockets
- 1 x Socket Rail



1/2"DR IMPACT SOCKET RAIL SET DEEP - METRIC ONLY 11 PIECE

- 10, 12, 13, 14, 15, 17, 18, 19, 21, 22 & 24mm Deep Impact Sockets
- 1 x Socket Rail



1/2"DR IMPACT SOCKET RAIL SET SAE ONLY 11 PIECE

- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 & 1" Impact Sockets
- 1 x Socket Rail



1/2"DR SWIVEL IMPACT SOCKET RAIL SET - METRIC ONLY 13 PIECE

- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 & 24mm Swivel Impact Sockets
- 1 x Socket Rail



1/2"DR SWIVEL IMPACT SOCKET RAIL SET - SAE ONLY 9 PIECE

- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 & 7/8" Swivel Impact Sockets
- 1 x Socket Rail



CONTINUED 1/2"DR IMPACT SOCKET RAIL SETS



1/2"DR IMPACT SOCKET RAIL SET STUBBY - METRIC ONLY 12 PIECE

- 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22 & 24mm Impact Sockets
- 1 x Socket Rail



1/2"DR IMPACT SOCKET RAIL SET TAMPER SPLINE 8 PIECE

- 4x 44mm (L): M12, M14, M16 & M18
- 4x 77mm (L): M12, M14, M16 & M18



1/2"DR IMPACT SOCKET RAIL SET WHEEL NUT - METRIC ONLY 5 PIECE

- 14, 17, 19, 21 & 22mm
- 1 x Socket Rail

FEATURES

- Ideal for quick tyre changes
- Sockets are sleeved to protect alloy wheels and nuts
- Colour coded for easy size selection 1/2 sq. drive
- Molybdenum steel (Cr-Mo)
- Hardened, tempered and anodised for corrosion resistance



3/4"DR IMPACT SOCKET RAIL SETS



3/4"DR IMPACT SOCKET RAIL SET DOUBLE SQUARE - METRIC ONLY 3 PIECE

- 17, 19 & 21mm Square Impact Sockets
- 1 x Socket Rail

FEATURES

- Ideal for applications where specialised double square impact sockets are required
- High strength Chrome Molybdenum
- Trade tough
- Manufactured to DIN standards
- Lifetime warranty



IMPACT SOCKETS

INDIVIDUAL

FULL RANGE OF INDIVIDUAL IMPACT SOCKETS AND ACCESSORIES AVAILABLE

3/8"DR INDIVIDUAL IMPACT SOCKETS

3/8"DR IMPACT SOCKETS METRIC



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
7mm	SP22707	13mm	SP22713	19mm	SP22719
8mm	SP22708	14mm	SP22714	20mm	SP22720
9mm	SP22709	15mm	SP22715	21mm	SP22721
10mm	SP22710	16mm	SP22716	22mm	SP22722
11mm	SP22711	17mm	SP22717		
12mm	SP22712	18mm	SP22718		

3/8"DR IMPACT SOCKETS SAE



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
1/4"	SP22751	1/2"	SP22755	3/4"	SP22759
5/16"	SP22752	9/16"	SP22756	13/16"	SP22760
3/8"	SP22753	5/8"	SP22757	7/8"	SP22761
7/16"	SP22754	11/16"	SP22758		

3/8"DR DEEP IMPACT SOCKETS METRIC



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
7mm	SP22807	13mm	SP22813	19mm	SP22819
8mm	SP22808	14mm	SP22814	20mm	SP22820
9mm	SP22809	15mm	SP22815	21mm	SP22821
10mm	SP22810	16mm	SP22816	22mm	SP22822
11mm	SP22811	17mm	SP22817		
12mm	SP22812	18mm	SP22818		

3/8"DR DEEP IMPACT SOCKETS SAE



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
5/4"	SP22851	1/2"	SP22855	3/4"	SP22859
5/16"	SP22852	9/16"	SP22856	13/16"	SP22860
3/8"	SP22853	5/8"	SP22857	7/8"	SP22861
7/16"	SP22854	11/16"	SP22858		

CONTINUED 3/8"DR INDIVIDUAL IMPACT SOCKETS

3/8"DR SWIVEL IMPACT SOCKET METRIC



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
10mm	SP28230	14mm	SP28234	18mm	SP28238
11mm	SP28231	15mm	SP28235	19mm	SP28239
12mm	SP28232	16mm	SP28236		
13mm	SP28233	17mm	SP28237		

3/8"DR SWIVEL IMPACT SOCKET SAE



SIZE	MODEL	SIZE	MODEL
3/8"	SP28283	5/8"	SP28287
7/16"	SP28284	11/16"	SP28288
1/2"	SP28285	3/4"	SP28289
9/16"	SP28286		

3/8"DR IMPACT SOCKETS INHEX - METRIC



SIZE	MODEL
4mm	SP22904
5mm	SP22905
6mm	SP22906
7mm	SP22907
8mm	SP22908
9mm	SP22909
10mm	SP22910

3/8"DR IMPACT SOCKETS INHEX - SAE



SIZE	MODEL
1/4"	SP22953
9/32"	SP22954
5/16"	SP22955
3/8"	SP22956
7/16"	SP22957
1/2"	SP22958
9/16"	SP22959
5/8"	SP22960

3/8"DR INDIVIDUAL IMPACT ACCESSORIES

3/8"DR IMPACT EXTENSION BARS INDIVIDUAL

- Extensions are extremely useful for reaching and accessing hard to reach nuts and bolts in engine bays
- High strength Chrome Molybdenum (Cr-Mo) for high durability
- Manufactured to DIN standards

LENGTH	MODEL
75mm	SP22345
150mm	SP22346
250mm	SP22347



3/8"DR UNIVERSAL IMPACT JOINT



- Flexible Joint - Ideal for accessing hard to reach nuts and bolts
- Chrome Molybdenum (Cr-Mo) for high durability
- Meets & exceeds international DIN standard

SP22350

3/8"DR IMPACT ADAPTOR



SIZE	MODEL
1/2" M	SP22356

- Adaptor allows for sockets from other drives to be used on non-corresponding ratchet handles
- Chrome Molybdenum (Cr-Mo) for high durability

1/2"DR INDIVIDUAL IMPACT SOCKETS

1/2"DR IMPACT SOCKETS METRIC



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
8mm	SP23708	17mm	SP23717	26mm	SP23726
10mm	SP23710	18mm	SP23718	27mm	SP23727
11mm	SP23711	19mm	SP23719	30mm	SP23730
12mm	SP23712	20mm	SP23720	32mm	SP23732
13mm	SP23713	21mm	SP23721	33mm	SP23733
14mm	SP23714	22mm	SP23722	34mm	SP23734
15mm	SP23715	23mm	SP23723	35mm	SP23735
16mm	SP23716	24mm	SP23724	36mm	SP23736

1/2"DR IMPACT SOCKETS SAE



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
5/16"	SP23752	3/4"	SP23759	1-3/16"	SP23766
3/8"	SP23753	13/16"	SP23760	1-1/4"	SP23767
7/16"	SP23754	7/8"	SP23761	1-5/16"	SP23768
1/2"	SP23755	5/16"	SP23762	1-3/8"	SP23769
9/16"	SP23756	1"	SP23763	1-7/16"	SP23770
5/8"	SP23757	1-1/16"	SP23764	1-1/2"	SP23771
11/16"	SP23758	1-1/8"	SP23765		

1/2"DR DEEP IMPACT SOCKETS METRIC



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
8mm	SP23808	17mm	SP23817	26mm	SP23826
10mm	SP23810	18mm	SP23818	27mm	SP23827
11mm	SP23811	19mm	SP23819	30mm	SP23830
12mm	SP23812	20mm	SP23820	32mm	SP23832
13mm	SP23813	21mm	SP23821	33mm	SP23833
14mm	SP23814	22mm	SP23822	34mm	SP23834
15mm	SP23815	23mm	SP23823	35mm	SP23835
16mm	SP23816	24mm	SP23824	36mm	SP23836

1/2"DR DEEP IMPACT SOCKETS SAE



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
5/16"	SP23852	3/4"	SP23859	1-3/16"	SP23866
3/8"	SP23853	13/16"	SP23860	1-1/4"	SP23867
7/16"	SP23854	7/8"	SP23861	1-5/16"	SP23868
1/2"	SP23855	15/16"	SP23862	1-3/8"	SP23869
9/16"	SP23856	1"	SP23863	1-7/16"	SP23870
5/8"	SP23857	1-1/16"	SP23864	1-1/2"	SP23871
11/16"	SP23858	1-1/8"	SP23865		

CONTINUED 1/2"DR INDIVIDUAL IMPACT SOCKETS

1/2"DR WHEEL NUT IMPACT SOCKETS METRIC



- Ideal for quick tyre changes
- Sockets are sleeved to protect alloy wheels and nuts
- Colour coded for easy size selection
- 1/2 sq. drive
- Molybdenum steel (Cr-Mo)
- Hardened, tempered and anodised for corrosion resistance

SIZE	MODEL	SIZE	MODEL
14mm	SP20391	21mm	SP20396
17mm	SP20393	22mm	SP20397
19mm	SP20395	24mm	SP20398

1/2"DR FLIP IMPACT SOCKETS METRIC



- Flip Sockets are ideal for frequent work with wheels, rims and wheel nuts/lug nuts
- Makes wheel removal quick and easy
- High strength Chrome Molybdenum
- Trade tough - suitable for use with pneumatic and electric impact wrenches
- Manufactured to DIN standards

SIZE	MODEL
17mm x 19mm	SP23890
19mm x 21mm	SP23892
21mm x 22mm	SP23894

1/2"DR STUBBY IMPACT SOCKETS METRIC



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
10mm	SP28310	15mm	SP28315	21mm	SP28321
11mm	SP28311	16mm	SP28316	22mm	SP28322
12mm	SP28312	17mm	SP28317	24mm	SP28324
13mm	SP28313	18mm	SP28318		
14mm	SP28314	19mm	SP28319		

1/2"DR SWIVEL IMPACT SOCKET METRIC



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
10mm	SP28330	15mm	SP28335	21mm	SP28341
11mm	SP28331	16mm	SP28336	22mm	SP28342
12mm	SP28332	17mm	SP28337	24mm	SP28344
13mm	SP28333	18mm	SP28338		
14mm	SP28334	19mm	SP28339		

1/2"DR SWIVEL IMPACT SOCKET SAE



SIZE	MODEL	SIZE	MODEL
3/8"	SP28383	11/16"	SP28388
7/16"	SP28384	3/4"	SP28389
1/2"	SP28385	13/16"	SP28390
9/16"	SP28386	7/8"	SP28391
5/8"	SP28387		

1/2"DR INDIVIDUAL IMPACT SOCKETS CONTINUED

1/2"DR IMPACT SOCKETS INHEX - METRIC



SIZE	MODEL
4mm	SP23904
5mm	SP23905
6mm	SP23906
7mm	SP23907
8mm	SP23908
9mm	SP23909
10mm	SP23910
12mm	SP23912
14mm	SP23914
17mm	SP23917
19mm	SP23919

1/2"DR IMPACT SOCKETS INHEX - SAE



SIZE	MODEL
3/16"	SP23951
7/32"	SP23952
1/4"	SP23953
9/32"	SP23954
5/16"	SP23955
3/8"	SP23956
7/16"	SP23957
1/2"	SP23958
9/16"	SP23959
5/8"	SP23960
11/16"	SP23961
3/4"	SP23962

1/2"DR IMPACT SOCKETS TORX



SIZE	MODEL
T20	SP23981
T25	SP23982
T30	SP23984
T40	SP23985
T45	SP23986
T50	SP23987
T55	SP23988
T60	SP23989
T70	SP23990

1/2"DR INDIVIDUAL IMPACT ACCESSORIES

1/2"DR IMPACT EXTENSION BARS

INDIVIDUAL

- Extensions are extremely useful for reaching and accessing hard to reach nuts and bolts in engine bays
- High strength Chrome Molybdenum (Cr-Mo) for high durability
- Manufactured to DIN standards

LENGTH	MODEL
75mm	SP23345
125mm	SP23346
250mm	SP23347
300mm	SP23348



1/2"DR UNIVERSAL IMPACT JOINT



- Flexible Joint - Ideal for accessing hard to reach nuts and bolts
- Chrome Molybdenum (Cr-Mo) for high durability
- Meets & exceeds international DIN standard

SP23350

1/2"DR IMPACT ADAPTOR



SIZE	MODEL
3/8" M	SP23355
3/4" M	SP23356

- Adaptor allows for sockets from other drives to be used on non-corresponding ratchet handles
- Chrome Molybdenum (Cr-Mo) for high durability

3/4"DR INDIVIDUAL IMPACT SOCKETS

3/4"DR IMPACT SOCKETS METRIC



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
17mm	SP24717	28mm	SP24728	46mm	SP24746
18mm	SP24718	29mm	SP24729	50mm	SP24750
19mm	SP24719	30mm	SP24730	52mm	SP24752
20mm	SP24720	32mm	SP24732	54mm	SP24754
21mm	SP24721	33mm	SP24733	55mm	SP24755
22mm	SP24722	34mm	SP24734	56mm	SP24756
23mm	SP24723	35mm	SP24735	60mm	SP24760
24mm	SP24724	36mm	SP24736	65mm	SP24701
25mm	SP24725	38mm	SP24738	67mm	SP24702
26mm	SP24726	39mm	SP24739	70mm	SP24703
27mm	SP24727	41mm	SP24741		

3/4"DR IMPACT SOCKETS SAE



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
5/8"	SP24794	1-5/16"	SP24768	2"	SP24779
11/16"	SP24795	1-3/8"	SP24769	2-1/16"	SP24780
3/4"	SP24796	1-7/16"	SP24770	2-1/8"	SP24781
13/16"	SP24797	1-1/2"	SP24771	2-3/16"	SP24782
7/8"	SP24761	1-9/16"	SP24772	2-1/4"	SP24783
5/16"	SP24762	1-5/8"	SP24773	2-5/16"	SP24784
1"	SP24763	1-11/16"	SP24774	2-3/8"	SP24785
1-1/16"	SP24764	1-3/4"	SP24775	2-7/16"	SP24786
1-1/8"	SP24765	1-13/16"	SP24776	2-1/2"	SP24787
1-3/16"	SP24766	1-7/8"	SP24777		
1-1/4"	SP24767	1-15/16"	SP24778		

3/4"DR DEEP IMPACT SOCKETS METRIC



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
17mm	SP24817	30mm	SP24830	50mm	SP24850
18mm	SP24818	32mm	SP24832	52mm	SP24852
19mm	SP24819	33mm	SP24833	54mm	SP24854
21mm	SP24821	34mm	SP24834	55mm	SP24855
22mm	SP24822	35mm	SP24835	60mm	SP24860
24mm	SP24824	36mm	SP24836	65mm	SP24801
26mm	SP24826	38mm	SP24838	67mm	SP24802
27mm	SP24827	41mm	SP24841		
28mm	SP24828	46mm	SP24846		

3/4"DR DEEP IMPACT SOCKETS SAE



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
5/8"	SP24894	1-5/16"	SP24868	1-15/16"	SP24878
11/16"	SP24895	1-3/8"	SP24869	2"	SP24879
3/4"	SP24896	1-7/16"	SP24870	2-1/16"	SP24880
7/8"	SP24861	1-1/2"	SP24871	2-1/8"	SP24881
5/16"	SP24862	1-9/16"	SP24872	2-3/16"	SP24882
1"	SP24863	1-5/8"	SP24873	2-1/4"	SP24883
1-1/16"	SP24864	1-11/16"	SP24874	2-3/8"	SP24885
1-1/8"	SP24865	1-3/4"	SP24875	2-1/2"	SP24887
1-3/16"	SP24866	1-13/16"	SP24876		
1-1/4"	SP24867	1-7/8"	SP24877		

3/4"DR INDIVIDUAL IMPACT SOCKETS CONTINUED

3/4"DR BUD WHEEL IMPACT SOCKETS METRIC

- High strength Chrome Molybdenum
- Trade tough
- Manufactured to DIN standards



SIZE	MODEL
35mm x 17mm	SP24905
41mm x 21mm	SP24908

3/4"DR DOUBLE SQUARE IMPACT SOCKETS METRIC

- High strength Chrome Molybdenum
- Trade tough
- Manufactured to DIN standards



SIZE	MODEL	SIZE	MODEL
17mm	SP24917	20mm	SP24920
19mm	SP24919	21mm	SP24921

3/4"DR IMPACT SOCKETS IN HEX - METRIC



SIZE	MODEL
10mm	SP24930
12mm	SP24932
14mm	SP24934
17mm	SP24937
19mm	SP24939
22mm	SP24942
24mm	SP24944
27mm	SP24947

3/4"DR IMPACT SOCKETS IN HEX - SAE




SIZE	MODEL
1/2"	SP24958
9/16"	SP24959
5/8"	SP24960
11/16"	SP24961
3/4"	SP24962
13/16"	SP24963
7/8"	SP24964
1"	SP24965

3/4"DR INDIVIDUAL IMPACT ACCESSORIES

3/4"DR IMPACT EXTENSION BARS INDIVIDUAL

- Extensions are extremely useful for reaching and accessing hard to reach nuts and bolts in engine bays
- High strength Chrome Molybdenum (Cr-Mo) for high durability
- Manufactured to DIN standards

LENGTH	MODEL
100mm	SP24345
175mm	SP24346
250mm	SP24347
330mm	SP24348



3/4"DR UNIVERSAL IMPACT JOINT



- Flexible Joint - Ideal for accessing hard to reach nuts and bolts
- Chrome Molybdenum (Cr-Mo) for high durability
- Meets & exceeds international DIN standard

SP24350

3/4"DR IMPACT ADAPTOR



SIZE	MODEL
1/2" M	SP24355
1" M	SP24356

- Adaptor allows for sockets from other drives to be used on non-corresponding ratchet handles
- Chrome Molybdenum (Cr-Mo) for high durability

1"DR INDIVIDUAL IMPACT SOCKETS

1"DR IMPACT SOCKETS METRIC



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
19mm	SP25719	37mm	SP25737	56mm	SP25756
20mm	SP25720	38mm	SP25738	57mm	SP25757
21mm	SP25721	40mm	SP25740	58mm	SP25758
22mm	SP25722	41mm	SP25741	60mm	SP25760
24mm	SP25724	42mm	SP25742	63mm	SP25763
25mm	SP25725	43mm	SP25743	65mm	SP25765
26mm	SP25726	44mm	SP25744	70mm	SP25770
27mm	SP25727	45mm	SP25745	75mm	SP25775
28mm	SP25728	46mm	SP25746	80mm	SP25780
29mm	SP25729	47mm	SP25747	85mm	SP25785
30mm	SP25730	48mm	SP25748	90mm	SP25790
32mm	SP25732	50mm	SP25750	95mm	SP25795
33mm	SP25733	52mm	SP25752	100mm	SP25800
34mm	SP25734	53mm	SP25753	105mm	SP25805
35mm	SP25735	54mm	SP25754	110mm	SP25810
36mm	SP25736	55mm	SP25755	115mm	SP25815

1"DR IMPACT SOCKETS SAE



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
11/16"	SP25858	1-3/4"	SP25875	2-13/16"	SP25892
3/4"	SP25859	1-13/16"	SP25876	2-7/8"	SP25893
13/16"	SP25860	1-7/8"	SP25877	2-15/16"	SP25894
7/8"	SP25861	1-15/16"	SP25878	3"	SP25895
5/16"	SP25862	2"	SP25879	3-1/8"	SP25897
1"	SP25863	2-1/16"	SP25880	3-1/4"	SP25899
1-1/16"	SP25864	2-1/8"	SP25881	3-3/8"	SP25901
1-1/8"	SP25865	2-3/16"	SP25882	3-1/2"	SP25903
1-3/16"	SP25866	2-1/4"	SP25883	3-5/8"	SP25905
1-1/4"	SP25867	2-5/16"	SP25884	3-3/4"	SP25907
1-5/16"	SP25868	2-3/8"	SP25885	3-7/8"	SP25909
1-3/8"	SP25869	2-7/16"	SP25886	4"	SP25911
1-7/16"	SP25870	2-1/2"	SP25887	4-1/8"	SP25913
1-1/2"	SP25871	2-9/16"	SP25888	4-1/4"	SP25915
1-9/16"	SP25872	2-5/8"	SP25889	4-1/2"	SP25916
1-5/8"	SP25873	2-11/16"	SP25890		
1-11/16"	SP25874	2-3/4"	SP25891		

1"DR IMPACT SOCKETS IN HEX - METRIC



SIZE	MODEL
14mm	SP26214
17mm	SP26217
19mm	SP26219
22mm	SP26222
24mm	SP26224
27mm	SP26227
30mm	SP26230
32mm	SP26232

1"DR IMPACT SOCKETS IN HEX - SAE



SIZE	MODEL
5/8"	SP26260
11/16"	SP26261
3/4"	SP26262
13/16"	SP26263
7/8"	SP26264
1"	SP26265

1"DR INDIVIDUAL IMPACT SOCKETS CONTINUED

1"DR DEEP IMPACT SOCKETS METRIC



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
19mm	SP25919	36mm	SP25936	58mm	SP25958
20mm	SP25920	37mm	SP25937	60mm	SP25960
21mm	SP25921	38mm	SP25938	63mm	SP25963
22mm	SP25922	41mm	SP25941	65mm	SP25965
23mm	SP25923	42mm	SP25942	70mm	SP25970
24mm	SP25924	43mm	SP25943	75mm	SP25975
26mm	SP25926	44mm	SP25944	80mm	SP25980
27mm	SP25927	45mm	SP25945	85mm	SP25985
28mm	SP25928	46mm	SP25946	90mm	SP25990
29mm	SP25929	48mm	SP25948	95mm	SP25995
30mm	SP25930	50mm	SP25950	100mm	SP26000
32mm	SP25932	52mm	SP25952	105mm	SP26005
33mm	SP25933	54mm	SP25954	110mm	SP26010
34mm	SP25934	55mm	SP25955	115mm	SP26015
35mm	SP25935	57mm	SP25957		

1"DR DEEP IMPACT SOCKETS SAE



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
11/16"	SP26058	1-3/4"	SP26075	2-13/16"	SP26092
3/4"	SP26059	1-13/16"	SP26076	2-7/8"	SP26093
13/16"	SP26060	1-7/8"	SP26077	2-15/16"	SP26094
7/8"	SP26061	1-15/16"	SP26078	3"	SP26095
5/16"	SP26062	2"	SP26079	3-1/8"	SP26097
1"	SP26063	2-1/16"	SP26080	3-1/4"	SP26099
1-1/16"	SP26064	2-1/8"	SP26081	3-3/8"	SP26101
1-1/8"	SP26065	2-3/16"	SP26082	3-1/2"	SP26103
1-3/16"	SP26066	2-1/4"	SP26083	3-5/8"	SP26105
1-1/4"	SP26067	2-5/16"	SP26084	3-3/4"	SP26107
1-5/16"	SP26068	2-3/8"	SP26085	3-7/8"	SP26109
1-3/8"	SP26069	2-7/16"	SP26086	4"	SP26111
1-7/16"	SP26070	2-1/2"	SP26087	4-1/8"	SP26113
1-1/2"	SP26071	2-9/16"	SP26088	4-1/4"	SP26115
1-9/16"	SP26072	2-5/8"	SP26089	4-1/2"	SP26119
1-5/8"	SP26073	2-11/16"	SP26090		
1-11/16"	SP26074	2-3/4"	SP26091		

1-1/2"DR INDIVIDUAL IMPACT SOCKETS

1-1/2"DR IMPACT SOCKETS METRIC



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
36mm	SP26536	62mm	SP26562	90mm	SP26590
38mm	SP26538	65mm	SP26565	95mm	SP26595
41mm	SP26541	68mm	SP26568	100mm	SP26600
46mm	SP26546	70mm	SP26570	105mm	SP26605
50mm	SP26550	73mm	SP26573	110mm	SP26610
54mm	SP26554	75mm	SP26575	115mm	SP26615
55mm	SP26555	78mm	SP26578	120mm	SP26620
58mm	SP26558	80mm	SP26580	125mm	SP26625
60mm	SP26560	85mm	SP26585		

1-1/2"DR IMPACT SOCKETS SAE



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
1-1/2"	SP26671	2-9/16"	SP26688	3-5/8"	SP26705
1-9/16"	SP26672	2-5/8"	SP26689	3-11/16"	SP26706
1-5/8"	SP26673	2-11/16"	SP26690	3-3/4"	SP26707
1-11/16"	SP26674	2-3/4"	SP26691	3-13/16"	SP26708
1-3/4"	SP26675	2-13/16"	SP26692	3-7/8"	SP26709
1-13/16"	SP26676	2-7/8"	SP26693	3-15/16"	SP26710
1-7/8"	SP26677	2-15/16"	SP26694	4"	SP26711
1-15/16"	SP26678	3"	SP26695	4-1/16"	SP26712
2"	SP26679	3-1/16"	SP26696	4-1/8"	SP26713
2-1/16"	SP26680	3-1/8"	SP26697	4-3/16"	SP26714
2-1/8"	SP26681	3-3/16"	SP26698	4-1/4"	SP26715
2-3/16"	SP26682	3-1/4"	SP26699	4-5/16"	SP26716
2-1/4"	SP26683	3-5/16"	SP26700	4-3/8"	SP26717
2-5/16"	SP26684	3-3/8"	SP26701	4-7/16"	SP26718
2-3/8"	SP26685	3-7/16"	SP26702	4-1/2"	SP26719
2-7/16"	SP26686	3-1/2"	SP26703	4-5/8"	SP26720
2-1/2"	SP26687	3-9/16"	SP26704	4-3/4"	SP26721

1"DR INDIVIDUAL IMPACT ACCESSORIES

1"DR IMPACT EXTENSION BARS INDIVIDUAL

- Extensions are extremely useful for reaching and accessing hard to reach nuts and bolts in engine bays
- High strength Chrome Molybdenum (Cr-Mo) for high durability
- Manufactured to DIN standards

LENGTH	MODEL
100mm	SP25345
175mm	SP25346
250mm	SP25347
330mm	SP25348



1"DR UNIVERSAL IMPACT JOINT



- Flexible Joint - Ideal for accessing hard to reach nuts and bolts
- Chrome Molybdenum (Cr-Mo) for high durability
- Meets & exceeds international DIN standard

SP25350

1"DR IMPACT ADAPTOR



SIZE	MODEL
3/4" M	SP25355
1-1/2" M	SP25357

- Adaptor allows for sockets from other drives to be used on non-corresponding ratchet handles
- Chrome Molybdenum (Cr-Mo) for high durability

1-1/2"DR INDIVIDUAL IMPACT SOCKETS CONTINUED

1-1/2"DR DEEP IMPACT SOCKETS METRIC



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
41mm	SP26741	65mm	SP26765	90mm	SP26790
46mm	SP26746	70mm	SP26770	95mm	SP26795
50mm	SP26750	73mm	SP26773	100mm	SP26800
54mm	SP26754	75mm	SP26775	105mm	SP26805
55mm	SP26755	76mm	SP26776	110mm	SP26810
57mm	SP26757	78mm	SP26778	115mm	SP26815
60mm	SP26760	80mm	SP26780	120mm	SP26820
62mm	SP26762	85mm	SP26785		

1-1/2"DR DEEP IMPACT SOCKETS SAE



SIZE	MODEL	SIZE	MODEL	SIZE	MODEL
1-5/8"	SP26873	2-11/16"	SP26890	3-3/4"	SP26907
1-11/16"	SP26874	2-3/4"	SP26891	3-13/16"	SP26908
1-3/4"	SP26875	2-13/16"	SP26892	3-7/8"	SP26909
1-13/16"	SP26876	2-7/8"	SP26893	3-15/16"	SP26910
1-7/8"	SP26877	2-15/16"	SP26894	4"	SP26911
1-15/16"	SP26878	3"	SP26895	4-1/16"	SP26912
2"	SP26879	3-1/16"	SP26896	4-1/8"	SP26913
2-1/16"	SP26880	3-1/8"	SP26897	4-3/16"	SP26914
2-1/8"	SP26881	3-3/16"	SP26898	4-1/4"	SP26915
2-3/16"	SP26882	3-1/4"	SP26899	4-5/16"	SP26916
2-1/4"	SP26883	3-5/16"	SP26900	4-3/8"	SP26917
2-5/16"	SP26884	3-3/8"	SP26901	4-7/16"	SP26918
2-3/8"	SP26885	3-7/16"	SP26902	4-1/2"	SP26919
2-7/16"	SP26886	3-1/2"	SP26903	4-5/8"	SP26921
2-1/2"	SP26887	3-9/16"	SP26904	4-3/4"	SP26923
2-9/16"	SP26888	3-5/8"	SP26905		
2-5/8"	SP26889	3-11/16"	SP26906		

2-1/2"DR INDIVIDUAL IMPACT SOCKETS

2-1/2"DR DEEP IMPACT SOCKETS METRIC



INDUSTRIAL JUMBO



SIZE	MODEL	SIZE	MODEL
75mm	SP27075	135mm	SP27135
76mm	SP27076	140mm	SP27140
80mm	SP27080	145mm	SP27145
85mm	SP27085	150mm	SP27150
90mm	SP27090	155mm	SP27155
95mm	SP27095	160mm	SP27160
100mm	SP27100	165mm	SP27165
105mm	SP27105	170mm	SP27170
110mm	SP27110	175mm	SP27175
115mm	SP27115	180mm	SP27180
120mm	SP27120	185mm	SP27185
125mm	SP27125	190mm	SP27190
130mm	SP27130	200mm	SP27200

2-1/2"DR DEEP IMPACT SOCKETS SAE



INDUSTRIAL JUMBO



SIZE	MODEL	SIZE	MODEL
3"	SP27295	5-3/8"	SP27333
3-1/8"	SP27297	5-1/2"	SP27335
3-1/4"	SP27299	5-5/8"	SP27337
3-3/8"	SP27301	5-3/4"	SP27339
3-1/2"	SP27303	5-7/8"	SP27341
3-5/8"	SP27305	6"	SP27343
3-3/4"	SP27307	6-1/8"	SP27345
3-7/8"	SP27309	6-1/4"	SP27347
4"	SP27311	6-3/8"	SP27349
4-1/8"	SP27313	6-1/2"	SP27351
4-1/4"	SP27315	6-5/8"	SP27353
4-3/8"	SP27317	6-3/4"	SP27355
4-1/2"	SP27319	6-7/8"	SP27357
4-5/8"	SP27321	7"	SP27359
4-3/4"	SP27323	7-1/2"	SP27367
4-7/8"	SP27325	7-5/8"	SP27369
5"	SP27327	7-7/8"	SP27373
5-1/8"	SP27329	8"	SP27375
5-1/4"	SP27331		


1-1/2"DR INDIVIDUAL IMPACT ACCESSORIES

1-1/2"DR IMPACT EXTENSION BARS

INDIVIDUAL

- Extensions are extremely useful for reaching and accessing hard to reach nuts and bolts in engine bays
- High strength Chrome Molybdenum (Cr-Mo) for high durability
- Manufactured to DIN standards

LENGTH	MODEL
125mm	SP26345
250mm	SP26346



1-1/2"DR UNIVERSAL IMPACT JOINT

- Flexible Joint - Ideal for accessing hard to reach nuts and bolts
- Chrome Molybdenum (Cr-Mo) for high durability
- Meets & exceeds international DIN standard

SP26350



1-1/2"DR IMPACT ADAPTOR

SIZE	MODEL
1"M	SP26355
2-1/2"M	SP26356

- Adaptor allows for sockets from other drives to be used on non-corresponding ratchet handles
- Chrome Molybdenum (Cr-Mo) for high durability

