





Hunter's latest productivity features!



New adaptor design!

- Faster setups!
- No metal-to-metal contact!
- No knob twisting!



New target design!

- Lighter design!
- Narrower profile!
- Faster readings!











High-resolution cameras!

Four high-resolution cameras provide alignment measurements with pinpoint accuracy.



QuickComp"!

Compensate all wheels and capture initial measurements in one motion.



Recall specs in a snap!

Recall OE specs and vehiclespecific alignment procedures instantly.**



Patented steering system reset integration!

Reset computerized steering systems on a wide variety of vehicles with one simple tool.



New console design!

Integrated storage and charging for popular accessories.*†



Convenient storage!

Store targets within arm's reach to maximize productivity.

† Remote Indicator sold separately.

^{*} Available only on mobile WA400 consoles.

** Standard with WA400 consoles, optional with WA300 consoles.



New QuickGrip™ wheel adaptors & three-dimensional

Hunter's patented QuickGrip* adaptors and threedimensional targets accelerate service with set-up times in seconds instead of minutes...

Extremely Fast Installation



- Spring-loaded arms grip the tire
- Thumb switch secures the clamp
- Off-center clamping has no effect on accuracy

Avoid Damage to Expensive Rims



- Grips tire, not rim
- ✓ No metal-to-metal contact
- Only protective ring contacts rim

Less Weight



- Weighs only 6 lbs.
- Nearly 50% lighter than previous designs

Hawk Eyec



Space-Efficient Profile



- ✓ Approx. 9" profile
- Easy to work around
- Great for narrow bays











Quick-Change Arms



✓ One arm fits approximately 90% of applications

Deep-Wheel Extension



- ✓ Deep rims or protruding hubs, no problem
- Standard accessory

Wide-Angle Targets



- Perform max steer procedure, as needed
- Standard accessory





- Shop-tough polymer structure withstands drops
- No electronics, cables or calibration
- Only occasional cleaning required




Previous setups used valuable shop time...

Conventional electronic-sensor system - 10-minute-plus procedure





- Chock wheels and lift vehicle
- Jack up front and rear of vehicle
- Check air pressure and recall specs
- Mount all 4 sensors, compensate each sensor, and remove pins
- Lower rear and front of vehicle and jounce



Print results

10:05 Total



Camera-sensor systems speed up the process



Check air pressure and recall specs

Chock wheels and lift vehicle

- Mount targets
- Roll backward, then forward to compensate
- Remove pins
- Steer caster
- Print results

4:00 Total



Early camera technology improved efficiency...



...Today, present your results in just 90 seconds!



Hunter's HawkEye Elite® and Premium RX Lift capture <u>all</u> readings and produce measurements in 90 seconds!

Hunter's 90-second procedure

- Chock wheels and raise lift to work height
- Mount targets and set air pressure
- Roll forward to compensate sensors
- Scan VIN to recall specs and perform enhanced caster steer
- Vehicle results print automatically

1:30 Total



trip around the vehicle trips to the console total walking steps



Fast printouts in 90 seconds!


Use detailed printouts featuring your company's logo to sell more work.

















RX Scissor Lift console

- Raising the vehicle triggers the sensors to look for wheel targets
- Control PowerSlide* and Inflation Station settings on the lift console
- Store bar-code scanner and CodeLink tool near the vehicle to save steps



AlignLights turn on automatically at alignment height






WinAlign® console

- Centralized control of entire system
- Communicate directly with lift to set tire pressure and automatically operate turnplates and slipplates
- Guide the technician through the alignment process



Measurements are taken automatically once the fourth target is installed



PowerSlide® system

- Slipplates and turnplates automatically lock and unlock at appropriate times
- No more struggles with lock pins



Auto-locking turnplates and slipplates save trips around the vehicle



Inflation Station

- Automatically inflate all four tires simultaneously
- Record starting and final pressure
- Hose recoils to keep work area clear




Software tracks before and after tire pressures for the customer's printout



Use your aligner to perform an Alignment Quick Check!





Use detailed printouts featuring your company's logo to sell more work

- Total toe front and rear
- Camber on all wheels
- Tire wear indication
- Identifies vehicles that require electronic steering system reset

Step-by-step procedure for Alignment Quick Check



1. Pull car in and stop



2. Mount QuickGrip adaptors



3. Roll vehicle forward



4. Scan VIN



Remove QuickGrip adaptors



6. Get printout



7. Out of the bay in 58 seconds



8. Sell the alignment (when needed)



CodeLink® – The new last step in alignment service

CodeLink® directly "links" the vehicle OBD-II to the aligner to reset steering system sensors, as required by the manufacturer.

Simple and efficient

- Automatically identifies candidate vehicles
- Incorporates reset steps into the alignment
- Uses aligner screen to display instructions
- Updates automatically with system software upgrades
- Dedicated alignment tool










Simplified reset instructions replace confusing OEM procedures

Finishes the job right

- No other reset tool matches CodeLink's patented integration with the alignment procedure
- Guarantees precision with exact steering system sensor thresholds
- Reduces errors that result in customer comebacks

Printed documentation confirms that steering system reset was completed properly




Some of the more popular OEMs that currently require reset:

Audi • BMW • Chevy • Ford • Hyundai • Infiniti • Lexus • Mazda • Mercury • MINI • Nissan • Pontiac • Saturn • Scion • Toyota • Volkswagen



When it comes to award-winning software, WinAlign® is unmatched!





ExpressAlign®

Perform every alignment with a streamlined procedure. ExpressAlign analyzes each job and presents the optimal action sequence with the minimum steps required.



WinToe[®]

Ensure a straight steering wheel every time without repeated adjustments or using a steering wheel holder.


A timesaver on nearly every alignment



Tools and Kits Database

Save trips back and forth to the tool box. Hunter presents all of the tools and aftermarket correction kits needed for each alignment.


Online ordering supported



Virtual View[®]

See your alignment job in 3-D using real-time 3-D graphics. Used by experts and novices alike.


Every alignment can be shown in 3-D



Control Arm Movement Monitor®

Cut adjustment times in half for front-shim, dualcam or dual-slot vehicles. Step-by-step graphics let you get it right on the first try.

Over 60 million vehicles benefit



Shim-Select® II

Eliminate confusing shim charts and tables. Shim Select II quickly calculates and displays the template you need for proper shim installation.

Over 30 million vehicles benefit



Speed the alignment process by making adjustments with the wheel removed.*

Available when you need it



Automatic Bushing Calculator®

Calculate the proper bushing size and position adjustment without wasting time with a zero bushing.


Over 10 million light trucks and vans benefit

^{*} For three-dimensional targets, both Wheel-Off Adjustment Kit and SCA Adaptor Kit 20-2664-1 is required.




Take your alignment business to the next level!

Perform body shop alignments...



Suspension Body Dimension Audit

Quickly screen vehicles to determine alignability and collision repair needs.



Symmetry Angle Measurements

Instantly access symmetry angles and setback for your body shop customers.

Perform specialty alignments...



Measure and adjust ride height in real-time.

Over 20 million vehicles require ride height measurement to complete alignment service



WinAlign Tuner*

Perform alignments on tuned suspensions and other modified vehicles with tools to monitor tire wear and handling.

Fast printouts to share with customers

Customize Hunter's detailed printouts to help explain service needs to customers or to document repairs.





*Standard with WA400 consoles, optional with WA300 consoles



Help your customers make informed decisions!



WinAlign® Video Library*

400+ videos and animations cover all aspects of wheel alignment today.

- Educate your customers
- Find answers to unusual problems
- Extend your service and profit opportunities
- Strengthen technician competency



Point & Click Inspection Photos*

5,000+ vehicle-specific photos and illustrations to assist your shop.

- Show your customers their hidden repair needs
- Guide your technicians to the proper inspection points
- Extend your service and profit opportunities



The latest specs available online

Download, access and communicate alignment service information through the Internet.

- ✓ WebSpecs®.NET specification database
- ✓ ShopResults.NET® online service* †
- UnderCarInfo.NET subscription* †



WinAlign® printouts help sell work

Explain needed parts and repairs and show completed work to customers using detailed, color-coded printouts.

Clear and detailed printouts help you communicate and build rapport with your customers and sell more alignments

^{*} Standard with WA400 consoles, optional with WA300 consoles.

[†] Two-year free subscription for WebSpecs.NET, one-year free subscription for ShopResults.NET and UnderCarInfo.NET.



TPMSpecs® brings concise TPMS information to your business!



TPMSpecs* pulls together **over 100** TPMS procedures into a simple, yet comprehensive, user-friendly format for the technician.



Hunter TPMSpecs available at check in too!



Present TPMS info to your customers through any internet-connected shop computer!

Additional features enhance alignment service!



Drive-on camera

Safely and easily position a vehicle on a lift with one technician. WinAlign® software supports the use of a drive-on camera, which uses the aligner screen as a guide. (Drive-on camera sold separately.)



One set of adjustable arms covers the same clamping range as standard multi-arm kit.



Choose the right alignment console for your shop!

WinAlign WA400 Premium consoles

		i i cilii dili dollodico
Industry-leading hardware	Processor	3.06 GHz Intel" Core" i3
	Memory (DDR2)	4 GB of DDR3 SDRAM
	Hard drive	250.0 GB SATA hard drive (or greater)
	DVD-RW/CD-RW drive	Standard
	Monitor class	24" or 27" widescreen LCD (32" available on large console)
	Wireless network module	Standard
	Operating system	Windows* 7
	Three-dimensional target (TD Target") support	Standard
	Vehicle specifications (30 plus years)	Standard (2 years free updates)
	Large console with drawers	Standard (with WA44X consoles)
	Compact console with printer drawer	Standard (with WA43X consoles)
	Console-top storage and charging station	Standard (with mobile WA400 consoles)



Large console



Compact console



Wall-mount console

uctivity tools	PATENTED	Award-winning WinAlign* software	Standard
	PATENTED	Real-time specs delivered by web	WebSpecs* (2 years standard)
	PATENTED	Steering system reset (integrated)	Yes (with standard CodeLink")
		Bar code reader	Standard
		Complete TPMS reset database	Standard
	PATENTED	Live Ride Height adjustment	Standard
	PATENTED	Fully Integrated Alignment	Yes (FIA-equipped lift required)
prod	PATENTED	Modified vehicle alignment	Yes (with standard WinAlign Tuner)
Award-winning productivity tools	PATENTED	Vehicle inspection with photos	Standard
	PATENTED	Tools & Kits – basic catalog	Standard
	PATENTED	Tools & Kits – video and photos	Standard
		Equipment video help/assistance	Standard
	PATENTED	ShopResults (via ShopResults.NET°)	1 year standard
		UnderCarInfo (via UnderCarInfo.NET)	1 year standard
	PATENTEO	Training and productivity aids	4,000+ photos, 1,600+ illustrations 400+ videos & animations

Remote Indicator sold separately. For product dimensions, weights and site requirements, please contact your local Hunter Sales Representative.



Choose the right sensor package for your shop!



Fixed-column configurations fit most service bay applications.



Motorized and manual movable-camera configurations provide a full range of vertical travel for additional lift height.



Cabinet-mounted configuration is mobile to service multiple alignment bays and provides a full range of travel for additional lift height.



Wall- and ceiling-mount configurations are perfect when space is at a premium.



Floor-mounted overhead configurations are ideal for drive-through bays or to accommodate unique applications.



HawkEye Elite® sensors (HE421) come equipped with QuickGrip® adaptors and three-dimensional targets.



HawkEye Elite® alignment sensor and adaptor specifications

		Ellie
Specifications	PATENTED No metal-to-metal contact with wheel	Standard
	Weight of assembly	6 lbs.
	Profile of assembly	9 inches
	Installation time per wheel	5 seconds
	Rolling compensation style	Forward
	Camera resolution	2,608 x 1,952 (pixels per camera) 20,000,000 (pixels total)
	Track width	80 inches
	Wheelbase	210 inches
	Distance to wall*	66 - 107 inches
	Suggested distance*	99 inches
	Short-bay distance (see site info)*	66 inches
Secondary Measurements	S.A.I. and included angle	V
	Setback	V
	Maximum steering angle**	To lock
	Live ride height***	V
	Wheelbase difference	V
	Track width difference	V
ıdar	Tread width difference	V
ecor.	Lateral offset	V
Š	Rear setback	✓
	Axle offset	✓
Body Measurements	PATENTED	V
	PATENTED Body angle	V
	Body wheel offset & setback	✓
	PATENTED Body roll**	V
şį.	PATENTED Way Up Way Out WinToe**	V
Adjustments	PATENTED Wheel-Off Adjustment (WinAlign* 9 & up)	Optional

^{*} Refer to site requirements for exact bay specifications.

^{***} Requires Ride Height targets. Standard with WA400 consoles, optional with WA300 consoles.




Increase revenue with Hunter merchandising!

Introduce your wheel alignment capabilities and educate your customers with great Point-of-Sale options from Hunter.









Customized column cap

Make your alignment bay stand out. Hunter's lighted sensor column cap can be customized with your logo or shop name. (available for most sensor



0412FAP10M.75



Be sure to check out other Hunter literature for more quality products from Hunter Engineering.



Copyright © 2012 Hunter Engineering Company

Form 6230-T, 04/12 Supersedes Form 6230-T, 11/11