

HOSE CUTTERS



SP63043
HOSE CUTTERS - 42MM
PLASTIC AND RUBBER

- 42mm pipe cutter
- Compound ratchet action
- Cut PVC pipe, vacuum hoses, heater hoses etc.

SP63046
HOSE CUTTERS - 75MM
PLASTIC AND RUBBER

- 75mm pipe cutter
- Compound ratchet action
- Cut PVC pipe, vacuum hoses, heater hoses etc.

CLIP PLIERS



SP72606
HOSE CLIP PLIERS
HEAVY DUTY - 175MM

- Spring loaded pliers, ideal for fitting and removing Clic & Clic-R hose clips
- Special jaw design allows for the change from fit to remove simply by turning the pliers over


SP72607
CLIP PLIERS - FLAT BAND
HEAVY DUTY - 225MM

- Ideal for replacing lower radiator hose
- Fits most size clamps
- Special "v" slot and "o" slot jaws
- Finger tip position lock to keep hose clamps spread open

SP72608
CLIP PLIERS - SWIVEL JAW
HEAVY DUTY - 225MM

- Ideal for replacing lower radiator hose
- Fits most size clamps
- Special "v" slot and cross slot jaws
- Finger tip position lock to keep hose clamps spread open

HOSE CLAMP PLIERS



SP72604
FLEXI HOSE CLAMP PLIER

- For the removal and replacement of metal or plastic spring-loaded self-tightening hose clamps
- Flexible long reach mechanism allows the pliers to release
- Lock hose clamps in the opened position
- Fitted with 630mm long cable
- For clamp diameters from 18mm to 50mm (approx.)

BRAKE & CLUTCH

A safe and functioning brake system requires maintenance. At SP Tools we have tools to use on all parts of the brake system. From a simple brake fluid flush to a complete system rebuild, we have the tools.

DISC BRAKE TOOLS

SP63005
BRAKE PISTON REWIND KIT
18 PIECE (RH-LH)

- Aids in the rewinding of the pistons in brake calipers without damaging the piston gaskets/seals when replacing brake pads. This is achieved by allowing for the rotation of the piston at the same time as pushing the piston back into the caliper
- Includes both left & right handed thrust bolt assemblies
- Kit housed in heavy duty case and premium EVA foam tray

SET INCLUDES

- Left handed and right handed spindle
- 16 adapters to fit almost all types of vehicles

QUICKLY PUSH-BACK AND WIND-BACK BRAKE PISTONS
 Helps prevent damage to pistons & seals



SP63002
DISK BRAKE SPREADER
HEAVY DUTY

- Allows for easy compression of brake piston to aid in brake pad changes
- Suits front disc brakes on most domestic and imported cars and light trucks
- T-shape soft grip handle for greater applied torque




T863002
DISK BRAKE SPREADER
888 SERIES

- Easily installs brake pads on most domestic and imported cars and light trucks
- Compresses the disc brake caliper pistons to allow for new brake disc pad installation
- Ideal for any trade mechanic



SP30828
DRUM BRAKE
ADJUSTING TOOL

- Overall length: 130mm (5")
- Ideal for removing/installing or carrying out brake lining adjustment on drum brakes in confined spaces
- Adjusters unique shape aids in probing brake drum backing plates during adjustment
- Suitable for screw and start type adjusters
- Manufactured from hardened high quality steel




SP63006
BRAKE GAUGE SET
8 PIECE

- Most state agencies require that the customer be notified of how much brake lining is left in order to suggest that the lining should be replaced
- Brake gauges give an accurate measurement of the amount of brake lining is left without guess work
- Made from 20 gauge sheet metal with durable powdercoat finish

COLOUR CODED FOR EASY IDENTIFICATION

- Red: 2mm, 3mm (Pads must be replaced)
- Yellow: 4mm, 5mm, 6mm (Replacement recommended)
- Green: 8mm, 10mm, 12mm (Brakes are in good and safe working range)



DISC BRAKE TOOLS CONTINUED

SP63003

REAR DISC BRAKE TOOL

- A universal tool for winding back rear brake pistons on most vehicles
- Unique cube design with 6 different pin designs and a 3/8 square drive for easy attachment to a ratchet



SP63004

BRAKE SPRING WASHER TOOL

- For removal & replacement of brake shoe retaining washers
- Head designed to fit most vehicles
- Knurled outer cone grip
- Ergonomic plastic handle



BRAKE VERNIER CALIPERS



SP35642

DISC BRAKE VERNIER CALIPERS


- 0-60mm Disc Brake Calipers
- Graduation 0.1mm
- Locking Screw
- Length of Jaw 80mm



SP35649

DISC BRAKE DIGITAL CALIPERS

- 0-100/0.4" Disc Brake Digital Calipers
- Digital Display
- Double Point Jaw
- Power On/Off
- Graduation 0.01mm/0.0005"



SP35646

DRUM BRAKE VERNIER CALIPERS

- Drum Brake Vernier Callipers
- Graduation 0.05mm
- Locking Screw
- Length of Jaw 150mm
- Inside 50-500mm
- Outside 0-500mm

BRAKE BLEEDER & VACUUM TESTER



SP79995

VACUUM TEST & BRAKE BLEEDING KIT

- The complete kit for all vacuum testing and brake bleeding requirements
- Hand held vacuum pump – compact design, one handed operation
- Allows fast efficient static testing and monitoring
- Allows one man brake bleeding
- Safely transfers fluids
- Ergonomic handle design
- Regulated vacuum relief valve



BRAKE BLEEDERS



SP70895

BRAKE FLUID RESERVOIR REFILLER - AUTOMATIC

- Automatically bleed brakes and refill the fluid reservoir
- Retaining clip provides positive clamping to all master cylinder reservoir types
- Height adjustment filler positions spout to maintain correct fluid level during brake bleeding; prevents running brake fluid reservoir dry
- Positive venting system supplies unbroken continual fluid flow
- On-off tap allows use-and-storage and eliminates brake fluid spill



SP70858

MANUAL BRAKE BLEEDER KIT

INCLUDES AUTOMATIC BRAKE FLUID RESERVOIR REFILLER

BRAKE FLUID RESERVOIR REFILLER - AUTOMATIC

- Automatically bleed brakes and refill the fluid reservoir
- Retaining clip provides positive clamping to all master cylinder reservoir types
- Height adjustment filler positions spout to maintain correct fluid level during brake bleeding; prevents running brake fluid reservoir dry
- Positive venting system supplies unbroken continual fluid flow
- On-off tap allows use-and-storage and eliminates brake fluid spill

BRAKE BLEED BOTTLE

- Universal rubber fitting holds securely on brake bleed screw
- Large collection bottle prevents overfilling
- Internal submersed tube prevents air drawback during brake bleeding
- Hanging hook for hands free use



SP71800

VACUUM BRAKE BLEEDER 4 LITRE

- Large 4 Litre capacity collection container
- Quickly dispose of waste fluid via small remote cap
- Storage point for bleeder fitting prevents fluid leakage from hose when not in use
- High efficiency vacuum generator
- High quality quick-release coupler
- Overflow shut-off valve
- Locking air trigger
- Hose length: 2m (6.6 ft)
- Max vacuum: 27 inHg

BRAKE BLEEDERS CONTINUED



SP70852
VACUUM BRAKE BLEEDER - 800ML

- Uses compressed air to generate deep vacuum to bleed old fluid and air from hydraulic brake systems
- Compact size allows easy operation within wheel arch area
- Universal rubber fitting holds securely on brake bleed screw
- Quick connect coupler for hose interchange as required
- Convenient hanging hook and quick release trigger allows hands-free operation
- Float valve shuts vacuum down when container reaches full to prevent dangerous brake fluid spray if capacity is accidentally exceeded
- Internal shut off valve closes when not in use to prevent fluid spills when stored
- Clear drain hose provides visible inspection of old fluid during bleeding
- Reduces repair times and increases productivity
- New design with unique patented built-in safety valves to prevent accidental fluid spray and spillage

- Air Pressure: Min 550Kpa (80psi), Max 900Kpa (130psi)
- Vacuum: 23InHg at 100psi
- Container capacity: 800ml (1.7pint)

SP70854
VACUUM BRAKE BLEEDER KIT - 800ML
INCLUDES AUTOMATIC BRAKE FLUID RESERVOIR REFILLER

VACUUM BRAKE BLEEDER

- Uses compressed air to generate deep vacuum to bleed old fluid and air from hydraulic brake systems
- Compact size allows easy operation within wheel arch area
- Universal rubber fitting holds securely on brake bleed screw
- Quick connect coupler for hose interchange as required
- Convenient hanging hook and quick release trigger allows hands-free operation
- Float valve shuts vacuum down when container reaches full to prevent dangerous brake fluid spray if capacity is accidentally exceeded
- Internal shut off valve closes when not in use to prevent fluid spills when stored
- Clear drain hose provides visible inspection of old fluid during bleeding
- Reduces repair times and increases productivity
- New design with unique patented built-in safety valves to prevent accidental fluid spray and spillage

- Air Pressure: Min 550Kpa (80psi), Max 900Kpa (130psi)
- Vacuum: 23InHg at 100psi
- Container capacity: 800ml (1.7pint)

BRAKE FLUID RESERVOIR REFILLER - AUTOMATIC

- Automatically bleed brakes and refill the fluid reservoir
- Retaining clip provides positive clamping to all master cylinder reservoir types
- Height adjustment filler positions spout to maintain correct fluid level during brake bleeding; prevents running brake fluid reservoir dry
- Positive venting system supplies unbroken continual fluid flow
- On-off tap allows use-and-storage and eliminates brake fluid spill



POWERFUL MAGNET
 Easily secures bottle to metal surfaces for one person, hands free operation

SP63030
BRAKE BLEEDER KIT MAGNETIC

- Bleeds brakes quickly & without mess
- Strong Magnetic pad holds collection bottle to any ferrous metal surface eg. frame or break disk and allows for easy one person operation
- For use on brake calipers, wheel cylinders and master cylinders

SET INCLUDES

- Durable collection bottle with extra strong magnet
- Hoses
- Nipple fittings

BRAKE & CLUTCH PRESSURE BLEEDER



SP70809
BRAKE & CLUTCH PRESSURE BLEEDING KIT
INCLUDES STAND ALONE UNIT WITH 42MM DIA. CAP

- One-man brake and clutch bleeding the professional way
- Bleeding requires no external power source. Simply fill and pump
- Reservoir holds 2.5 Litres of hydraulic fluid
- Flush the entire system with one fill without the risk of running the reservoir dry
- Pressure range makes unit suitable for use with ABS systems
- Fitted with Ø42mm cap and suitable for most European models
- Additional adaptors available to expand vehicle capabilities

EXPAND THE RANGE OF SERVICEABLE VEHICLES WITH THE ADAPTORS BELOW

BRAKE & CLUTCH PRESSURE BLEEDING ADAPTORS SUITS SP70809



THESE ADAPTORS SUIT THE SP BRAKE & CLUTCH BLEEDING KIT

13 ADAPTORS AVAILABLE

FITS	MODEL	FITS	MODEL
Chrysler, Dodge, Jeep, PLYM	SP70811	Mitsubishi	SP70819
Most Later Model GM	SP70812	Nissan Blue Bird	SP70820
Honda Accord	SP70813	All Hyundai, Mitsubishi, Nissan and Subaru	SP70821
Honda	SP70815		
Honda	SP70816	Ford Escape	SP70822
Ford	SP70817	Toyota and Lexus	SP70823
Daihatsu	SP70818	Aus Ford	SP70824

BRAKE AND CLUTCH TOOLS

SP63008
BRAKE CALIPER SPECIAL SOCKET
1/2"DR - 10PT

- Length: 50mm
- Size: 11.5mm
- Suits six piston calipers on: Audi Q7, Porsche and VW Touareg
- Trade tough - suitable for use with pneumatic and electric/cordless impact wrenches
- Premium quality, high strength Chrome Molybdenum steel (Cr-Mo) for extreme durability
- Manufactured to DIN standards



SP66050
UNIVERSAL CLUTCH ASSEMBLY TOOL

- Design allows easy assembly of clutch whilst on a work bench and then transfer the complete unit for installation to the vehicle
- Ideal for late-model front wheel drive vehicles that have no pilot bearing in the flywheel
- Supplied with various collets for a range of shaft diameters
- Not suitable for double plate clutches



BRAKE AND CLUTCH TOOLS CONTINUED



SP63029
BRAKE FLUID TESTER

This compact LED brake fluid tester is a quick & effective way of testing if a vehicles brake fluid needs replacing by showing how much moisture has been absorbed into the brake fluid.

- Tests for and digitally displays the percentage of moisture content in the brake fluid
- Alarm tone signals if brake fluid needs to be replaced
- Highly sensitive detection head with built-in flashlight ensures quick and accurate readings
- One-key lock screen function to lock-in test results
- Suitable for DOT 3, DOT 4, DOT 5.1
- Automatic shutdown without operation.
- Rechargeable lithium polymer battery
- USB Type-C charging system



SP10423
BRAKE BLEEDER DOUBLE RING SPANNER SET - 75° OFFSET METRIC & SAE - 3 PIECE


SET INCLUDES: 8x10mm, 9x11mm & 3/8x7/16"

- FLAT DRIVE TECHNOLOGY - Perfectly flat spanner head surfaces allow for maximum contact between the spanner and the bolt or nut, maximising grip and enhancing applied torque.
- Greater offset and small head profile allows users to work quickly and efficiently in tight spaces.
- Tough triple chrome, high polish finish
- Chrome Vanadium Steel (Cr-V) for high durability



SP63035
BRAKE CYLINDER HONE 2 ARM - 20 TO 50MM

- Versatile hone for 20mm - 50mm diameter cylinders
- 28mm fitted stones - Medium 220 grit
- Knurled nut controls tension
- Flexible shaft for ease of use and self centering
- Adjustable tension, controlled spring action and spread control limiter



SP63036
BRAKE CYLINDER HONE 3 ARM - 19 TO 64MM

- Versatile hone for 19mm - 64mm diameter cylinders
- 28mm fitted stones - Medium 220 grit
- Knurled nut controls tension
- Flexible shaft for ease of use and self centering
- Adjustable tension, controlled spring action and spread control limiter

TUBE CUTTERS



SP63041
TUBE CUTTER - 3 TO 22MM


- Tube diameter cutting range: 3mm - 22mm (1/8" to 7/8")
- Mini design ideal for close quarter, confined space cutting
- High quality, heavy duty, hardened steel blade
- Ideal for cutting tubing made of hard and soft copper, aluminium, brass and plastic



SP63042
TUBE CUTTER - 3 TO 35MM HEAVY DUTY

- Tube diameter cutting range: 3mm to 35mm (1/8" to 1-3/8")
- Use to cut tubing made of hard and soft copper, aluminium, brass, thin wall steel and stainless steel lines
- Die-cast cutter body with SKS wheel cutter and SK2 fold-away pipe de-burring tool

BRAKE AND CLUTCH TOOLS



SP63012
BRAKE PIPE BENDING TOOL UP TO 5MM DIAMETER

- Provides two size bend options for accurate and safe shaping of automotive brake pipes, up to 5mm in diameter.
- Compact ergonomic design, suitable for onehanded operation in tight confined spaces.
- Made from premium quality Chrome Molybdenum steel for extreme durability



SP63010
TUBE BENDER PLIERS - DELUXE

- Manufactured from heavy duty aluminium alloy
- Suitable for bending copper, aluminium, copper-nickel and steel tubing
- Bending grooves to fit 3mm (1/8"), 4mm (3/16") & 6mm (1/4") tubing
- Quickly and easily bends angles of 0 - 90°

DOUBLE FLARING TOOL KIT

- Aluminium alloy casting tube cutter from 3-30mm
- Steel casing, yoke & screen bar
- 7pc adaptor
- Stored in blow mould case

AVAILABLE IN 2 OPTIONS

SP63015
METRIC

- Metric Double Flaring Tool Kit
- Holds pipe sizes: 5, 6, 8, 10, 12, 14 & 16mm

SP63016
SAE

- SAE Double Flaring Tool Kit
- Holds pipe sizes: 3/16, 1/4, 5/16, 3/8, 7/16, 1/2 & 5/8"

