



Tool sets

6
PCS



250V, 4x190 mm, 5x100 mm, PH1x100 mm, S2,
9 mm, SK2, 160 mm, CrV, 3 m x 16 mm

| YATO | size(mm) |
|----------|------------|
| YT-39005 | 225x110x45 |

7
PCS



250V, 4x190 mm, 5x100 mm, PH1x100 mm, S2,
9 mm, SK2, 200 mm, CrV, 200 mm,
3 m x 16 mm

| YATO | size(mm) |
|----------|------------|
| YT-39006 | 225x150x45 |

Tool sets

10
PCS



250V, 4x190 mm, 5x100 mm, PH1x100 mm, S2,
9 mm, SK2, 180 mm, CrV, 160 mm, CrV,
200 mm, 3 m x 16 mm, 225 g

| YATO | size(mm) |
|----------|------------|
| YT-39002 | 320x180x50 |

Tool sets

12
PCS



250V, 4x190 mm, 5x100 mm, PH1x100 mm, S2,
9 mm, SK2, 180 mm, CrV, 160 mm, CrV,
200 mm, 3 m x 16 mm, 225 g,
PVC 0.13 mm 19 mm x 20 m, 190 mm

| YATO | size(mm) |
|----------|------------|
| YT-39003 | 320x180x50 |

Tool sets

13
PCS



140 mm, 3x75 mm, PH0x75 mm, S2, 2x50 mm,
PH00x50 mm, S2, 12-220V, 115 mm,
115 mm, 140 mm, 30W, 205 mm,
19.5x190 mm

| YATO | size(mm) |
|----------|------------|
| YT-39007 | 300x180x55 |

Tool sets

22
PCS



- 140 mm; 140 mm;
- 185 mm; 12-220V;
- 130 mm; 115 mm; 115 mm;
- 205 mm; 3CR13;
- 2x50 mm, PH00x50 mm; S2;
- 3x75 mm, 5x100 mm, PH0x75 mm, PH1x100 mm; S2;
- 30W; 3 m x 16 mm;
- 150 mm; PVC 0.13 mm 19 mm x 20 m;
- 19.5x190 mm; 9 mm, SK2

| YATO | size(mm) |
|----------|------------|
| YT-39008 | 310x230x55 |

Tool sets

8
PCS



- 125-250V; 5x100 mm; PH1x100 mm; S2;
- 9 mm; SK5; 180 mm; CrV;
- 160 mm; CrV;
- 200 mm; 3 m x 16 mm

| YATO | size(mm) |
|---------|------------|
| YT-3906 | 265x160x60 |

Tool sets

8
PCS



- 125-250V;
- 5.5x100 mm, PH1x100 mm; SVCMS5;
- 9 mm; SK5; 180 mm; CrV;
- 160 mm; CrV;
- 200 mm; CrV; 3 m x 16 mm

| YATO | size(mm) |
|---------|------------|
| YT-3904 | 265x160x60 |

Socket set

14
PCS 1" CrV QUICK RELEASE 24T CrV 6140



- 1" 46, 48, 50, 55, 60, 65, 70, 75, 80; CrV50BV30;
- 1" x 650 mm; CrV50BV30;
- 1" x 550 mm; CrV50BV30;
- 1" x 200 mm, 1" x 400 mm; CrV50BV30;
- 1" x 500 mm; CrV50BV30;



| YATO | size | quantity |
|----------|------|----------|
| YT-13630 | 1" | 1 |

Socket set

15 PCS 3/4" CrV QUICK RELEASE 24T CrV 6140



- 3/4": 30, 32, 34 (L=55mm); 36, 38mm (L=60mm); 41mm (L=65mm); 46, 50mm (L=70mm); 55 (L=75mm); 60mm (L=80mm); CrV50BV30;
- 3/4"x500 mm; 24T; CrV 6140;
- 3/4"x500 mm; CrV50BV30;
- 3/4"x100 mm, 3/4"x200 mm; CrV50BV30;
- 3/4"x106 mm; CrV50BV30;

| | | |
|-------------|------|---|
| YATO | ○ | 📦 |
| YT-1334 | 3/4" | 1 |

Torx socket set

9 PCS TORX CrV 50BV30



- 1/4": E5, E6, E7, E8;
- 3/8": E10, E12, E14, E16;
- 1/4" (M) x 3/8" (F)

| | | |
|-------------|------|-----------|
| YATO | ○ | 📦 |
| YT-0520 | 1/4" | 210 10/40 |

Go-through socket set

21 PCS QUICK RELEASE 1/4" 1/2" METRIC IMPERIAL CrV 50BV30 CrV 6140



- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm (L=32 mm); 3/4", 11/16", 5/8", 9/16", 1/2", 7/16", 3/8" (L=32 mm); CrV 50BV30;
- L=178 mm; CrV 6140;
- 1/4", 1/2"; CrV 6140;
- 17 mm (L=75 mm); CrV 50BV30

| | | |
|-------------|------|-----------|
| YATO | ○ | 📦 |
| YT-3865 | 1/2" | 1/4" 4/12 |

Socket set

20 PCS 3/4" CrV QUICK RELEASE 24T CrV 6140



- 3/4": 19, 21, 22, 24mm (L=50mm); 26, 27, 28mm (L=52mm); 30, 32 (L=53mm); 33, 34mm (L=56mm); 36mm (L=58mm); 38mm (L=60mm); 41mm (L=64mm); 46mm (L=68mm); 50 mm (L=72mm); CrV50BV30;
- 3/4"x500 mm; CrV50BV30;
- 3/4"x510 mm; CrV50BV30;
- 3/4"x100 mm, 3/4"x200 mm; CrV50BV30;

| | | |
|-------------|------|---|
| YATO | ○ | 📦 |
| YT-1335 | 3/4" | 1 |

Torx socket set

9 PCS TORX CrV 50BV30



- 1/2": E10, E11, E12, E14, E16, E18, E20, E22, E24

| | | |
|-------------|------|----|
| YATO | 📦 | 📦 |
| YT-0521 | 1100 | 20 |

Tool set

8 PCS 1/4" CrV AS-DRIVE




- 1/4": 5.5, 6, 7, 8, 9, 10, 12, 13 mm (L=50 mm) CrV 50BV30

| | | |
|-------------|-----|----|
| YATO | 📦 | 📦 |
| YT-14431 | 220 | 10 |

Sockets set

1/4" 15 PCS CrV 50BV30




- 1/4": 4, 5, 6, 7, 8, 9, 10, 12, 13 mm (L=25 mm); CrV 50BV30;
- 1/4" (50.8, 152.4 mm); CrV 50BV30;
- 1/4"; CrV 50BV30;
- 1/4"; 72T; CrV 6140;
- 1/4" (150 mm); CrV 50BV30



| | | | |
|-------------|------|------|----|
| YATO | | | |
| YT-14411 | 1/4" | 1100 | 10 |

Sockets set

1/4" 23 PCS CrV 50BV30




- 1/4": 4, 5, 6, 7, 8, 9, 10, 12, 13 mm (L=25 mm); CrV 50BV30;
- 1/4": 4, 5, 6, 7, 8, 9, 10, 12, 13 mm (L=50 mm); CrV 50BV30;
- 1/4" (50.8, 152.4 mm); CrV 50BV30;
- 1/4"; CrV 50BV30;
- 1/4"; 72T; CrV 6140;
- 1/4" (150 mm); CrV 50BV30



| | | | |
|-------------|------|------|----|
| YATO | | | |
| YT-14421 | 1/4" | 1330 | 10 |

Tool set

25 PCS 1/4" CrV 50BV30 CrV 6140 72T AS-DRIVE



- 1/4": 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
- 1/4": 8, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30;
- 1/4" (50.8, 101.6 mm); CrV 50BV30;
- 1/4"; CrV 50BV30;
- 1/4" (152.4 mm); CrV 50BV30;
- 1/4"; 72T; CrV 6140; L=155mm;
- 1/4" (150 mm); CrV 50BV30

| | | |
|-------------|-----|----|
| YATO | | |
| YT-14461 | 760 | 10 |

Tool set

23 PCS 1/4" CrV 50BV30 CrV 6140 72T AS-DRIVE




- 1/4": 4, 5, 6, 7, 8, 9, 10, 12, 13 mm (L=25 mm); CrV 50BV30;
- 1/4": 4, 5, 6, 7, 8, 9, 10, 12, 13 mm (L=50 mm); CrV 50BV30;
- 1/4" (50.8, 152.4 mm); CrV 50BV30;
- 1/4"; CrV 50BV30;
- 1/4"; 72T; CrV 6140; L=155mm;
- 1/4" (150 mm); CrV 50BV30

| | | | |
|-------------|------|-----|----|
| YATO | | | |
| YT-14451 | 1/4" | 700 | 10 |

Tool set

38 PCS 1/4" CrV 50BV30 CrV 6140



- 1/4": 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30; L=155mm;
- 1/4" (50.8, 101.6 mm); CrV 50BV30;
- 1/4"; CrV 50BV30;
- 1/4" (152.4 mm); CrV 50BV30;
- 1/4"; 72T; CrV 6140;
- 1/4" (150 mm); CrV 50BV30;
- 1/4": T10, T15, T20, T25, T30, T40; AISI S2 / CrV 50BV30;
- 1/4": PH1, PH2; AISI S2 / CrV 50BV30;
- 1/4": PZ1, PZ2; AISI S2 / CrV 50BV30;
- 1/4": 4, 5.5, 6.5 mm; AISI S2 / CrV 50BV30;
- 1/4": 3, 4, 5, 6, 8 mm; AISI S2 / CrV 50BV30

| | | |
|-------------|-----|----|
| YATO | | |
| YT-14471 | 830 | 10 |

Tool set

20 PCS 1/4" CrV 50BV30 CrV 6140 72T AS-DRIVE



- 1/4": 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
- 1/4" (50.8, 152.4 mm); CrV 50BV30;
- 1/4"; CrV 50BV30; L=155mm;
- 1/4" (152.4 mm); CrV 50BV30;
- 1/4"; 72T; CrV 6140;
- 1/4" (150 mm); CrV 50BV30



| | | |
|-------------|-----|----|
| YATO | | |
| YT-14491 | 600 | 10 |

Tool set

42 PCS 1/4" CrV 50BV30 CrV 6140 CrV 6150
S2 72T AS-DRIVE



- 1/4": 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
- 1/4": 8, 9, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30;
- 1/4" (50.8, 101.6 mm); CrV 50BV30;
- 1/4"; CrV 50BV30;
- 1/4" (152.4 mm); CrV 50BV30;
- 1/4"; 72T; CrV 6140;
- 1/4" (150 mm); CrV 50BV30;
- 1/4"; CrV 50BV30;
- 1/4": PH0, PH1, PH2 (L=25 mm); AISI S2;
- 1/4": P20, P21, P22 (L=25 mm); AISI S2;
- 1/4": 3, 4, 5 mm (L=25 mm); AISI S2;
- 1/4": 6, 7, 8 mm (L=25 mm); AISI S2;
- 1/4" (150 mm); CrV 6140;
- 1.5, 2.0, 2.5 mm; CrV 6150

| | | |
|-----------------|-----|---|
| YATO | | |
| YT-14481 | 900 | 6 |

Tool set

25 PCS 1/2" CrV 50BV30 CrV 6140 72T AS-DRIVE



- 1/2": 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;
- 1/2" (127 mm); CrV 50BV30;
- 1/2"(F) x 3/8"(M); CrV 50BV30;
- 1/2": 16, 21 mm; CrV 50BV30;
- 1/2" (255 mm); CrV 50BV30;
- 1/2" (317 mm); CrV 50BV30;
- 1/2"; 72T; CrV 6140

| | | |
|-----------------|------|---|
| YATO | | |
| YT-38741 | 3500 | 2 |

Tool set

20 PCS 1/2" CrV 50BV30 CrV 6140 72T AS-DRIVE



- 1/2": 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;
- 1/2" (127, 254 mm); CrV 50BV30;
- 1/2"; CrV 50BV30;
- 1/2": 16, 21 mm; CrV 50BV30;
- 1/2" (255 mm); CrV 50BV30;
- 1/2"; 72T; CrV 6140

| | | |
|----------------|------|---|
| YATO | | |
| YT-3875 | 3500 | 6 |

Tool set

22 PCS 3/8" CrV 50BV30 CrV 6140 72T AS-DRIVE



- 3/8": 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19, 20, 21, 22 mm (L=30 mm); CrV 50BV30;
- 3/8" (76, 152.4 mm); CrV 50BV30;
- 3/8"; CrV 50BV30;
- 3/8" (198 mm); CrV 50BV30;
- 3/8"; 72T; CrV 6140; L=200mm;

| | | |
|-----------------|------|----|
| YATO | | |
| YT-38561 | 1400 | 10 |

Tool set

20 PCS 1/2" CrV 50BV30 CrV 6140 72T AS-DRIVE



- 1/2": 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm (L=38 mm); CrV 50BV30;
- 1/2": 13, 17, 19 mm (L=76 mm); CrV 50BV30;
- 1/2" (254 mm); CrV 50BV30;
- 3/8"(F) x 1/2"(M); CrV 50BV30;
- 1/2"; CrV 50BV30;
- 1/2": 16 mm; CrV 50BV30;
- 1/2"; 72T; CrV 6140

| | | |
|-----------------|------|----|
| YATO | | |
| YT-38691 | 2400 | 10 |

Tool set

9 PCS 3/8" CrV 50BV30 AS-DRIVE




- 3/8": 8, 10, 11, 12, 13, 14, 16, 17, 19 mm (L=63 mm); CrV 50BV30

| | | |
|----------------|-----|----|
| YATO | | |
| YT-3855 | 630 | 10 |

Tool set

3/8" 19 PCS CrV 50BV30



3/8" (9.5 mm): 10, 11, 13, 14, 15, (L=28mm); 17, 19 mm (L=30 mm); CrV 50BV30;
 3/8" (9.5 mm): 10, 11, 12, 13 mm (L=46 mm); 14, 15, 17, 19 mm (L=63 mm); CrV 50BV30;
 3/8" (9.5 mm): (75 mm); CrV 50BV30;
 3/8" (9.5 mm); (200 mm); 72T; CrV 6140;
 3/8" (9.5 mm); (215 mm); CrV 50BV30;
 3/8" (9.5 mm); CrV 50BV30

| | | | |
|-------------|------|------|---|
| YATO | | | |
| YT-38641 | 3/8" | 2300 | 8 |

Sockets set

1/2" 12 PCS CrV 50BV30




1/2, 10, 11, 12, 13, 14, 15, 17, 19, 21, 24 mm; L=38 mm; CrV 50BV30;
 250 mm; 72T; CrV 6140;
 125 mm; CrV 50BV30



| | | | |
|-------------|------|------|---|
| YATO | | | |
| YT-12621 | 1/2" | 2200 | 8 |

Sockets set

1/2" 23 PCS CrV 50BV30



10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm; L=38 mm; 27, 30, 32 mm; L=42 mm; CrV 50BV30; 250 mm; 72T; CrV 6140; 125 mm, 250 mm; CrV 50BV30;
 250 mm; CrV 50BV30; CrV 50BV30

| | | | |
|-------------|------|------|---|
| YATO | | | |
| YT-12651 | 1/2" | 5000 | 5 |

Tool set

3/8" 15 PCS CrV 50BV30



10, 11, 12, 13, 14, (L=28mm); 15, 17, 19, 21, 22 mm, (L=30mm); L=28 mm; CrV 50BV30
 75 mm, 150 mm; CrV 50BV30
 200 mm; 72T; CrV 6140
 16 mm, 21 mm; CrV 50BV30

| | | | |
|-------------|------|------|----|
| YATO | | | |
| YT-38631 | 3/8" | 1900 | 10 |

Tool set

18 PCS 1/2" CrV 50BV30 CrV 6140 72T AS-DRIVE




11, 13, 14, 15, 17, 19, 21, 22, 23, 24 mm; (L=38 mm); 27, 30, 32 mm; (L=42 mm); CrV 50BV30; 125 mm; CrV 50BV30;
 250 mm; 72T; CrV 6140;
 480 mm; CrV 50BV30;
 16 mm, 21 mm; CrV 50BV30



| | | | |
|-------------|------|------|---|
| YATO | | | |
| YT-12641 | 1/2" | 4500 | 3 |

Sockets set

1/2" 24 PCS CrV 50BV30



10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm; (L=38 mm); 27, 30, 32 mm; (L=42 mm); CrV 50BV30;
 125 mm; CrV 50BV30;
 250 mm; 72T; CrV 6140;
 250 mm; CrV 50BV30;
 CrV 50BV30;
 16 mm, 21 mm; CrV 50BV30



| | | | |
|-------------|------|------|---|
| YATO | | | |
| YT-12661 | 1/2" | 4800 | 5 |



Tool sets

6
PCS



250V, 4x190 mm; 5x100 mm, PH1x100 mm, S2;
9 mm, SK2; 180 mm, CrV; 3 m x 16 mm

| YATO | size(mm) |
|----------|------------|
| YT-39005 | 225x110x45 |

7
PCS



250V, 4x190 mm; 5x100 mm, PH1x100 mm, S2;
9 mm, SK2; 200 mm, CrV; 200 mm;
3 m x 16 mm

| YATO | size(mm) |
|----------|------------|
| YT-39006 | 225x150x45 |

Tool sets

10
PCS



250V, 4x190 mm; 5x100 mm, PH1x100 mm, S2;
9 mm, SK2; 180 mm, CrV; 160 mm, CrV;
200 mm; 3 m x 16 mm; 225 g;

| YATO | size(mm) |
|----------|------------|
| YT-39002 | 320x180x50 |

Tool sets

12
PCS



250V, 4x190 mm; 5x100 mm, PH1x100 mm, S2;
9 mm, SK2; 180 mm, CrV; 160 mm, CrV;
200 mm; 3 m x 16 mm; 225 g;
PVC 0.13 mm 19 mm x 20 m; 190 mm

| YATO | size(mm) |
|----------|------------|
| YT-39003 | 320x180x50 |

Tool sets

13
PCS



140 mm; 3x75 mm, PH0x75 mm, S2; 2x50 mm,
PH00x50 mm, S2; 12-220V; 115 mm;
115 mm; 140 mm; 30W; 205 mm;
19.5x190 mm;

| YATO | size(mm) |
|----------|------------|
| YT-39007 | 300x180x55 |

Sockets set

25 PCS 1/2" CrV 50BV30



10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm; L=38mm; 27, 30, 32 mm; L=42 mm; CrV 50BV30; 125 mm; CrV 50BV30; 250 mm; 72T; CrV 6140; 250 mm; CrV 50BV30; 50 mm; CrV 50BV30; 16 mm, 21 mm; CrV 50BV30; 315 mm; CrV 50BV30

| | | | |
|-------------|------|------|---|
| YATO | | | |
| YT-12671 | 1/2" | 5300 | 5 |

Sockets set

10 PCS 1/2" CrV 50BV30 AS-DRIVE




1/2": 10, 12, 13, 14, 15, 17, 19, 21, 22, 24 mm (L=76 mm); CrV 50BV30

| | | | |
|-------------|--|------|----|
| YATO | | | |
| YT-38861 | | 1300 | 10 |

Sockets set

19 PCS 1/2" CrV 50BV30
CrV 6140 72T AS-DRIVE



1/2": 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30; 1/2"; 72T; CrV 6140

| | | | |
|-------------|--|------|----|
| YATO | | | |
| YT-38681 | | 2100 | 10 |

Tool set

18 PCS 1/2" CrV 50BV30
CrV 6140 72T AS-DRIVE



1/2": 11, 13, 14, 15, 17, 19, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;

1/2" (127 mm); CrV 50BV30;

1/2": 16, 21 mm; CrV 50BV30;

1/2" (457 mm); CrV 50BV30;

1/2"; 72T; CrV 6140

| | | | |
|-------------|--|------|---|
| YATO | | | |
| YT-3870 | | 3100 | 6 |

Sockets set

12 PCS 1/2" CrV 50BV30 CrV 6140 72T AS-DRIVE



1/2": 10, 11, 12, 13, 14, 15, 17, 19, 21, 24 mm (L=38 mm); CrV 50BV30;

1/2" (127 mm); CrV 50BV30;

1/2"; 72T; CrV 6140

| | | | |
|-------------|--|------|----|
| YATO | | | |
| YT-38821 | | 1400 | 10 |

Tool set

12 PCS 1/2" CrV 50BV30
CrV 6140 72T AS-DRIVE



1/2": 10, 11, 12, 13, 14, 15, 17, 19, 21, 24 mm (L=38 mm); CrV 50BV30;

1/2" (127 mm); CrV 50BV30;

1/2"; 72T; CrV 6140

| | | | |
|-------------|--|------|----|
| YATO | | | |
| YT-38671 | | 1400 | 10 |

Tool set

147 PCS

CrV SK2 S2



- 1/4" (6.3 mm);
- 200 mm;
- 160 mm; CrV 55;
- 160 mm; CrV 55;
- 160 mm; CrV 55;
- 12-220V;
- 190 mm;
- PVC 0.13 mm 19 mm x 20 m;
- LED;
- 8 oz
- 3 m x 16 mm;
- 150mm;
- 9 mm, SK2

- E8x10PCS;
- 4x3x10PCS;
- 1.6x25x50PCS;
- 20LBx15PCS;
- 3x30x14PCS;
- 2.6x25x15PCS;
- 3.2x38x10PCS;
- M5x20x5PCS;

| | | |
|-------------|------|---|
| YATO | | |
| YT-39000 | 3500 | 1 |

Tool set

169 PCS

CrV SK2 S2



- 160 mm; Cr-Ni ;
- 200 mm;
- 1/4" (6.3 mm);
- 8 oz;
- 1/4" (6.3 mm): 3, 4, 5, 5, 6 mm (L=25mm); AISI S2;
- 1/4" (6.3 mm): PH1, PH2, PH3 (L=25 mm); AISI S2;
- 1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 6 mm (L=25 mm); AISI S2;
- 1/4" (6.3 mm): T8, T10, T15, T20, T25, T27 (L=25 mm); AISI S2;
- 9 mm, SK2
- 3 m x 16 mm; L=95mm;
- 190 mm;
- 150mm;
- 30W; HARDWARE SETS
- 1.0mm; LED;
- 140 mm;
- 12-220V;
- PVC 0.13 mm 19 mm x 20 m;

| | | |
|-------------|------|---|
| YATO | | |
| YT-39291 | 3000 | 1 |

Tool set

29 PCS

CrV SK2 S2



- 1.4x50 mm, 2.0x50mm, 2.4x50mm, 6x100mm, PH00x50mm, PH0X50mm, PH1x50mm, PH2x100 mm;
- 200 mm;
- 160 mm; CrV 55;
- 160 mm; CrV 55;
- 250 mm; CrV;
- 2.6 m m; 205 mm;
- 12-220V;
- 190 mm;
- PVC 0.13 mm 19 mm x 20 m;
- LED;
- 8 oz
- 3 m x 16 mm;
- 150mm;
- 9 mm, SK2
- 1.5, 2.0, 2.2, 3.0, 4.0, 5.0, 5.5, 6.0mm;

| | | |
|-------------|------|---|
| YATO | | |
| YT-39001 | 4350 | 2 |

Sockets set

25 PCS 1/2" CrV 50BV30



10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm; L=38mm; 27, 30, 32 mm; L= 42 mm; CrV 50BV30; 125 mm; CrV 50BV30; 250 mm; 72T; CrV 6140; 250 mm; CrV 50BV30; 50 mm; CrV 50BV30; 16 mm, 21 mm; CrV 50BV30; 315 mm; CrV 50BV30

| | | | |
|-------------|------|------|---|
| YATO | | | |
| YT-12671 | 1/2" | 5300 | 5 |

Tool set

18 PCS 1/2" CrV 50BV30
CrV 6140 72T AS-DRIVE



1/2": 11, 13, 14, 15, 17, 19, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;
1/2" (127 mm); CrV 50BV30;
1/2": 16, 21 mm; CrV 50BV30;
1/2" (457 mm); CrV 50BV30;
1/2"; 72T; CrV 6140

| | | | |
|-------------|------|---|--|
| YATO | | | |
| YT-3870 | 3100 | 6 | |

Sockets set

10 PCS 1/2" CrV 50BV30 AS-DRIVE



1/2": 10, 12, 13, 14, 15, 17, 19, 21, 22, 24 mm (L=76 mm); CrV 50BV30

| | | | |
|-------------|------|----|--|
| YATO | | | |
| YT-38861 | 1300 | 10 | |

Sockets set

12 PCS 1/2" CrV 50BV30 CrV 6140 72T AS-DRIVE




1/2": 10, 11, 12, 13, 14, 15, 17, 19, 21, 24 mm (L=38 mm); CrV 50BV30;
1/2" (127 mm); CrV 50BV30;
1/2"; 72T; CrV 6140

| | | | |
|-------------|------|----|--|
| YATO | | | |
| YT-38821 | 1400 | 10 | |

Sockets set

19 PCS 1/2" CrV 50BV30
CrV 6140 72T AS-DRIVE



1/2": 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;
1/2"; 72T; CrV 6140

| | | | |
|-------------|------|----|--|
| YATO | | | |
| YT-38681 | 2100 | 10 | |

Tool set

12 PCS 1/2" CrV 50BV30
CrV 6140 72T AS-DRIVE



1/2": 10, 11, 12, 13, 14, 15, 17, 19, 21, 24 mm (L=38 mm); CrV 50BV30;
1/2" (127 mm); CrV 50BV30;
1/2"; 72T; CrV 6140

| | | | |
|-------------|------|----|--|
| YATO | | | |
| YT-38671 | 1400 | 10 | |

Tool set

147 PCS **GRADE II**

CrV SK2 S2



- 1/4" (6.3 mm); **S2**
- 200 mm;
- 160 mm; CrV 55;
- 160 mm; CrV 55;
- 160 mm; CrV 55;
- 160 mm; CrV 55;
- 12-220V;
- 190 mm;
- PVC 0.13 mm 19 mm x 20 m;
- LED;
- 8 oz;
- 3 m x 16 mm;
- 150mm;
- 9 mm, SK2

- E8x10PCS;
- 4x3x10PCS;
- 1.6x25x50PCS;
- 20LBx15PCS;
- 3x30x14PCS;
- 2.6x25x15PCS;
- 3.2x38x10PCS;
- M5x20x5PCS;

| | | |
|-------------|------|---|
| YATO | | |
| YT-39000 | 3500 | 1 |

Tool set

169 PCS **LED**

CrV SK2 S2 **GRADE II**



- 160 mm; Cr-Ni ;
- 200 mm;
- 1/4" (6.3 mm);
- 8 oz ;
- 1/4" (6.3 mm): 3, 4, 5.5, 6 mm (L=25mm); AISI S2;
- 1/4" (6.3 mm): PH1, PH2, PH3 (L=25 mm); AISI S2;
- 1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 6 mm (L=25 mm); AISI S2;
- 1/4" (6.3 mm): T8, T10, T15, T20, T25, T27 (L=25 mm); AISI S2;
- 9 mm, SK2
- 3 m x 16 mm; L=95mm;
- 190 mm;
- 150mm;
- 30W; **HARDWARE SETS**
- 1.0mm; LED;
- 140 mm;
- 12-220V;
- PVC 0.13 mm 19 mm x 20 m;

| | | |
|-------------|------|---|
| YATO | | |
| YT-39291 | 3000 | 1 |

Tool set

29 PCS **GRADE II**

CrV SK2 S2



- 1.4x50 mm, 2.0x50mm, 2.4x50mm, 6x100mm, PH00x50mm, PH0X50mm, PH1x50mm, PH2x100 mm;
- 200 mm;
- 160 mm; CrV 55;
- 160 mm; CrV 55;
- 250 mm; CrV;
- 2.6 m ;205 mm;
- 12-220V;
- 190 mm;
- PVC 0.13 mm 19 mm x 20 m;
- LED;
- 8 oz
- 3 m x 16 mm;
- 150mm;
- 9 mm, SK2
- 1.5, 2.0, 2.2, 3.0, 4.0, 5.0, 5.5, 6.0mm;

| | | |
|-------------|------|---|
| YATO | | |
| YT-39001 | 4350 | 2 |

Tool set

68 PCS 1/4" LED CrV SK2 S2 CrV 50BV30 PTFE TIP GRADE II NYLON COATED



- 1/4"(63mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm(L=25mm);
- 1/4" (150 mm); 1/4", 2.3 mm;
- 1.4x50 mm, 2.0x50mm, 2.4x50mm, 5.0x75mm, 6x100mm, PH00x50mm, PH0X50mm, PH1x50mm, PH1x75mm, PH2x100 mm;
- 150 mm;
- 160 mm; CrV 55;
- 160 mm; CrV 55;
- 250 mm; CrV;
- 2.6 mm; 205 mm;
- 5-6mm; 175mm;
- 12-220V;
- 30W;
- 19.5x190 mm;
- 205 mm; 3CR13;
- 140 mm;
- PVC 0.13 mm 19 mm x 20 m;
- 1/4" (6.3 mm): 3, 4, 5.5, 6mm (L=25 mm); AISI S2;
- 1/4" (6.3 mm): PH1, PH2, PH3(L=25 mm); AISI S2;
- 1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 6 mm (L=25 mm); AISI S2;
- 1/4" (6.3 mm): T8, T10, T15, T20, T25, T27(L=25 mm); AISI S2;
- LED; 9 mm, SK2 3 m x 16 mm;
- 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm;
- 180x90x40mm

| | | |
|-------------|------|---|
| YATO | | |
| YT-39004 | 4850 | 2 |

Tool set

68 PCS 1/4" 1000 V CrV 50BV30 CrV 6150 S2



- 1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
- 140 mm; 190 mm; 3CRB;
- 150 mm; 160 mm; 1000 V; CrV;
- 160 mm; 1000 V; CrV; 3 m x 16 mm;
- 175 mm; 1000V 19.5 x 190 mm;
- 1.5 V; 9 LED; 9 mm;
- 19 mm x 20 mm; 10 g;
- 1/4" (6.3 mm); (150 mm); CrV 50BV30;
- 1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
- 1.4, 2.0, 2.4 mm; PH00, PH0, PH01; S2;
- 4x75, 5.5x125, PH1x80, PH2x100 mm; 1000V; S2;
- 1/4" (6.3 mm): 3.0, 4.0, 5.0, 5.5, 6.0 mm (L=25 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): PH1, PH2, PH3(L=25 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): 2.0, 2.5, 3.0, 4.0, 5.0, 6.0 mm (L=25 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): T8, T10, T15, T20, T25, T27 (L=25 mm); AISI S2 / CrV 6150;
- 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 10 mm; CrV 6150
- 30W 12-220V
- 126x70x24mm

| | | |
|-------------|------|---|
| YATO | | |
| YT-39009 | 4850 | 2 |

Tool set

38 PCS 1/2" CrV 50BV30 CrV 6140 72T AS-DRIVE



- 1/2": 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;
- 1/2": 10, 13, 17, 19 mm (L=76 mm); CrV 50BV30;
- 1/2" (127, 254 mm); CrV 50BV30;
- 1/2"; CrV 50BV30; 1/2": 16, 21 mm; CrV 50BV30;
- 1/2" (255 mm); CrV 50BV30;
- 8, 10, 11, 12, 13, 14, 17, 19, 22 mm; CrV;
- 1/2"; 72T; CrV 6140

| | | |
|-------------|------|---|
| YATO | | |
| YT-3876 | 4700 | 6 |

Tool set

46 PCS 1/2" CrV 50BV30 CrV 6140
METRIC & S.A.E. 72T AS-DRIVE



- 1/2": 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;
- 1/2": 10, 12, 13, 14, 15, 17, 19 mm (L=76 mm); CrV 50BV30;
- 1/2" (127, 254 mm); CrV 50BV30;
- 3/8"; CrV 50BV30;
- 1/2"; CrV 50BV30;
- 1/2": 16, 21 mm; CrV 50BV30;
- 1/2" (254 mm); CrV 50BV30;
- 1/2"x3/8", 1/2"x7/16", 1/2"x1/2", 1/2"x9/16", 1/2"x5/8", 1/2"x11/16", 1/2"x3/4", 1/2"x13/16", 1/2"x7/8", 1/2"x15/16", 1/2"x1"; CrV 50BV30;
- 1/2"; 72T; CrV 6140

| | | |
|-------------|------|---|
| YATO | | |
| YT-3877 | 5200 | 6 |

Tool set

77 PCS 1/2" 1/4" CrV 50BV30 CrV 6140
CrV 6150 S2 72T AS-DRIVE



- 1/2": 10, 11, 12, 13, 14, 15, 17, 19, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); 1/4": 4, 5, 6, 7, 8, 9, 10, 11, 12 mm (L=25 mm); CrV 50BV30;
- 1/2" (127, 254 mm); 1/4" (76, 101.6 mm); CrV 50BV30;
- 1/2", 1/4"; CrV 50BV30;
- 1/2": 16, 21 mm; CrV 50BV30;
- 1/4"; CrV 50BV30;
- 1/4": T10, T15, T20, T25, T30 (L=25 mm); AISI S2;
- 1/4": PH0, PH1, PH2, PH3 (L=25 mm); AISI S2;
- 1/4": PZ1, PZ2, PZ3 (L=25 mm); AISI S2;
- 1/4": 3, 4, 5, 5, 7 mm (L=25 mm); AISI S2;
- 1/4": 2, 3, 4, 5, 6 mm (L=25 mm); AISI S2;
- 1/4"x1/4"; CrV;
- 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19 mm; CrV;
- 14x15, 12x13, 10x11, 8x9 mm; CrV 6140;
- 1/2", 1/4"; 72T; CrV 6140;
- 1.5, 2, 2.5, 5, 6, 8, 10 mm; CrV 6150

| | | |
|-------------|------|---|
| YATO | | |
| YT-38781 | 4700 | 2 |

Tool set

82 PCS 1/2" 1/4" CrV 50BV30
CrV 6140 S2 72T AS-DRIVE



- 1/2": 14, 15, 16, 17, 18, 19, 20, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); 1/4": 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
- 1/2" (127, 254 mm); 1/4" (50.8, 101.6 mm); CrV 50BV30;
- 3/8"(F) x 1/2"(M); CrV 50BV30;
- 1/4" (150 mm); CrV 6140;
- 1/2", 1/4"; CrV 50BV30;
- 1/2": 16, 21 mm; CrV 50BV30;
- 1/4" (152 mm); CrV 50BV30;
- 1/2", 1/4"; 72T; CrV 6140;
- 1/4" (150 mm); CrV 50BV30;
- 1/4"x1/4"; 1/2"x5/16"; CrV 50BV30;
- 5/16": PH3, PH4 (L=30 mm); AISI S2;
- 5/16": PZ3, PZ4 (L=30 mm); AISI S2;
- 5/16": 8, 10, 12 mm (L=30 mm); AISI S2;
- 5/16": 8, 10, 12, 14 mm (L=30 mm); AISI S2;
- 5/16": T40, T45, T50, T55 (L=30 mm); AISI S2;
- 1/4": T8, T10, T15, T20, T25, T30; AISI S2 / CrV 50BV30;
- 1/4": PH1, PH2; AISI S2 / CrV 50BV30;
- 1/4": PZ1, PZ2; AISI S2 / CrV 50BV30;
- 1/4": 3, 4, 5, 6 mm; AISI S2 / CrV 50BV30;
- 1/4": 4, 5.5, 7 mm; AISI S2 / CrV 50BV30;
- 8, 10, 11, 12, 13, 14, 17, 19, 22 mm; CrV

| | | |
|-------------|------|---|
| YATO | | |
| YT-12691 | 4800 | 4 |



Tool set

- 94 PCS
- 1/2"
- 1/4"
- CrV 50BV30
- CrV 6140
- CrV 6150
- S2
- 72T
- AS-DRIVE



- 1/2": 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm);
- 1/4": 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV
- 30;
- 1/2": 14, 15, 17, 19 mm (L=76 mm);
- 1/4": 6, 7, 8, 9, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30;
- 1/2" (127, 254 mm); 1/4" (50.8, 101.6 mm); CrV 50BV30;
- 3/8"(F) x 1/2"(M); CrV 50BV30;
- 1/4" (150 mm); CrV;
- 1/2", 1/4"; CrV 50BV30;
- 1/2": 16, 21 mm; CrV 50BV30;
- 1/4" (152 mm); CrV 50BV30;
- 1/2", 1/4"; 72T; CrV 6140;
- 1/4" (150 mm); CrV 50BV30;
- 5/16": 8, 10, 12, 14 mm (L=30 mm); AISI S2;
- 5/16": 8, 10, 12 mm (L=30 mm); AISI S2;
- 5/16": PH3, PH4 (L=30 mm); AISI S2;
- 5/16": PZ3, PZ4 (L=30 mm); AISI S2;
- 5/16": T40, T45, T50, T55 (L=30 mm); AISI S2;
- 1/2"x5/16"; CrV 50BV30; 1/4"x1/4"; CrV 50BV30;
- 1/4": T8, T10, T15, T20, T25, T30; AISI S2 / CrV 6150;
- 1/4": 3, 4, 5, 6mm; AISI S2 / CrV 6150;
- 1/4": PZ1, PZ2; AISI S2 / CrV 6150;
- 1/4": PH1, PH2; AISI S2 / CrV 6150;
- 1/4": 4, 5.5, 7mm; AISI S2 / CrV 6150;
- 1.5, 2, 2.5 mm; CrV 6150



| | | |
|-----------------|------|---|
| YATO | | |
| YT-12681 | 5000 | 2 |

Tool set

- 56 PCS
- 1/4" 6.3mm
- CrV 50BV30
- 72T
- CrV 6150
- CrV 6140
- S2
- AS-DRIVE



- 1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
- 1/4" (6.3 mm): 6, 7, 8, 9, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30;
- 1/4" (6.3 mm): E4, E5, E6, E7, E8, E10; CrV 50BV30;
- 1/4" (6.3 mm); (76, 152.4 mm); CrV 50BV30;
- 1/4" (6.3 mm); (150 mm); CrV 6140;
- 1/4" (6.3 mm); CrV 50BV30;
- 1/4" (6.3 mm); (152.4 mm); CrV 50BV30;
- 1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
- 1/4" (6.3 mm); (150 mm); CrV 50BV30;
- 1/4" (6.3 mm) (F) x 3/8" (9.5 mm) (M); CrV 50BV30;
- 1/4" (6.3 mm): 4, 5.5, 6.5 mm (L=37 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): PH1, PH2, PH3 (L=37 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): PZ1, PZ2, PZ3 (L=37 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): T8, T10, T15, T20, T25, T30, T40 (L=37 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm (L=37 mm); AISI S2 / CrV 6150

| | | |
|-----------------|---------------|----|
| YATO | | |
| YT-14501 | 1/4" (6.3 mm) | 10 |

Tool set

- 58 PCS
- 3/8"
- CrV 50BV30
- AS-DRIVE
- S2
- 72T
- AS-DRIVE



- 3/8": 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19, 20, 21, 22, 24 mm (L=30 mm); CrV 50BV30;
- 3/8": 8, 10, 11, 12, 13, 14, 15, 17, 19 mm (L=63 mm); CrV 50BV30;
- 3/8"; (76, 254 mm); CrV 50BV30;
- 3/8"; CrV 50BV30;
- 3/8": 16, 21 mm; CrV 50BV30;
- 3/8"; (200 mm); 72T; CrV 6140;
- 1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrV 50BV30;
- 3/8": 5.5, 6.5, 8 mm (L=50 mm); AISI S2 / CrV 6150;
- 3/8": PH1, PH2, PH3 (L=50 mm); AISI S2 / CrV 6150;
- 3/8": PZ1, PZ2 (L=50 mm); AISI S2 / CrV 6150;
- 3/8": T10, T15, T20, T25, T30, T40, T45, T50, T55 (L=50 mm); AISI S2 / CrV 6150;
- 3/8": 3, 4, 5, 6, 7, 8, 10 mm (L=50 mm); AISI S2 / CrV 6150

| | | |
|----------------|------|---|
| YATO | | |
| YT-3857 | 3100 | 6 |

Tool set

100
PCS

CrV
6140

NEW



1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); 1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30; 1/4" (6.3 mm): 6, 7, 8, 9, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30; 1/2" (12.7 mm): (127, 254 mm), 1/4" (6.3 mm): (50.8, 101.6 mm); CrV 50BV30; 3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrV 50BV30;

1/4" (6.3 mm): (150 mm); CrV 50BV30;

1/2" (12.7 mm), 1/4" (6.3 mm); CrV 50BV30;

1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;

1/4" (6.3 mm): (152.4 mm); CrV 40;

1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (155 mm); 72T; CrV 6140; 1/4" (6.3 mm); (150 mm); CrV 50BV30; 1/2" (12.7 mm) x 5/16" (7.9 mm); CrV 6140; 1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 6140; 1/4" (6.3 mm); (L=60 mm); 5/16" (7.9 mm): 8, 10, 12 mm (L=30 mm); AISI S2; 1/4" (6.3 mm): 4 mm (L=50 mm); AISI S2; 1/4" (6.3 mm): 3, 4, 5.5, 7 mm (L=25 mm); AISI S2; 5/16" (7.9 mm): PH3, PH4 (L=30 mm); AISI S2; 1/4" (6.3 mm): PH1 (L=50 mm); AISI S2; 1/4" (6.3 mm): PH0, PH1, PH2, PH3, (L=25 mm); AISI S2; 5/16" (7.9 mm): PZ3, PZ4 (L=30 mm); AISI S2; 1/4" (6.3 mm): PZ1, PZ2, PZ3 (L=25 mm); AISI S2; 5/16" (7.9 mm): T40, T45, T50, T55 (L=30 mm); AISI S2; 1/4" (6.3 mm): T10, T15, T20, T25, T30 (L=25 mm); AISI S2; 5/16" (7.9 mm): 8, 10, 12, 14 mm (L=30 mm); AISI S2; 1/4" (6.3 mm): 2, 3, 4, 5, 6 mm (L=25 mm); AISI S2; 1.5, 2.0, 2.5 mm; CrV 6150; 3.6V; 5V 300mA;



| | | | |
|-----------------|--------------|-------------|---|
| YATO | | | |
| YT-12685 | 1/2"(12.7mm) | 1/4"(6.3mm) | 2 |

Tool set

108
PCS

1/2"

1/4"

CrV
50BV30

CrV
6140

CrV
6150

S2

72T

AS-DRIVE



1/2": 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); 30;

1/4": 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV

1/2": 14, 15, 17, 19, 22 mm (L=76 mm);

1/4": 6, 7, 8, 9, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30;

1/2" (127, 254 mm); 1/4" (50.8, 101.6 mm); CrV 50BV30;

1/2", 1/4"; CrV 50BV30;

1/2": 16, 21 mm; CrV 50BV30;

1/4" (152.4 mm); CrV 50BV30;

1/2", 1/4"; 72T; CrV 6140;

1/2"(F) x 5/16"(F);

1/4" (150 mm); CrV 50BV30;

1/4": T8, T10, T15, T20, T25, T27, T30; AISI S2 / CrV 50BV30;

1/4": PH1, PH2; AISI S2 / CrV 50BV30;

1/4": PZ1, PZ2; AISI S2 / CrV 50BV30;

1/4": 4, 5.5, 6.5 mm; AISI S2 / CrV 50BV30;

1/4": 3, 4, 5, 6; AISI S2 / CrV 50BV30;

5/16": PH3, PH4 (L=30 mm); AISI S2;

5/16": PZ3, PZ4 (L=30 mm); AISI S2;

5/16": T40, T45, T50, T55, T60; (L=30 mm); AISI S2;

5/16": 8, 10, 12 mm (L=30 mm); AISI S2;

1/2": E10, E11, E12, E14, E16, E18, E20, E24 mm; 1/4": E4, E5, E6, E7, E8 mm; CrV 6150;

1.5, 2, 2.5 mm; CrV 6150



| | | |
|-----------------|------|---|
| YATO | | |
| YT-38791 | 5600 | 2 |

Tool set

120
PCS

1/2"

3/8"

1/4"

CrV
50BV30

CrV
6140

S2

METRIC & S.A.E.

72T

AS-DRIVE



1/2": 20, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); 3/8": 9, 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19 mm (L=30 mm); 1/4": 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;

3/8": 13, 14, 15, 17 mm (L=63 mm); 1/4" (6.3 mm): (150 mm); CrV 50BV30;

3/8" (76, 152.4 mm); 1/4" (50.8 mm); CrV 50BV30;

1/2", 3/8", 1/4"; CrV 50BV30;

3/8": 16, 21 mm; CrV 50BV30;

1/2", 3/8", 1/4"; 72T; CrV 6140;

1/4" (150 mm); CrV 50BV30;

1/4": T10, T15, T20, T25, T27, T30, T40 (L=25 mm); AISI S2;

1/4"x1/4"; CrV;

3/8": T20, T30, T40, T45, T50, T55, T60; AISI S2 / CrV 50BV30;

3/8": PH1, PH2; AISI S2 / CrV 50BV30;

3/8": PZ1, PZ2; AISI S2 / CrV 50BV30;

3/8": 5.5, 6.5 mm; AISI S2 / CrV 50BV30;

3/8": 3, 4, 5, 6 mm; AISI S2 / CrV 50BV30;

8, 9, 10, 11, 12, 13, 14, 17, 18, 19 mm; CrV;

1/4"x5/32", 1/4"x3/16", 1/4"x7/32", 1/4"x1/4", 1/4"x9/32", 1/4"x5/16", 1/4"x11/32", 1/4"x3/8", 1/4"x7/16", 1/4"x1/2", 3/8"x3/8", 3/8"x7/16", 3/8"x1/2", 3/8"x9/16", 3/8"x5/8", 3/8"x11/16", 3/8"x3/4", 3/8"x13/16", 3/8"x7/8", 1/2"x15/16", 1/2"x1", 1/2"x1-1/16", 1/2"x1-1/4"; CrV 50BV30;

1/2": 17, 19, 21, 23 mm; CrV 50BV30;

3/8": E8, E10, E11, E12, E14, E16, E18, E20 mm; CrV 50BV30



| | | |
|-----------------|------|---|
| YATO | | |
| YT-38801 | 7500 | 2 |